84846-8

8/20/2014

UNITED STATES ENVIRONMENTAL PROTECTION

EPA Reg. Number:

Date of Issuance

84846-8

AUG 2 0 2014

THE STATES. TO NEW YORK THE THE STATES OF TH

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511C)
1200 Pennsylvania Avenue NW
Washington, DC 20460

Term of Issuance:

Unconditional

Carbon Power®-CA

NOTICE OF PESTICIDE:

X Registration

Reregistration

Name and Address of Registrant (include ZIP Code):

FBSciences, Inc.

153 N. Main Street, Suite 100

Collierville, TN 38017

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number:

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This registration does not eliminate the need for continual reassessment of the pesticide. If the EPA determines at any time that additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under section 3(c)(2)(B) of FIFRA.

This product is unconditionally registered in accordance with FIFRA Sec. 3(c)(5) and is subject to the following terms:

- 1. Submit and/or cite all data required for registration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data.
- 2. Revise the EPA Registration Number to read, "EPA Reg. No. 84846-8."
- 3. Submit three (3) copies of the revised final printed labeling before you release the product for shipment.

A stamped copy of the label and an A-79 Enclosure are enclosed for your records.

Signature of Approving Official:

Date:

Robert McNally, Director

Biopesticides and Pollution Prevention Division (7511P)

8/20/14

EPA Form 8570-6

CONCURRENCES									
SYMBOL >	7511P	75/18	75118	75118	9511 P				
SURNAME >	Walsh	COLF	Reils	Homo	WEAHY				
DATE	8/19/14	3/19/14	8/19/14	6/19/14	8/20/14		1		
EPA Form 1	320-1A (1/90)	1 /		Printed on Recycles	d Paper	•	OFFICIAL FILE	COPY	

FBSciences, Inc.

Carbon Power®- CA

Complex Polymeric Polyhydroxy Acids
Plant Growth Regulator

For field use on sweet corn, celery, tomatoes, peppers and grapes to stimulate root and shoot growth, help increase chlorophyll content and help increase yields when used alone or in mixtures with other pesticide products

ACCEPTED

ACTIVE INGREDIENT:

Complex Polymeric polyhydroxy acids... 00.18% OTHER INGREDIENTS 99.82%

TOTAL

99.82% 100.00% AUG 2 0 2014
Under the Federal Insecticide, Fungicide,

under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7/1-7/1/

Net Contents: One Gallon/ 3.78 liters (8.45 lbs/3.84kg)

EPA Reg. No. 84846-X

EPA Est. No. 84846-CA-001

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Product Safety Hotline 1- 866-359-5667 day or night, for emergency medical treatment information.

Precautionary Statements Hazards to Humans and Domestic Animals

CAUTION

Caution: May cause slight eye irritation. Avoid contact with skin, eyes or clothing. Wear goggles or face shield when handling concentrate. After product is diluted in accordance with the directions for use, goggles or face shield are not required. Wear appropriate personal protective equipment (PPE). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

3/

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes and socks.
- Waterproof gloves
- Protective eyewear.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should:

- Remove clothing immediately if pesticide gets inside.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

GENERAL USE INFORMATION

Carbon Power-CA is a broad-spectrum plant growth regulator for use on sweet corn, celery, tomatoes, peppers and grapes. Carbon Power-CA may be applied as a soil applied treatment through drip irrigation systems or as a soil drench (all listed crops). Optimum growth effects are achieved when the product is applied on a regular scheduled application program.

Since all combinations or sequences of soil pesticide and nutrient applications including surfactants and adjuvants have not been tested, before wide spread application, test a small area to be sprayed first to make certain that no phytotoxicity occurs.

Read the entire label before using Carbon Power-CA. Consult your State Agricultural Experimental Station or Extension Service Specialist for additional information on application timing, rates and any additional requirements or restrictions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation

AG SULTURAL USE REQUIREMENT

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material
- Shoes and socks
- Protective eyewear

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep unprotected persons out of treated area until sprays have dried.

SOIL APPLICATION INSTRUCTIONS

Carbon Power-CA is a broad spectrum biochemical plant growth regulator that stimulates root and shoot growth, helps increase chlorophyll content and helps increase yields when used alone or in mixtures with nutrients and other pesticide products on sweet corn, celery, tomatoes, peppers and grapes.

For all listed crops, apply Carbon Power-CA at a rate of 8 fluid ounces per acre unless otherwise specified on this label. Refer to the Soil Application Use Rates for Outdoor Crops section of this label for specific use rate and timing information.

Applications can begin prior to planting for soil applications and continue as long as plants are still in the vegetative stage.

Repeat applications no sooner than every 7 days. Carbon Power-CA is effective for use in programs where repeated applications throughout the growing season are necessary. If not applied on a routine schedule, apply Carbon Power-CA alone or in combination with appropriate fertilizers and pesticides.

Specific Use Restrictions and Precautions: Spray equipment must be cleaned thoroughly before and after applications.

MIXING INSTRUCTIONS:

For soil applications, be sure the sprayer is clean and not contaminated with other materials prior to use. When using an agitated spray tank fill tank 1/2 to 3/4 full with clean water and start agitation. Be certain that the agitation system is working properly. With the agitator running add the required amount of Carbon Power-CA to the tank. If tank mixing with other materials, add them to the tank

5/8

and continue agitation. Continue filling tank with the remainder of the water. Agitate until mixed thoroughly and avoid excessive foaming. Mix as needed. Do not store diluted material overnight.

COMPATIBILITY:

Carbon Power-CA is compatible with most commonly used agricultural pesticides. If compatibility is in question, use the compatibility jar test before mixing a whole tank. Dilute Carbon Power-CA to its use rate and then with stirring add the other components in the appropriate amounts. If precipitation, gelation, or sedimentation occurs, do not use the combination' of pesticides. Because of the wide variety of possible combinations that can be encountered, observe all precautions and limitations on the label of all products used in mixtures.

DRIP IRRIGATION SYSTEM APPLICATION

This product may be applied through drip irrigation systems. Do not apply this product through any other type of irrigation system. Use standard tank agitation when mixing Carbon Power-CA alone or with other pesticides. Fill the tank halfway with water, begin agitation and add Carbon Power-CA, other tank mix pesticides or fertilizers and fill with water. Refer to the Soil Application Use Rates for Outdoor Crops section of this label for specific use rate and timing information.

Preparation of Injection Equipment: Remove pesticide, scale residues and other foreign matter from the chemical tank and entire injection system. Flush with clean water.

Set the drip irrigation system to deliver 0.1 to 0.3 inch of water per acre. Start the system and uniformly inject the solution of Carbon Power-CA into the irrigation water line. Inject the Carbon Power-CA solution with a positive displacement pump into the main line before a right angle turn to ensure adequate mixing. If you have questions about calibration, you should contact State Extension Service specialists, equipment manufacturers or other experts.

Crop injury or lack of effectiveness in the crop can result from non-uniform distribution of treated water. A person with knowledge of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut down and make necessary adjustments should the need arise. The system must contain a functional check valve, vacuum relief valve, and low-pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.

When applying Carbon Power-CA using drip irrigation systems avoid further irrigation after the treatment has been completed for 24 to 48 hours.

Apply Carbon Power-CA continuously for the duration of the water application.

General Information and Instructions for Irrigation Systems: Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.

Public system means a system for the provision to the public of piped water for human consumption if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days out of the year.

Irrigation systems connected to public water systems must contain a functional, reduced-pressure zone (RPZ), backflow preventer or the functional equivalent in the water supply line upstream from the point of pesticide introduction. As an option to the RPZ, the water from the public water system should be discharged into a reservoir tank prior to pesticide introduction. There shall be a complete

6/8

physical break (air gap) between the outlet end of the fill pipe and the top or overflow rim of the reservoir tank of at least twice the inside diameter of the fill pipe.

The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops, or in cases where there is no water pump, when the water pressure decreases to the point where pesticides distribution is adversely affected. Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock. For drip (trickle) irrigation: The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

DRENCH APPLICATION

For seeded crops: Apply over the open seed furrow onto seed. For transplanted crops: Apply as a directed spray to the base of transplants, covering the root zone. Refer to the Soil Application Use Rates for Outdoor Crops section of this label for specific use rate and timing information.

SOIL APPLICATION USE RATES FOR OUTDOOR CROPS

For Sweet corn, Pepper, Tomato, Celery and Grapes:

Use Rate:

Carbon Power-CA is to be applied to the soil. The use rate for drip irrigation or drench applications is 8 fluid ounces per acre. Repeat applications no sooner than every 7 days. Do not apply more than 24 oz. per acre per season. Carbon Power-CA works best when soil applications are made with fertilizer or nutrient products and can be applied with liquid or granular formulations.

Application Timings:

Celery: Apply any time up to about 30 days prior to harvest.

Grapes: Apply bud break through bloom in the spring and post harvest in the fall Peppers and tomatoes: Apply during the vegetative stages up through early bloom.

Sweet corn: Apply during the vegetative stages.

Application Gallonage:

Carbon Power-CA should be moved into the plant root zone for maximum effectiveness. Apply in sufficient gallonage to incorporate Carbon Power-CA into the soil, and follow drench application with irrigation. With application through a drip irrigation system, follow with additional irrigation waiting at least 24 to 48 hours after the completion of the initial drip irrigation treatment.

Specific Use Restrictions: Do not apply more than 8 fluid ounces per acre per application. Do not apply more than 24 ounces per acre per season. Except on grapes, do not make post-harvest applications. PHI: 0 Days.

LIMITED WARRANTY AND DISCLAIMER

The directions for use of this product are believed to be adequate and must be followed carefully. The use of this product is beyond the control of the manufacturer, and, therefore, to the extent consistent with applicable law, no warranty, representation, or guarantee of any kind, expressed or implied, is made as to the effects of such use or any results obtained if not used in accordance with printed directions and established safe practice or if unusual or extraordinary weather conditions occur. To the extent consistent with applicable law, the buyer's exclusive remedy and manufacturer's or seller's exclusive liability in tort or otherwise, shall be limited, at the manufacturer's option, to replacement of, or the repayment of the purchase price for, the quantity of product with respect to which damages are claimed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal:

Storage: Keep pesticide in original container. Keep container tightly closed when not in use. Store product above 40°F. Do not store in aluminum, fiberglass, copper, brass, zinc, or galvanized containers. Protect from excessive heat. Store in a cool, dry place.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. For containers less than five gallons triple rinse as follows: Empty remaining contents into application equipment or mix tank and drain for 10 seconds after flow begins to drip. Fill container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times. For containers greater than five gallons triple rinse as follows: Empty remaining contents into application equipment or mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip the container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand container on its end and tip back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or mix tank or store rinsate for later use or disposal. Repeat the procedure two more times. Then offer for recycling or reconditioning, or puncture and or dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities by burning. If burned, stay out of smoke.

حائمه م	01 - /1 -4	M. L. com la more	
Batch.	Code/Lot	number.	

Revised 8/18/2014 Final Version

Manufactured by:
FBsciences, Inc.
153 N. Main St., Suite100
Collierville, TN 38017 **United States** 901.221.1200