

84886-3

04/13/2012

1/12



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Catherine M. Byrd
Agrium Advanced Technologies (U.S.) Inc.
c/o Wagner Regulatory Associates, Inc.
P.O. Box 640
Hockessin, DE 19707

APR 13 2012


Subject: Product Name: AAT Consumer Weed & Feed 01
Proposed Alternate Brand Name: Agrium AT Weed & Feed plus Crabgrass Preventer
EPA Reg. No. 84886-3
Label Notification per PRN 98-10

Dear Ms. Byrd,

The Agency is in receipt of your application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for AAT Consumer Weed & Feed (EPA Reg. No. 84886-3) dated November 10, 2011. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Emily Hartman of my staff at (703) 347-0189 or hartman.emily@epa.gov.

Sincerely,


Kathryn V. Montague, Project Manager 23
Herbicide Division
Registration Division
Office of Pesticide Programs

<p>United States Environmental Protection Agency Washington, DC 20460</p>	<input checked="" type="checkbox"/>	Registration	OPP Identifier Number
	<input type="checkbox"/>	Amendment	
	<input type="checkbox"/>	Other	

Application for Pesticide - Section I

<p>1. Company/Product Number 84886-3</p>	<p>2. EPA Product Manager Kathryn Montague</p>	<p>3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted</p>
<p>4. Company/Product (Name) Agrium Advanced Technologies (U.S.) Inc./ AAT Consumer Weed & Feed 01 (ABN: Agrium AT Weed & Feed plus Crabgrass Preventer)</p>	<p>PM# 23</p>	
<p>5. Name and Address of Applicant (Include Zip Code) Agrium Advanced Technologies (U.S.) Inc. c/o Wagner Regulatory Associates, Inc. P.O. Box 640 Hockessin, DE 19707 <input type="checkbox"/> Check if this is a new address</p>	<p>6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name:</p>	

NOTIFICATION
APR 13 2012

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)
Notification of alternate brand name per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA Regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:

<p>Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No</p>	<p>Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input checked="" type="checkbox"/> Other (Specify) HDPE lined bags</p>
<p>* Certification must be submitted</p>		<p>If "Yes" No. per Unit Packaging wgt. container</p>	<p>If "Yes" No. per Package wgt container</p>

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container
5-55lbs

5. Location of Label Directions
 On Label
 On Labeling accompanying product

6. Manner in Which Label is Affixed to Product
 Lithograph Other _____
 Paper glued
 Stenciled

Section - IV


1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Catherine M. Byrd	Title Agent for Agrium Advanced Technologies (U.S.) Inc.	Telephone No. (Include Area Code) (302) 635-7283
---------------------------	---	---

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Agent for Agrium Advanced Technologies (U.S.) Inc.	6. Date Application Received (Stamped)
4. Typed Name Catherine M. Byrd	5. Date 11/10/2011	



Wagner Regulatory Associates, Inc.
P.O. Box 640
7217 Lancaster Pike, Suite A
Hockessin, Delaware 19707

November 10, 2011

Document Processing Desk (NOTIF)
ATTN: Kathryn Montague, PM Team 23
Registration Division
U.S. Environmental Protection Agency
Office of Pesticide Programs (7504P)
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, Virginia 22202-4501

Dear Ms. Montague,

**Subject: Notification of Alternate Brand Name per PR Notice 98-10 Section II (A)
AAT Consumer Weed & Feed 01
EPA Reg. No. 84886-3**

Wagner Regulatory Associates, Inc., as agent for Agrium Advanced Technologies (U.S.) Inc. (84886), respectfully notifies the Agency of an alternate brand name for the above referenced product of "Agrium AT Weed & Feed plus Crabgrass Preventer" per PR Notice 98-10 Section II (A). No other changes were made to this label.

In support of this notification, the following documents are attached:


- Letter from Agrium Advanced Technologies (U.S.) Inc. appointing Wagner Regulatory Associates, Inc. as its agent
- Notification for Pesticide Registration (8570-1)
- Labeling, 3 copies and CD
- Certification with Respect to Label Integrity

If you have any questions about this submission please contact the undersigned at catherine@wagnerreg.com or (302) 635-7283.

Respectfully submitted,

Catherine M. Byrd
Agent for Agrium Advanced Technologies (U.S.) Inc.

Enclosures



4/12

Agrium AT Weed & Feed plus Crabgrass Preventer

ACTIVE INGREDIENTS:

2,4-D, 2-ethylhexyl ester	0.555 %
Mecoprop-p	0.084%
Dicamba	0.035%
Dithiopyr	0.080%

NOTIFICATION

APR 13 2012

OTHER INGREDIENTS:	99.246%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- 7.36 lb 2,4-dichlorophenoxyacetic acid equivalent per ton or 0.368% (CAS 94-75-7)
- 1.68 lb (+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid equivalent per ton or 0.084% (CAS 16484-77-8)
- 0.70 lb 3,6-dichloro-o-anisic acid equivalent per ton or 0.035% (CAS 1918-00-9)
- 1.60 lb dithiopyr per ton or 0.080% (CAS 97886-45-8)

Isomer Specific By AOAC Methods.

GUARANTEED FERTILIZER ANALYSIS	
Total Nitrogen (N)	x.x%
x.x% Ammoniacal Nitrogen	
x.x% Urea Nitrogen*	
Available Phosphate (P2O5)	x.x%
Soluble Potash (K2O)	x.x%
Nutrient Sources: [Guaranteed analysis and nutrient sources to be supplied based on fertilizer analysis used by manufacturer.]	
* x.x% Slowly available nitrogen from polymer coated urea	

KEEP OUT OF REACH OF CHILDREN


CAUTION

STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

EPA Reg. No. 84886-3
EPA Est. No. 84886-AL-001

Net Contents: _____

Manufactured by:
Agrium Advanced Technologies (U.S) Inc.
2915 Rocky Mountain Ave
Loveland, CO 80538



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

First Aid	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information in case of emergency, call toll free 1-888-615-0015.	

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS AND RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.
- Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed or for research purposes.
- Do not use this product on or near desirable plants. Avoid spreading granules onto exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches.
- Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans.
- Do not apply when windy.
- Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

- Do not exceed specified dosage for any area.
- Do not use clippings from treated areas for composting or for mulching vegetables or fruit trees.

[For residential use by homeowners:]

New York State: Do not exceed one application at the rate of 7.2 pounds of product per 1,000 sq. ft. per year [0.25 lb. active ingredient of dithiopyr per acre per year].

Other States: The maximum broadcast application rate is 7.2 pounds of product per 1,000 sq. ft. per application [1.15 lb 2,4-D ae, 0.26 lb MCP-P acid equivalent, 0.11 lb dicamba acid equivalent, and 0.25 lb dithiopyr per acre per application]. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum combined seasonal rate is 2.30 lb 2,4-D acid equivalent, 0.52 lb MCP-P acid equivalent, 0.22 lb dicamba acid equivalent, and 0.50 lb. dithiopyr per acre.

PRODUCT DESCRIPTION

Agrium AT Weed & Feed plus Crabgrass Preventer is formulated (designed) to provide control of most annual grasses and certain broadleaf weeds commonly found in home lawns.

Agrium AT Weed & Feed plus Crabgrass Preventer contains three components: a preemergent herbicide, a lawn fertilizer, and a post emergent broadleaf weed killer.

- The preemergent herbicide can be applied to established turfgrass to control crabgrass goosegrass, foxtails, and other undesirable annual grasses.
- The fertilizer contains slow release nutrients that may extend the availability for turfgrass uptake.
- The post emergent broadleaf herbicide will control [overxxx] lawn weeds including dandelion, chickweed, thistle and clover. A partial list of broadleaf weeds is presented on this label.

WHERE TO USE


Agrium AT Weed & Feed plus Crabgrass Preventer may be used on the following established turf species:

Established Cool Season Turfgrass:

- Kentucky bluegrass
- perennial ryegrass
- fine fescues
- tall fescue

Established Warm Season Turfgrass:

- bahiagrass
- bermudagrass
- buffalograss
- zoysiagrass and



Do not use Agrium AT Weed & Feed plus Crabgrass Preventer on dichondra, carpetgrass or colonial bentgrass. Do not use Agrium AT Weed & Feed plus Crabgrass Preventer on St. Augustinegrass in Florida. Do not use this product on turfgrass where desirable clovers are present.

Guidelines to follow:

The use of Agrium AT Weed & Feed plus Crabgrass Preventer on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress due to mechanical operations, chemical injury, disease, insects, pests, excessive temperatures, or lack of moisture may increase the chances for turfgrass injury. Allow turfgrass weakened by these stresses to recover before application of this product.

WEEDS CONTROLLED			
When applied as directed, this product will control and/or suppress* the following weeds:			
Annual Grass Weeds:			
Annual bluegrass* (<i>Poa annua</i>)	Annual ryegrass	Crabgrass Foxtail (green and yellow)	
A partial listing of established broadleaf weeds: [see appendix for complete list or include here]			
Bedstraw	Curly dock	Mustard	Red sorrel
Beggarticks	Daisy, oxeye	Narrowleaf plantain	Redroot pigweed
Black medic	Dandelion	Oxalis	Sheep sorrel
Broadleaf plantain	Dichondra	Parsley-piert	Shepherdspurse
Buckhorn plantain	False dandelion	Pearlwort	Slender plantain
Burclover	Ground ivy	Pennycress	Smooth dock
Burdock	Healall	Pepperweed	Smooth pigweed
Carpetweed	Henbit	Pigweed	Spurge
Chickweed, common	Knotweed	Plantain	Thistle
Chickweed, mouseear	Lambsquarters	Poison ivy	Woodsorrel
Chicory	Lespedeza	Poison oak	Yarrow
Clover, hop...	Mallow	Pokeweed	
Clover, strawberry	Matchweed	Purslane, common	
Clover, white	Morningglory	Ragweed	
When applied in the fall will control Annual bluegrass, applied in the spring will suppress Annual bluegrass.			

WHEN TO APPLY


A. Established lawns:

This product is to be applied as a single application either in the spring or fall.

For crabgrass and other listed grasses: This product is a preemergent herbicide to control crabgrass (smooth, southern and large) and other susceptible annual grasses. For the best results in the spring, apply this product one to two (1 to 2) weeks before the expected germination of crabgrass. This product may also provide early post emergent control of crabgrass. However, post emergent crabgrass control will be obtained only when this product is applied before the first tiller stage of crabgrass.

[start optional growth stage description]

The graphics below indicate the growth stages of crabgrass, and the optimum timing for application of this product to assure control:



BEST Grassy weed control	GOOD Grassy weed control	POOR Grassy weed control
1 to 2 weeks before germination	Stages 9, 10, 11, or 12 above	Stage 13 or greater

[end optional growth stage description]

For broadleaf weed control:

Best results are obtained during the spring or fall when broadleaf weeds are present, young and actively growing under adequate soil moisture and favorable temperatures (50° to 80°F).

HOW TO APPLY

This product needs to stick to the leaves of broadleaf weeds and should be applied when the grass is wet from dew or rain; poor results will occur if it is applied to dry lawns. The lawn should not be watered or disturbed for 24 hours after application. Delay mowing for 3 days after application.

Apply this product when the wind is calm. Avoid spreading granules onto flowers, vegetables, and ornamental shrubbery or desirable plants.

HOW MUCH TO USE

Use a drop or rotary spreader designed to apply granular fertilizers. Avoid skips or excessive overlaps as poor weed control or turfgrass injury may result.

For Kentucky bluegrass, fescue spp., perennial ryegrass, common bermudagrass, and zoysiagrass:

Apply 5.0 to 7.2 pounds of product per 1,000 square feet of established turfgrass.

For hybrid bermudagrass, bahiagrass and buffalograss:

Apply 4.0 to 6.0 pounds of product per 1,000 square feet of established turfgrass.

Maximum Use Rate Restrictions: The maximum broadcast application rate is 7.2 pounds of product per 1,000 sq.ft. per application [1.15 lb 2,4-D ae, 0.26 lb MCP-P acid equivalent, 0.11 lb dicamba acid equivalent, and 0.25 lb dithiopyr per acre per application]. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum combined seasonal rate is 2.30 lb 2,4-D acid equivalent, 0.52 lb MCP-P acid equivalent, 0.22 lb dicamba acid equivalent, and 0.50 lb. dithiopyr per acre.

SUGGESTED SPREADER SETTINGS

Note to reader: A listing of spreaders and suggested settings for the application rate of 4.0 to 7.2 lb per 1,000 sq.ft. will be presented on the container labels.

The above spreader settings are approximate. The age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

CALIBRATION INSTRUCTIONS [examples]:

- For 7.2 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 275 square feet and adjust to apply at the rate of 2 pounds of product per 275 square feet.
- For 5.0 pounds of product per 1,000 square feet of turfgrass: Check your spreader on 400 square feet and adjust to apply at the rate of 2 pounds of product per 400 square feet.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep in original container in a cool, dry area, away from extreme heat and direct sunlight. Do not store near food feed, seeds or other pesticides.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or www.website.com for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

100% Satisfaction Guaranteed. If not completely satisfied with the product's performance when used specifically as directed, contact Agrium Advanced Technologies (U.S.) Inc. and upon mailing in your proof of purchase you will receive, at the discretion of Agrium Advanced Technologies (U.S.) Inc., either a refund of your purchase price or a replacement of the product. To the extent consistent with applicable law, no warranties, expressed or implied, extend beyond the description on this label.


APPENDIX

1. Statements which may appear on different label components depending on packaging configuration.


- See next panel for additional Precautionary Statements and First Aid
- Net Contents: _____
- EPA Est. No. _____

2. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:

- Northern and Southern Grasses Bluegrass, Fescue, Zoysia, Bermuda, Bahia, Perennial Ryegrass
- Treats Northern and Southern Grasses
- Kills xx+ Weed; Types as listed, Even the Roots
- Kills xx+ Weeds as listed
- Especially effective on hard-to-kill weeds as listed
- Kills broadleaf weeds as listed in lawns
- Kills major broadleaf weeds as listed, even the roots. And [brand name] is formulated to kill only the weeds, not the lawn. Use as directed to kill major broadleaf weeds in your lawn.
- Kills dandelion and many other broadleaf weeds as listed.
- Use on Lawns to Kill the Toughest Weeds as listed like Clover and dandelion.
- Tough weed killer
- Kills even the tough[est] broadleaf weeds [like clover, dandelion, oxalis]
- Destroys the hard-to-kill broadleaf weeds [like clover, dandelion; oxalis]
- Kills [major] broadleaf weeds [like clover, dandelion, oxalis]
- Provides broadleaf control
- Controls '[Kills] clover, dandelion, plantain, chickweed and [other broadleaf weeds as listed] [others as listed]
- Clobbers clover
- Kills the root
- Kills weed roots!
- Kills more weeds
- Kills tough lawn weeds
- Consistently fast on: tough weeds like clover, plantain, ground ivy and spurge [various other weeds listed]
- Starts working on contact
- [cool][all] weather performance
- Proven [all] [cool] weather performance
- For home lawn care
- For home lawns only
- For a beautiful weed-free lawn
- Helps keep lawns weed-free
- Kills the weeds, not the lawn
- Kills weeds, not lawn grasses
- Kills [down to] the root, [not the lawn]
- For use on lawns



- Targets weeds, leaves [grasses][the lawn] unharmed
- Guaranteed [Results] or Your Money Back
- Controls Dandelion, White Clover, Plantain, Chickweed, Spurge and Many Other Listed Weeds
- Greens in 72 Hours & Promotes Thick, Green Growth
- Contains Composite Timed-Release (CTR) Nitrogen for Extended Feeding!
- Kills up to xxx Weed Types as listed
- Kills Weeds While Feeding Your Lawn
- Encourages Quick Greening & Provides Extended Nitrogen Feeding up to 6Months
- Kills up to xx+ Weed Types as listed Including Roots
- Especially Effective on Hard-to-Kill Weeds
- Kills listed major broadleaf weeds as listed including roots. And (brand name) is formulated to kill only the weeds, not the lawn. Use as directed to kill major broadleaf weeds in your lawn.
- For use on: Kentucky bluegrass, fescue spp., perennial ryegrass, common bermudagrass, zoysiagrass, St. Augustinegrass, centipedegrass, hybrid bermudagrass
- (Product Name) is specially formulated to complement the phosphorus already present in some soils and give your turf the additional primary nutrients needed for a good turf feeding. A soil test can help you determine if your soil has an adequate supply of phosphorus and if this is the best product for your soil type. Proper watering and mowing practices along with regular feedings will help promote a beautiful green lawn.
- Prevents Crabgrass and Fertilizes
- Weed 'n Feed Plus Crabgrass Preventer
- Eliminates Lawn Weeds - One application does it all - crabgrass, dandelion, viney weeds, even clover.
- Provides constant flow of nutrients
- Time release nutrient technology – more efficient use of fertilizer
- Time-release feeding
- Controlled-release
- More efficient use of plant nutrients
- Provides a thicker, more beautiful lawn
- Builds strong and deep roots
- Provides green grass longer without requiring re-application
- Prevents dandelions and other broadleaf weeds as listed
- Broad spectrum weed control (including crabgrass and dandelion)
- Strengthen lawns against heat and drought
- Improves lawn's ability to absorb water and nutrients
- Does not burn lawns when used as directed
- Saves money in the long run
- Requires fewer applications annually
- One application per season (year) – Spring or Fall
- One application does it all
- Only a single application is needed
- Easy to use
- Saves time
- Smart Feed Fertilizer with Broad Spectrum Weed Control
- Contains more than 85% time release feeding – over 4X more than leading fertilizer brands
- Phosphorus free
- Prevents Weeds and Fertilizes
- Proven all weather performance
- Dust free and will not clump-up
- Greens quickly and feeds all year long – Guaranteed!
- Guaranteed to feed throughout the growing season
- Delivers consistent and uniform time release feeding throughout the growing season
- Won't burn lawns – Guaranteed
- ONE application & DONE for the year!
- Guaranteed Results or Your Money Back



- Great looking lawn all year long with just one fertilizer application. Contains advanced, high efficiency time release fertilizer
- Formulated to effectively feed lawns all year long
- Use less total fertilizer – up to 25% less
- Avoid growth surges from the sudden flush of fertilizer typical of ordinary fertilizers
- Advanced technology gradually meters nutrients directly to the lawn and minimizes potential losses
- Provides sustained and consistent greening the entire growing season
- Innovative micro-thin polymer coating allows for precision time release nutrients
- Fertilizer release is activated by temperature
- Steady, long lasting release enables one application per year
- Continually and consistently meets lawn nutrient demands all year long
- Rate of nutrient release depends on temperature, not affected by rainfall or irrigation
- No need to worry about growth surges or fertilizer runoff from excessive moisture
- Provides beautiful green grass without the typical peaks and valleys of growth associated with standard fertilizers
- Make only a single application for green, healthy lawn all year long
- Get a full growing season's worth of green, healthy turf with just one fertilizer application!
- Highly efficient plant uptake allows you to apply less total fertilizer per year
- Controls over 250 or [xxx] weeds as listed including Crabgrass, Dandelion and Clover
- Controls crabgrass before they germinate
- Use on Lawns to Kill the Toughest Weeds like Crabgrass, Clover and Dandelion.
- Prevents crabgrass all season
- Consistently fast on: tough weeds like clover, plantain, ground ivy and spurge

3. Trademark acknowledgement statements:

- DIMENSION® is a registered trademark of Dow AgroSciences, L.L.C.
- TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

4. Fertilizer Labeling Requirements in States:

- Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapfco.org/metals.htm>.
- Typically a lawn will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed this product will supplement your regular fertilizer program by providing 1.4-2.5_ pounds of nitrogen per 1,000 square feet. Consult your local Extension office for questions regarding a fertilizer program suitable to your geographical region.
- If the use rate applies less than 1 pound nitrogen per 1,000 sq.ft. per application, the following statement must appear: Supplemental applications of lawn fertilizer are needed to achieve a minimum of 1 pound nitrogen per 1,000 sq.ft.

[Controls][Kills] up to [253] weed types as listed! (List of weeds may include the following):

Amaranth, purple	Cupid shaving Brush	Mustard, ball	Speedwell, common
Amaranth, slender	Cudweed	Mustard, black	Speedwell, corn
Aster, heath	Daisy, English	Mustard, blue	Speedwell, ivyleaf
Aster, white heath	Daisy, oxeye	Mustard, hedge	Speedwell, persian
Aster, purple	Dandelion, common	Mustard, indian,	Speedwell, purslane
Aster, white prairie	Dandelion, false	Mustard, tansy	Speedwell, slender
Artichoke	Day flower	Mustard, tumble	Speedwell, snow
Austrian fieldcress	Deadnettle	Mustard, white	Speedwell, thymeleaf
Bedstraw, Catchweed	Dichondra	Mustard, wormseed	Spiny amaranth
Bedstraw, smooth	Dock, broadleaf	Nettle, stinging (burning)	Spurge, spotted
Bedstraw, Northern	Dock, curly	Nettle, tall	Spurge, prostrate
Bedstraw, pineywoods	Dogbane	Nettle, wood	Spurweed
Beggarticks, hairy	Dogfennel	Parsley-piert	Star of Bethlehem
Betony, Florida	Dollarweed	Parsnip	Strawberry, India mock
Bindweed, Field	(Pennywort)	Pearlwort	Tansy ragwort

Bindweed, Hedge	Dove weed	Pennycress (frenchweed)	Tanweed
Bitter Wintercress	Elderberry	Pepperweed, perennial	Thistle, blessed
Bittercress, hairy	Falseflax	Pepperweed, virginia	Thistle, bull
Bitterweed	False sunflower	(Peppergrass)	Thistle, canada
Black-eyed Susan	Fiddleneck	Pigweed, prostate	Thistle, fiodman (prairie)
Black Medic	Filaree, redstem	Pigweed, redroot	Thistle, musk
Blood flower milkweed	Filaree, whitestem	Pigweed, russian	Thistle, platte
Blue lettuce	Fleabane, daisy	Pigweed, smooth	Thistle, plumeless
Brassbuttons	(annual)	Pigweed, tumble	Thistle, russian
Bristly oxtongue	Fleabane, rough	Pineapple weed	Thistle, scotch
Broomweed	Galinsoga, hairy	Plains coreopsis (tickseed)	Thistle, wavyleaf
Buckhorn	Galinsoga, smallflower	Plantain, blackseed	Thistle, yellow (horrible)
Bullnettle	Goldenrod	Plantain, bracted	Trailing crownvetch
Burclover	Ground ivy	Plantain, broadleaf	Velvetleaf
Burdock	Groundsel	Plantain, buckhorn	Vervain, blue
Burweed, lawn (spurweed)	Gumweed	Plantain, hoary	Vervain, hoary
Buttercup, bulbous	Hairy fleabane	Plantain, narrowleaf	Vervain, prostrate
Buttercup, creeping	Hawkweed, meadow	Plantain, slender	Vervain, tall
Buttonweed, common	Hawkweed, mouseear	Plantain, woolly	Vetch, bird
(poorjoe)	Hawkweed, orange	Poison ivy	Vetch, hairy
Buttonweed, virginia	Hawkweed, yellow	Poison oak	Vetch, milk
Carolina geranium (wild)	Healall	Pokeweed	Vetch, narrowleaf
Carpetweed	Heartleaf drymary	Prairie Sunflower	Vetch, wild
Catnip	Hemp	Prickly lettuce (compass plant)	Virginia creeper
Catsear, spotted (false	Henbit	Prickly sida	Western clematis
dandelion)	Hoary cress	Prostrate knotweed	Western salsify
Chamber bitter	Horsenettle	Puncturevine	Wild aster
Chickweed, common	Horseweed	Purslane, common	Wild buckweat
Chickweed, mouseear	Jimsonweed	Pusley, brazil	Wild carrot
Chickweed, sticky	Johnny-Jumpup violet	Pusley, florida	Wild four-o'clock
Chicory	Knawel	Pusley, large flower	Wild garlic
Cinquefoil	Knotweed, prostrate	Ragweed, bur	Wild lettuce
Clover, crimson	Kochia	Ragweed, common	Wild marigold
Clover, alyce	Lambsquarters	Ragweed, lancleaf	Wild mustard (yellow rocket)
Clover, hop	Lespedeza	Ragweed, western	Wild onion
Clover, rabbit foot	Mallow, alkali	Redstem filaree	Wild parship
Clover, red	Mallow, bristly	Rough cinquefoil	Wild radish
Clover, strawberry	Mallow, common	Scarlet pimpernel	Wild rape
Clover, yellow sweet	Mallow, dwarf	Shepardspurse	Wild strawberry
Clover, white sweet	Mallow, venice	Smartweed, ladysthumb	Wild sweet potato
Clover, white	Marcela	Smartweed, pale	Wild violet
Cockle	Matchweed	Smartweed, pennsylvania	Woodsorrel, creeping
Cocklebur	Mexicanweed	Smooth chaff-flower	Woodsorrel, violet
Cocklebur, oriental	Moneywort	Smoothdock	Woodsorrel, yellow (Oxalis)
Cocklebur, spiny	Morningglory, bigroot	Sorrel, red (sheep)	Woolly croton
Common mullein	Morningglory, ivyleaf	Sowthistle, annual	Wormseed
Corn Spurry	Morningglory, mexican	Sowthistle, spiny	Yarrow, common
Creeping Beggarweed	Morningglory, red	Spanish needles	Yarrow, western
Creeping Jenny (creeping	Morningglory, tall	Speedwell, bi-lobed	Yarrow, yellow
charlie)	Morningglory, wolly		
	Mugwort		

DOCUMENT CONTROL INFORMATION

1. Unique Label Identifier: 084886-00003.20110826