



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Antimicrobials Division (7510P)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:

84886-6

Date of Issuance:

10/17/25

NOTICE OF PESTICIDE:

☒ Registration

☐ Reregistration

(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

K58-D

Name and Address of Registrant (include ZIP Code):

Thomas Green  
Koch Agronomic Services, LLC  
4111 East 37th Street North  
Wichita, KS 67220  
Electronic Transmittal: tom.green@kochcc.com

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.

Signature of Approving Official:

Demson Fuller, Product Manager 32  
Regulatory Management Branch 1  
Antimicrobials Division (7510P)

Date:

10/17/25

3. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, "EPA Reg. No. 84886-1."
4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSF:

- Basic CSF dated 08/01/2024


If you have any questions, please contact Michael Varco via email at [Varco.Michael@epa.gov](mailto:Varco.Michael@epa.gov).

Sincerely,



Demson Fuller, Product Manager 32  
Regulatory Management Branch I  
Antimicrobials Division (7510P)  
Office of Pesticide Programs

Enclosure



## K58-D

{Alternate Brand Names: **CENTURO® U-PRO**}

### Nitrification Inhibitor, Fertilizer Additive

[PRODUCT NAME] is a nitrification inhibitor used to delay nitrification by inhibiting the oxidation of ammoniacal nitrogen to nitrate nitrogen. For use with dry and liquid fertilizers containing ammoniacal nitrogen, including but not limited to granular urea, urea ammonium nitrate (UAN), aqua ammonia, and liquid manure.

[PRODUCT NAME] can be used for canola, corn, cotton, rice, small grains, sorghum, where a nitrification inhibitor is needed and the fertilizer nitrogen is placed on or below the soil surface.

#### Active Ingredients:

Pronitridine (CAS RN 1373256-33-7)	44%
------------------------------------	-----

Other ingredients:	56%
--------------------	-----

<b>Total:</b>	<b>100%</b>
---------------	-------------

Contains 4.58 pounds of active ingredient per gallon. Density is 10.4 lbs./gal.

**KEEP OUT OF REACH OF  
CHILDREN**

**CAUTION**

**PRECAUCIÓN**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label find someone to explain it to you in detail.)

Net contents:	Koch Agronomic Services, LLC
Batch number:	4111 East 37th Street North
	Wichita, KS 67220

EPA Reg. No. 84886-X
EPA Est. No.

## Precautionary Statements

### Hazards to Humans and Domestic Animals:

CAUTION Harmful if swallowed or absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt and long pants, socks, shoes, and chemical resistant gloves such as barrier laminate, butyl rubber  $\geq 14$ mils, nitrile rubber  $\geq 14$ mils, neoprene rubber  $\geq 14$ mils, polyvinyl chloride  $\geq 14$ mils, Viton  $\geq 14$ mils.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

### Personal Protective Equipment:

Mixers, loaders, applicators, and other handlers must wear: long-sleeved shirt and long pants; shoes and socks; and waterproof gloves (see chemical resistant gloves as referenced in the Hazards to Humans section). NOTE: This product is applied with fertilizer. Follow all additional restrictions and precautions, including protective equipment requirements, relevant to the fertilizer product being used.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

## FIRST AID

<b>If swallowed:</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have a person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to by a poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If in eyes:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>General Information:</b> Have the product container or label with you when calling a poison control center or doctor or going for treatment. For general information on product use, etc. call the National Pesticides Information Center at 1-800-858-7378, Monday – Friday, 8:00am-12:00pm Pacific Time; email: <a href="mailto:npic@ace.orst.edu">npic@ace.orst.edu</a> ; or website: <a href="http://npic.orst.edu">http://npic.orst.edu</a> . You may also contact the Poison Control Center at 1-800-222-1222 for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN</b>	
Treat symptomatically.	

**Environmental Hazards:**

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of nitrates and fertilizer from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours. Sound erosion control practices will reduce this product's potential to reach aquatic sediment via runoff.

**Physical or Chemical Hazards:**

Do not use with or store near any oxidizing or reducing agents.

**User Safety Recommendations**

Applicators, mixers, and/or loaders should wash hands before eating, chewing gum, using tobacco, or using the toilet.

Remove clothing/PPE immediately if pesticide gets inside, wash thoroughly and put on clean clothes.

**Product Information**

[PRODUCT NAME] is a nitrification inhibitor used to delay nitrification by inhibiting the oxidation of ammoniacal nitrogen to nitrate nitrogen. For use with dry and liquid fertilizers containing ammoniacal nitrogen, including but not limited to granular urea, urea ammonium nitrate (UAN), aqua ammonia, and liquid manure.

[PRODUCT NAME] can be used for canola, corn, cotton, rice, small grains, and sorghum, where a nitrification inhibitor is needed and the fertilizer nitrogen is placed on or below the soil surface.

**Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Please refer to Agricultural Use Requirements below**

Read all Directions for Use carefully before application.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

## Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that were not covered by the Worker Protection Standard.

Do not allow workers to enter treated areas during the restricted entry interval (REI) of 24 hours. If the product is soil-injected or soil incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

## Mixing Directions

**Compatibility Testing:** [PRODUCT NAME] is compatible with most liquid nitrogen fertilizer products and washing or rinsing equipment between uses is usually not necessary. However, it is recommended that compatibility testing be performed before equipment use is changed from one material to another. Avoid contact with strong oxidizing agents and acids.

**Urea or other Granular Ammoniacal Fertilizers:** [PRODUCT NAME] may be blended with granular fertilizer in mixing or blending equipment. Apply [PRODUCT NAME] to the granular fertilizer in the blender. Blend well before introducing other fertilizer materials and allow adequate time (at least 1 minute per ton) for uniform coverage. A dye is included in the product to assist in evaluating uniformity of coverage.

**Liquid Fertilizers:** [PRODUCT NAME] may be mixed with liquid fertilizers such as aqua ammonia, urea ammonium nitrate solution, or other liquid urea or other liquid ammoniacal fertilizer solutions. [PRODUCT NAME] can be added to liquid fertilizers in storage tanks, nurse tanks, or implement tanks with initial agitation to ensure complete mixing. A dye is included in the product to assist in evaluating mixing completeness.

**Tank Mixing:** Check the physical compatibility of tank mixtures as indicated below. It is the pesticide user's responsibility to ensure that all tank-mixed pesticide products are registered for the intended use. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture. Once the [PRODUCT NAME] is mixed into the fertilizer, continuous agitation should not be necessary. However, depending on the compatibility and solubility of other products, these mixtures may require constant agitation during both mixing and application to ensure uniformity of the spray mixture. Read and carefully follow all applicable directions including dosage rates, restrictions, and precautions for the specified crops on labeling for the other products used in combination with [PRODUCT NAME] .

When making a tank mix, any product with a pH less than 5 should be added to the mixture first. The mixture should then be adjusted to a pH greater than 5, with a base before the [PRODUCT NAME] is added.

**Tank Mixing Compatibility Test:** To test the compatibility of [PRODUCT NAME] with crop protection chemicals or biologicals, add proportionate amounts of each ingredient to a small jar, cap, shake, and let stand for one day. Formation of precipitates or layers that do not readily re-disperse indicates an incompatible mixture and should not be used.

**Use Restrictions:**

- May be applied as surface broadcast prior to crop emergence
- Apply as a band treatment on or below the soil surface after crop emergence
- Apply only pre-plant, at-plant, or early season side dress
- Do not apply directly to plant foliage
- Do not apply through any type of irrigation system
- Do not apply more than 1 gallon of [PRODUCT NAME] per acre per year
- Make only 1 post application per year

**Application Rates: Canola, Corn, Cotton, Rice, Small Grains, and Sorghum**

**Application (Preplant, Preemergence, At-plant, or Early Season Side Dress)**

- [PRODUCT NAME] may be mixed directly with dry and liquid fertilizers containing ammoniacal nitrogen, including but not limited to granular urea, UAN, aqua ammonia, and manure.

Fertilizer	Quarts per Ton
Urea	3.6
UAN 32%	1.9
UAN 30%	1.8
UAN 28%	1.7
Ammonium nitrate (AN)	1.3
Ammonium sulfate (AMS)	1.7
Aqua ammonia	1.6
Diammonium phosphate (DAP)	1.4
Ammonium thiosulfate (ATS)	0.9
Monoammonium phosphate (MAP)	0.9
Ammonium polyphosphate (APP)	0.8

For liquid manure, apply 0.13 fl. oz. per pound of ammoniacal nitrogen in the manure, as



determined by a manure lab analysis. If the manure nitrogen content is unknown, apply 20-30 fl. oz. per acre.

**Handlers of Agricultural Pesticides:** This product should only be used by those who have been trained to safely handle and apply fertilizer products. Wear appropriate personal protective equipment. Follow any additional precautions and restrictions required for the fertilizer product used.

## Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

**Storage:** Store in a secured place out of reach of children and animals and away from other chemicals.

Always store pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Storage areas must be locked and secure from vandalism, with precautionary signs posted. The storage area must be dry, well-lit, and well-ventilated. Keep pesticide storage areas clean. Clean up any spills promptly. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Protect pesticide containers from extreme heat and cold. Store herbicides, insecticides and fungicides in separate areas within the storage unit. Place liquid formulations on lower shelves and dry formulations above. Maintaining a spill kit and fire extinguisher on hand and having emergency phone numbers posted will allow you to be prepared for emergencies. If spill cleanup PPE is stored nearby, but outside the pesticide storage area, it will be accessible when needed.

**Pesticide Disposal:** To avoid waste, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry). Wastes resulting from the use of this product must be disposed of at an approved waste disposal facility or on the treatment site.

### Container Handling:

**Bulk:** [PRODUCT NAME] supplied in bulk should not be transferred to containers. It should only be transferred to fertilizer storage tanks or equipment specifically designed for bulk fertilizer application. [PRODUCT NAME] is compatible with most liquid fertilizer products and washing or rinsing equipment between uses is usually not necessary. However, it is recommended that compatibility testing be performed before equipment use is changed from one material to another. If needed, tanks and equipment may be cleaned with water. Collect all rinsate from such cleaning and either apply as weak [PRODUCT NAME] as otherwise directed, or fully characterize and dispose according to federal, state, and local regulations using an appropriately licensed waste hauler.

*For plastic containers less than or equal to 5 gallons:* Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Triple rinse container (or equivalent) promptly after emptying. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Collect all rinsate and either use in UAN as directed or store rinsate for later use in UAN or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by



incineration.

*For plastic containers greater than 5 gallons:* Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Triple rinse container promptly after emptying. Triple Rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container  $\frac{1}{4}$  full with water, being sure to spray container walls while filling. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Collect all rinsate from such cleaning and either apply as weak [PRODUCT NAME] as otherwise directed, or fully characterize and dispose according to federal, state, and local regulations using an appropriately licensed waste hauler.

*For plastic containers greater than 5 gallons:* Refillable Container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or tank mix. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available, or puncture and dispose of in sanitary landfill, or by incineration, or by other procedures allowed by state or local authorities.

#### TERMS AND CONDITIONS OF USE

If the terms of the following Limited Warranty, Warranty Limitation/Limitation of Liability and Warranty Disclaimer are not acceptable, return unopened package immediately to place of purchase for a refund of the purchase price paid. Otherwise, use by the buyer of this product or any other person constitutes acceptance of the terms under Warranty Disclaimer and Inherent Risks of Use and Limitation of Liability.

#### LIMITED WARRANTY

To the extent consistent with applicable law, Koch Agronomic Services, LLC (“KAS”)’s exclusive warranty for this product is that it (1) conforms to the chemical description on the label and (2) is reasonably fit for the purposes expressly stated on the label when used in strict accordance with the instructions included in this label, subject to the warranty limitations set forth herein.

#### WARRANTY LIMITATION/LIMITATION OF LIABILITY

It is impossible to eliminate all risks associated with use of this product. Crop damage or personal injury, lack of performance, or other unintended consequences may result because of such factors as use of product contrary to label instructions (including conditions noted on the label, unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excess rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of KAS. Except as warranted on this label, all such risks are expressly assumed by the buyer of this product, and individual results from using this product may vary. To the extent consistent with applicable law, KAS shall not be liable for losses or damages resulting from handling or use of this product unless KAS is promptly notified of such loss or damage in writing. In no case shall KAS be liable for consequential, incidental, special or exemplary damages or losses. The exclusive remedy for all losses or damages resulting from this product or use of this product (including claims based on contract, negligence, strict liability or other legal theories), shall be limited to, at KAS’s election, one of the following:

1. Refund of purchase price paid by buyer, or
2. Replacement of amount of product used.

No prior dealings between KAS and the buyer/user can change this exclusive remedy. The terms of the Warranty, Warranty Disclaimer, and Warranty Limitation/Limitation of Liability cannot be varied by any written or verbal statements or agreements. No employee, distributor or sales agent of KAS, or any other seller or user is authorized to vary or exceed the terms of the Limited Warranty, Warranty Disclaimer or Warranty Limitation/Limitation of Liability in any manner.

#### WARRANTY DISCLAIMER

KAS DOES NOT GUARANTEE THAT USE OF THIS PRODUCT WILL YIELD ANY SPECIFIC RESULTS EXCEPT AS WARRANTED IN THIS LABEL. TO THE FULLEST EXTENT PERMITTED BY APPLICABLE LAW, ANY OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY IS DISCLAIMED AND NOT MADE.