

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

February 5, 2021

Sam Ghantous Global Head, Product Safety and Regulations Stractacor, Inc. c/o Emery Oleochemicals LLC 4900 Este Avenue Cincinnati, OH 45232

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling Amendment – Addition of poultry claims; addition of use instructions specifying types of poultry mites; Relocation of optional claims
 Product Name: C8910 Fly Repellent Oil
 EPA Registration Number: 84893-1
 Application Date: 12/21/2020
 OPP Submission Number: 1062318

Dear Mr. Ghantous:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review the U.S. Environmental Protection Agency (EPA). If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should

Page 2 of 2 EPA Reg. No. 84893-1 OPP Submission Number: 1062318

the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Susannah Powell via email at powell.susannah@epa.gov.

Sincerely,

NN

Gina Burnett, Senior Regulatory Advisor Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P) Office of Pesticide Programs

Enclosure



C8910 FLY REPELLENT OIL

MASTER LABEL

SUBLABEL A: FOR AGRICULTURAL AND COMMERCIAL USE

FOR USE ON POULTRY AND LIVESTOCK SUCH AS; BEEF, DAIRY CATTLE, HORSES, PONIES, MULES, DONKEYS AND SWINE.

TO PROTECT AGAINST AND REPEL STABLE FLIES, HORN FLIES, HOUSE FLIES, TICKS ANDLICE ON LIVESTOCK AND RED MITE (DERMANYSSUS GALLINAE), NORTHERN FOWL MITE (ORNITHONYSSUS SYLVIARUM), DEPLUMING ITCH MITE (KNEMIDOCOPTES GALLINAE) AND SCALY LEG MITE (KNEMIDOKOPTES MUTANS) ON POULTRY. FOR POULTRY RAISED ON LITTER USE TO CONTROL LITTER BEETLE INFESTATIONS.

SUBLABEL B: FOR RESIDENTIAL USE

FOR USE ON POULTRY AND LIVESTOCK SUCH AS; BEEF, DAIRY CATTLE, HORSES, PONIES, MULES, DONKEYS AND SWINE.

TO PROTECT AGAINST AND REPEL STABLE FLIES, HORN FLIES, HOUSE FLIES, TICKS AND LICE ON LIVESTOCK AND RED MITE (DERMANYSSUS GALLINAE), NORTHERN FOWL MITE (ORNITHONYSSUS SYLVIARUM), DEPLUMING ITCH MITE (KNEMIDOCOPTES GALLINAE) AND SCALY LEG MITE (KNEMIDOKOPTES MUTANS) ON POULTRY.

Active Ingredients:	
Octanoic Acid.	5.0%
Nonanoic Acid	5.0%
Decanoic Acid	. 5.0%
Other ingredients	<u>85.0%</u>
Total	100.0%

SUBLABEL A: FOR AGRICULTURAL AND COMMERCIAL USE

FOR USE ON POULTRY AND LIVESTOCK SUCH AS; BEEF, DAIRY CATTLE, HORSES, PONIES, MULES, DONKEYS AND SWINE.

TO PROTECT AGAINST AND REPEL STABLE FLIES, HORN FLIES, HOUSE FLIES, TICKS AND LICE ON LIVESTOCK AND RED MITE (DERMANYSSUS GALLINAE), NORTHERN FOWL MITE (ORNITHONYSSUS SYLVIARUM), DEPLUMING ITCH MITE (KNEMIDOCOPTES GALLINAE) AND SCALY LEG MITE (KNEMIDOKOPTES MUTANS) ON POULTRY. FOR POULTRY RAISED ON LITTER USE TO CONTROL LITTER BEETLE INFESTATIONS.

C8910 FLY REPELLENT OIL

Active Ingredients:

Octanoic Acid	5.0%
Nonanoic Acid.	5.0%
Decanoic Acid	5.0%
Other ingredients	<u>85.0%</u>
Total	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID			
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 		
If on skin or clothing	 Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 		
	EMERGENCY NUMBER		
FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL THE NATIONAL POISON CONTROL CENTER 1-800-222-1222. Have the product container or label with you when calling a poison control center or doctor.			

U.S. Patent Nos. 6306415, 6444216, 6953814 European Patent No. 1018873, Australian Patent No. 746766, Canadian Patent Pending EPA Reg. No. 84893-1 EPA Establishment No. 6574-KY-001, 87663-OH-001 Lot No. xxxxxxx Net Contents: 55, 270 & 6000 gals

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Breathing of mist may cause respiratory irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

When applying to animals stand upwind from the subject being treated and avoid contact with delicate areas such as eyes and ears.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Use care when applying in areas adjacent to any body of water. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not dilute **C8910 FLY REPELLENT OIL** prior to use or combine or co-apply with any other skin treatments, including soaps and detergents. Apply to individual animals while standing upwind from the subject being treated. Apply to hair coat using any commercially available sprayer suitable for oil application or using a soft cloth. Do not apply when horses are sweating profusely. Apply with care around delicate areas (eyes and ears). If animals have been washed, allow treatment areas to dry before application.

Livestock Use Directions

For repelling flies and ticks, apply as needed to front and rear legs and lower body of the animal or other areas as necessary. For repelling lice, spray affected areas and rub into coat.

Poultry Use Directions:

For repelling red mite, northern fowl mite, depluming itch mite and scaly leg mite on poultry: Apply to the vent area and fluff areas of the animal from below. Treat roosters carefully to avoid re-infestation of breeding flocks. For poultry raised on litter, spray litter evenly to penetrate the surface to control lessor meal worms and darkling beetles infestations. Concentrate sprays under feed and watering lines or in other areas where insect pests collect. Repeat when necessary.

FARM PREMISES (BARNS, DAIRIES, STABLES, LIVESTOCK AND POULTRY HOUSING)

Controls, kills and repels pests such as House Flies, Stable flies, Horn flies, Biting Midges, Lice, Ticks, Litter Beetle on farm premises.

1. Indoor Areas *Occupied* by Livestock and Poultry:

Apply as a directed spray into cracks and crevices and around insulation, using a hand held sprayer. Do not contaminate waterers and feed containers. In poultry facilities, apply to floor area and litter surface or to walls, posts and cages. Spray evenly to penetrate litter surface. Concentrate sprays under feed and watering lines or in other areas where insect pests collect. It is not necessary to remove poultry from the housing unit during treatment. Reapply after each grow out or de-caking and sanitization procedure.

2. Indoor Areas *Unoccupied* by Livestock and Poultry:

Remove all animals from the premises. Feeders, waterers, and feed carts must be covered or removed before application to prevent contamination. Do not apply to milk rooms. Apply 16 fluid ounces of C8910 Fly Repellent Oil per 1000 cubic feet using an ultra-low volume sprayer. Direct spray towards the upper corners and ceiling until the area is filled with mist. For best results, close windows and doors before application, and keep closed for 10-15 minutes after use. Vacate the treated area and ventilate before reoccupying. Apply to floors, vertical and overhead surfaces where crawling or flying insect pests may be present. Pay attention to animal areas including stanchions, cages, nesting boxes, roosts, windows, doors and areas where insect pests hide or congregate. Retreat if reinfestation occurs.

Note: Exterior applications to walls and foundation perimeters can help prevent interior infestations of insect pests. Apply in a uniform band 2 to 3 feet up and 6 to 10 feet out from the structure. Maintaining a year-round treatment program will prevent background populations from reaching problem levels. Normal cleaning practices of the structure also must be followed along with applications of this product to effectively control insect pests.

STORAGE AND HANDLING

DO NOT contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store container in cool place until used. Store at temperatures above 32° F.

Pesticide Disposal: Wastes resulting from use of this product must be disposed of on-site or at an approved waste disposal facility.

Container Handling:

Non-refillable Containers: Do not reuse or refill this container. Offer for recycling if available. Clean container promptly after emptying (liquid formulations).

Non-refillable container 5 gals or less: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¹/₄ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Non-refillable container (greater than 5gals): Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¹/₄ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Refillable container: Refill this container with this pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

Terms and Conditions of Use:

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

Warranty and Disclaimer Notice:

To the extent consistent with applicable law, Stratacor, Inc. makes no warranty or guarantee of any kind, expressed or implied concerning the effects of use of this product, other than those specified on this label. Buyers or users accept all responsibility for results due to misuse or improper handling of this product.

Inherent Risks of Use:

It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to the label instructions (including adverse conditions noted on the label, such as unfavorable temperatures, wind, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Emery Oleochemicals LLC or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the buyer.

Limitation of Remedies:

To the extent consistent with applicable law, the exclusive remedy for losses or damages resulting from the use of this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Emery Oleochemicals LLC's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought,

Or

2. Replacement of amount of product used.

To the extent allowable by state law, Stratacor, Inc. shall not be liable for losses or damages resulting from handling or use of this product unless Stratacor, Inc. is promptly notified of such loss or damage in writing. In no case shall Stratacor, Inc. be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Stratacor, Inc. or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

Manufactured for:

Stratacor, Inc. c/o Emery Oleochemicals LLC. 4900 Este Ave Cincinnati, Ohio 45232

SUBLABEL B: FOR RESIDENTIAL USE

FOR USE ON POULTRY AND LIVESTOCK SUCH AS; BEEF, DAIRY CATTLE, HORSES, PONIES, MULES, DONKEYS AND SWINE.

TO PROTECT AGAINST AND REPEL STABLE FLIES, HORN FLIES HOUSE FLIES, TICKS AND LICE ON LIVESTOCK AND RED MITE (DERMANYSSUS GALLINAE), NORTHERN FOWL MITE (ORNITHONYSSUS SYLVIARUM), DEPLUMING ITCH MITE (KNEMIDOCOPTES GALLINAE) AND SCALY LEG MITE (KNEMIDOKOPTES MUTANS) ON POULTRY.

C8910 FLY REPELLENT OIL

Active Ingredients:

Octanoic Acid.	.5.0%
Nonanoic Acid.	.5.0%
Decanoic Acid	. 5.0%
Other ingredients	85.0%
Total	. 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID		
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 		
If on skin or clothing	 Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 		
	EMERGENCY NUMBER		
FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL THE NATIONAL POISON CONTROL CENTER 1-800-222-1222. Have the product container or label with you when calling a poison control center or doctor.			

U.S. Patent Nos. 6306415, 6444216, 6953814 European Patent No. 1018873, Australian Patent No. 746766, Canadian Patent Pending EPA Reg. No. 84893-1 EPA Establishment No. 6574-KY-001, 87663-OH-001 Lot No. xxxxxxx Net Contents: 3,4,16 & 32 fl oz, 1, 2.5 & 5 gals

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Breathing of mist may cause respiratory irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

When applying to animals stand upwind from the subject being treated and avoid contact with delicate areas such as eyes and ears.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, or gutters or surface waters. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not dilute C8910 FLY REPELLENT OIL prior to use or combine or co-apply with any other skin treatments, including soaps and detergents. Apply to individual animals while standing upwind from the subject being treated. Apply to hair coat using any commercially available sprayer suitable for oil application or using a soft cloth. Do not apply when horses are sweating profusely. Apply with care around delicate areas (eyes and ears). If animals have been washed, allow treatment areas to dry before application.

Livestock Use Directions:

For repelling flies and ticks, apply as needed to front and rear legs and lower body of the animal or other areas as necessary. For repelling lice, spray affected areas and rub into coat.

Poultry Use Directions:

For repelling red mite, northern fowl mite, depluming itch mite and scaly leg mite on poultry: Apply to the vent area and fluff areas of the animal from below. Treat roosters carefully to avoid re-infestation of breeding flocks. Concentrate sprays under feed and watering lines or in other areas where pests collect. Repeat when necessary.

STORAGE AND HANDLING

DO NOT contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store container in cool place until used. Store at temperatures above 32° F.

Pesticide Disposal: Wastes resulting from use of this product must be disposed of on-site or at an approved waste disposal facility.

Container Disposal:

If empty: Non-refillable - Do not reuse or refill this container. Offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Terms and Conditions of Use:

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

Warranty and Disclaimer Notice:

To the extent consistent with applicable law, Stratacor, Inc. makes no warranty or guarantee of any kind, expressed or implied concerning the effects of use of this product, other than those specified on this label. Buyers or users accept all responsibility for results due to misuse or improper handling of this product.

Inherent Risks of Use:

It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to the label instructions (including adverse conditions noted on the label, such as unfavorable temperatures, wind, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Emery Oleochemicals LLC or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the buyer.

Limitation of Remedies:

To the extent consistent with applicable law, the exclusive remedy for losses or damages resulting from the use of this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Emery Oleochemicals LLC's election, one of the following:

- 1. Refund of purchase price paid by buyer or user for product bought, or
- 2. Replacement of amount of product used.

To the extent allowable by state law, Stratacor, Inc. shall not be liable for losses or damages resulting from handling or use of this product unless Stratacor, Inc. is promptly notified of such loss or damage in writing. In no case shall Stratacor, Inc. be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Stratacor, Inc. or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

Manufactured for:

Stratacor, Inc. c/o Emery Oleochemicals LLC 4900 Este Ave Cincinnati, Ohio 45232

Optional Label Claims

- (Repels Stable Flies, Horn Flies and Ticks On Livestock.)
- (CDC Tested Effective Against Malaria Vectors (ISSN 2141-2510)).
- (Quick Repellency and Knockdown.)
- (Patented Formula.)
- (Biorational Insect Solutions.)
- (Natural Based and Renewable Fly Repellent.)
- (Long-Lasting Coat Shine.)
- (Water Resistant.)
- (Sweat Resistant Formula.)
- (For Use on Horses and Premises.)
- (Available in Multiple sizes (3 oz. 5 gals.))
- (Pleasantly scented.)
- ((Kills On Contact And Repels Biting And Nuisance Flies And Gnats On Horses) (For Up To 3 Days))
- (Kills And Repels Biting And Nuisance Flies)
- (Kills Ticks On Contact (That May Carry Lyme Disease))
- (Kills On Contact And Repels (Biting And Nuisance Flies) (Including) Horn Flies, Stable Flies, Black Flies, Deer Flies, Face Flies, Barn Flies, House Flies, Horse Flies And Gnats) (Repellency That (Protects And) Stays Active For Up To 3 Days) (Stays Active For Up To 3 Days) (Extends Repellency For 3 Days)
- ((Bug Graphic(S): (Fly), (Gnat) (Tick))
- (Stops Bugs Before They Bite)
- (Protects 24 Hours A Day For Up To 3 Days)
- (24/7 Pest Protection)
- (Round The Clock Protection) (Works Day And Night) For Up To 3 Days
- (For Use On Mules And Donkeys) (Kills On Contact, Repels And Protects For Up To 3 Days))
- (Quick & Even Coverage.)
- ((24/7) Fly Protection) For Up To 3 Days.
- (Contains A (Unique) Combination Of 3 Active (Proven) Ingredients)
- Creates Zone Of Protection Around Your (Pet, Horse, Cow, Pig)
- Interferes With The Insect's Homing System (Sensory Disruptor)
- () Denotes Alternate Text/Additional Alternate Bullet Points