

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

FEB 18 2011

John A. Todhunter, Agent for Burrows Paper Co. C/o SRS International 7700 Leesburg Pike, Suite 208 Falls Church, VA 22043

SUBJECT: Label Amendment

Burrows CE Wrap EPA Reg. No. 85199-11; Decision #443277

Your Submission Dated: November 19, 2010

Dear Mr. Todhunter:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended to delete a statement no longer required per the Ethoxyquin RED is acceptable providing you make the following labeling change:

1. Following the Directions for Use, revise the "Crops" section as follows:

Pears: To prevent scald. Wrap fruit within 1 week post harvest. These treated pear wraps contain a maximum of 1,000 ppm ethoxyquin. They can be used on pears that have received prior treatment with ethoxyquin providing those pears were sprayed only once with no more than 1700 ppm of ethoxyquin, or drenched only once with no more than 1,000 ppm of ethoxyquin. Do no re-use fruit wraps. These wraps must be removed and disposed of prior to displaying pears for sale. Do not allow consumers access to fruit wraps.

A copy of the label stamped "Accepted with Comments" is enclosed.

Submit one copy of your final printed labeling before you release the product for shipment.

EPA Reg. No. 85199-11 Product Name Burrows CE Wrap Page 2 of 2

If you have any questions regarding this correspondence, contact Rose Kearns of my staff by phone at 703-305-5611 or via email at <a href="kearns.rosemary@epa.gov">kearns.rosemary@epa.gov</a> or myself at 703-308-9443 or via email at <a href="kish.tony@epa.gov">kish.tony@epa.gov</a>.

Sincerely,

Tony Kish Product Manager (22) Fungicide Branch Registration Division (7504P)

Enclosure

## Burrows CE Wrap

# Treated with Ethoxyquin and Copper

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### FIRST AID

#### If on skin or clothing:

- -Take off contaminated clothing.
  -Rinse skin immediately with plenty of water for 15-20 minutes.
  - -Call a poison control center or doctor for treatment advice.
- minutes. Remove contact lenses, if present, after the first 5 -Hold eye open and rinse slowly and gently with water for 15-20 minutes, then continue rinsing eye.
  - -Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Nationwide Poison Control Center 1-800-222-1222

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS Precautionary Statement

irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before cating, Harmful if absorbed through the skin. Causes moderate eye drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Net Contents: XX lbs (#### Sheets)

EPA Est. Number: 85199-IA-001 / EPA SLN: WA-#######

EPA Reg. Number: 85199-11

Burrows Paper Co., 501 West Main Street, Little Falls, NY 13365

Burrows CE Wrap: Amended Labeling Draft 11-19-2010

#### 0.1% (6-ethoxy-1,2-dihydro-2,2,4-trimethylquinoline) Active Ingredient: Ethoxyquin .. **NERT INGREDIENTS** TOTAL Copper Carbonate

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### Crops

ppm when applied as a drench. Do not reuse fruit wrap. These wraps must be treated with a maximum of 1,000 ppm ethoxyquin may be used on pears that Pears- to Prevent Scald. Wrap pears within one week of post-harvest. Wraps have either been sprayed or drenched once with ethoxyquin. Application of ethoxyquin by line spraying must not exceed a total of 1,700 ppm or 1,000 removed and disposed of prior to displaying pears for sale. Do not allow consumers access to fruit wraps.

### Storage and Disposal

Pesticide Storage: Store in a cool place. Prolonged exposure of chemical to air or sunlight may result in darkening of the product and staining of the fruit. Do not contaminate water, food or feed by storage or disposal.

Always store pesticide in the original container.

Pesticide Disposal: Dispose of used wraps in a plastic bag, seal the bag and dispose in an on-site trash receptacle (dumpster) or at an approved waste disposal facility. Open dumping is prohibited.

Container Disposal: Non-refillable container. Do not reuse packaging. Place packaging in trash or offer for recycling if available.

with COMMENTS FEB | 8 2011 ACCEPTED

Fungicide, and Rodenticide Act registered under EPA Reg. No. as amended, for the pesticide Under the Pederal Insecticide,