09/20/2012





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D C 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SEP 2 0 2012

Mr M Visnack President for, Global Brass and Copper, Inc One Revere Park Rome, NY 13440

Mail to Mr Micah T Reynolds 1150 18th Street, NW, Suite 1000 Washington, D C 20036

Subject CuVerro II EPA Registration Number 85353-2

Your Notification Dated August 20, 2012 EPA Received Date August 21, 2012

The notification referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to add marketing logo to the product labeling, is acceptable

The notification has been made part of the permanent file

If you have questions concerning this letter, please contact Karen M $\,$ Leavy at (703)-308-6237

Sincerely,

Marshall Swindel

Product Manager 33

Regulatory Management Branch I Antimicrobial Division(7510P)

Please read instruction:	s on reve	rse side before completing	form			orm Appro	ved OMB	No 2070 0	060 Appro	oval expires 05 31 98	
ŞEPA	United States Environmental Protection A Washington DC 20460				ency		Registr Amend Other		OPP Id	entifier Number	
			Applicat	on for F	esticide –	Section	1]				
1 Company/Product Number					2 EPA Product Manager				3 Proposed Classification		
85353-2					Marshall Swindell				None Restricted		
4 Company/Product (Name CuVerro® II					PM# 33				None	Restricted	
5 Name And Address Of Applicant (Include ZIP Code)					6 Expedited Review In accordance with FIFRA Section 3(c)(3)						
Global Brass and Copper, Inc					(b)(i) my product is similar or identical in composition and labeling to						
427 North Shamrock Street					EPA Reg No						
East Alton, Illinois 62024					LI A Neg No						
Check if this is a new address					Product Name						
				Sec	tion II				· <u>-</u> -		
Amendment – Explain below Resubmission in response to Agency letter dated Notification – Explain below					Final Printed labels in response to Agency letter dated Me Too Application Other Explain Below						
Evolanation Use	addition	al page(s) if necessary	(For section	Land Sectu	n II)					<u> </u>	
		Notification to ad	•		, , , , , , , , , , , , , , , , , , ,						
This notification is co labeling or the confid to EPA I further und of FIFRA and I may	onsisteni lential st derstand be subje	t with the provisions of atement of formula of the that if this notification act to enforcement action to with Micah Rey	PR Notice 98 this product— is not consiste on and penalti	10 and EPA I understand ent with the es under se	I that it is a violaterms of PR No ctions 12 and 1	ation of 18 otice 98 10 4 of FIFRA	USC Sec and 40 CFI	: 1001 to w R 152 46 th	ıllfully makı nıs product	e any false statemen may be in violation	
				Sec	tion III						
1 Material This Prod	luct Will	Be Packaged In									
Child Resistant Packaging Unit Packaging Water					Soluble Packaging 2 Type of Container						
Yes					res Meta						
☐ No		☐ No		I □ N	0			Plastic	C		
* Certification n be submitted	nust	If Yes Unit Packaging wgt	No per Container	If Yes Unit Pa	ckaging wgt	No per Containe	r	Glass Paper Other			
3 Location of Net Contents Information 4 Size(S) Retail C					ner	T	1 1	n of Label D	Directions		
Label Container				On Label On Labeling accompanying produ						inying product	
6 Manner in Which Label is Affixed to Product Lithogra Pager g Stencile				plued					(((()		
				Sec	tıon IV					c c · c	
1 Contact Point (Co	mplete i	tems directly below for	ıdentıfıcatıon	of ındıvıdua	to be contacte	d if necess	sary to pro			(7	
Name Micah T Reynolds Technology Sciences Group Inc Regular					ry Consultant	t		Telephon (202) 828		udမ် Area Code) ႏိုင်ငံ (
	edge tha	atements I have made t any knowingly false o ble law		nd all attach					Rece	Application (c)	
2 Signature Messal Row				3 Title Regulatory Consultant to Global Brass and Copper Inc						((
4 Typed Name Micah T Reynolds				5 Date							





Technology Sciences Group Inc

1150 18th Street Suite 1000 Washington DC 20036 Direct (202) 828 8967 Fax (202) 872 0745 E Mail MReynolds@TSGUSA com

Micah T Reynolds Regulatory Consultant

August 20 2012

Global Brass and Copper, Inc Label Notification for CuVerro® II, EPA Reg No 85353-2

Mr Marshall Swindell PM-33
Antimicrobials Division (7504P)
Office of Pesticide Programs
U.S. Environmental Protection Agency
Document Processing Center
Room S-4900 One Potomac Yard
2777 South Crystal Drive
Arlington Virginia 22202

Dear Mr Swindell

Technology Sciences Group Inc. on behalf of Global Brass and Copper Inc. is submitting the enclosed label notification to add several optional marketing logos for use on the copper alloy product label and/or the fabricated product label. Conventionally, a redline version of the revised label (showing changes made) would be provided however, since only the logo has been added (creating a ninth page of the label) with no other changes, a redline label was not produced. Please find enclosed the following documents supporting this notification.

- 1) Application for Notification (EPA Form 8570-1)
- 2) Three (3) copies of revised product labeling

If you have any questions or require additional information or clarification please do not hesitate to contact me by phone at (202) 828-8967 or by e-mail at mreynolds@tsgusa.com

Sincerely

Regulatory Consultant to Global Brass and Copper Inc

Enclosures

CC M Visnack (Global Brass and Copper Inc.)

Alternate Brand Name CuVerro® II Antimicrobial Copper Alloy

CuVerro® II AND ASSOCIATED FABRICATED PRODUCTS MASTER LABEL

The Master Label consists of the label that will accompany the CuVerro[®] II Antimicrobial Alloys and a label that will accompany each product fabricated using a registered CuVerro[®] II alloy

[Alloy Label - Front Panel]

CuVerro® II AND ASSOCIATED FABRICATED PRODUCTS

Active Ingredient

 Copper
 73 0%

 Other
 27 0%

Total 100%

EPA Registration No 85353-2 EPA Establishment No 85353-XX Made in the United States by Global Brass and Copper, Inc 427 N Shamrock Street East Alton, IL 62024

Net Weight XXX lbs XXX ounces of CuVerro® II

[See insert (side panel) (back panel) for Directions for Use)

Date Reviewed Peviewed By

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

CuVerro® II Antimicrobial Copper Alloys

This alloy is only intended for the manufacture and fabrication of touch surface components for use in hospitals, healthcare facilities, and various public, commercial, and residential buildings [The claims listed on the attached fabricated product label may be made in connection with the marketing and sale of CuVerro[®] II Antimicrobial Copper Alloys and fabricated products made from CuVerro[®] II Antimicrobial Copper Alloys under EPA Registration Number 85353-2]

A list of components that may be fabricated out of CuVerro® II Antimicrobial Copper Alloys is specified below CuVerro® II Antimicrobial Copper Alloys are not approved for direct food contact or food packaging uses

Touch Surface Components

Healthcare Facilities

- o Bedrails, footboards
- o Over-bed tables
- o Bed-side tables in hospitals, extended care facilities, senior housing etc (knobs, pulls, handles, surfaces)
- o Handrails, (corridor/hallways) (Senior housing), automatic door push plates
- O Stair rails, handrails, tubular railing, and supports, rail fittings T's, elbows and brackets
- o Bedrails, assistance rails,
- o Toilet safety rails
- Carts

Hospital carts (table surfaces, handles, legs)

Computer carts

Record carts

Phlebotomy carts

Other Carts (tables/surfaces, shelving, railings, handles, pulls)

- o Equipment carts (horizontal surfaces, frames, handles)
- o Door push plates, kick plates, mop plates, stretcher plates
- O Sinks spigots, drains, sinks themselves
- o Faucet handles, spigot, drain control lever
- O Water fountains bubbler head, drain strainer, handle
- o Alcohol sanıtızer dispenser handle
- o Paper towel holders, facial tissue holders, toilet paper holders
- O Air hand dryer, controls and push buttons on air hand dryers
- o Hydrotherapy tanks (whirlpool tanks) shells, covers, headrests, drain zittings (outer surfaces without water contact)
- O Door handles, doorknobs (outer touch surfaces)
- o Grab bars in bathrooms showers and bathtubs
- o Panic bars on emergency room doors
- o Towel bars

Date Reviewed Peviewed By

- o Showerheads
- o Countertops and tabletops (non-food use only)
- o Hinges, locks, latches, and trim
- o Door stops, door pulls, and protector guards
- o Toilet and urinal hardware, levers, push buttons
- o Toilet seat inlay for lifting of seat
- o Closures
- Vertical locking arms
- o Vertical cover guards
- Protection bars
- o Light switches, switch plates
- o Visitor chairs armrests, metal frames
- o Thermostat covers, control knobs and wheels
- o Telephone handsets and surfaces (housings), keypad
- Kitchen surfaces (non-food contact only) table tops, counter tops, handles (microwave, refrigerator, stove), cabinet doors, cabinet hinges, pulls, backsplash, hoods, control knobs (appliances, fans)
- Floor tiles
- o Ceiling tiles (non-porous)
- Wall tiles
- o Instrument handles

Medical equipment knobs, pulls and handles for

- Drug delivery systems
- Monitoring systems
- Hospital beds
- Office equipment
- Operating room equipment
- Stands and fixtures

Types of knobs *e g*, Prong, fluted, knurled, push/pull, T-handle, tapered, and ball knobs

- o Intravenous (IV) poles, bases, hangers, clips
- o Trays (instruments, non-food contact)
- o Pans (bed)
- o Walkers, wheelchair handles, and tubular components
- o Computer keyboards keys, housings, computer mouse surfaces
- o Exercise and rehabilitation equipment, handles, bars
- Physical therapy equipment physical therapy tables, treatment chairs and portable taping tables
- o Chairs (shower chairs, patient chairs, visitor chairs) rails, backs, legs, seats
- o Lighting products X-ray illuminators, operating rooms, patient examination rooms, surgical suites, and reading lamps for hospital rooms and assisted living facilities etc. Components can include bases, arms, housings, handles, hinges)
- o Headwall systems the unit themselves, outlet covers, knobs and dia's, lighting in units (lamp housings and adjustable arms), CRT monitors with roteting knobs and levers and adjustments Baskets, monitor housings, knobs, baskets, tables, IV poles

Date Reviewed Date Reviewed By Cemp

3

CuVerro® II (A Reg No 85353 2) Master Label version dated August 20, 2012

- Critical care cart Table top, drawer, drawer pull, lock, copper wire baskets for storage of equipment and charts
- o Bedside lavatory sink, faucet, handles, drawer pulls, toilet seat, toilet seat cover, toilet handle, door and cabinet facings, counter tops
- o Medical records Chart holders, clipboards, filing systems
- o Storage Shelving wire shelving etc for medical supplies
- o Grab handles on privacy curtains
- o Lids of laundry hampers, trash canisters, and other containers
- o Bedside pitchers
- o Closet rods and hangers
- o Television controls knobs, buttons, remote
- o Monitor (television, computer, etc.) housing
- o Cup Holder
- o Toothbrush holder
- Soap holder
- Magazine rack
- o Signage
- Coat rack and hooks
- o Shower curtain rings
- o Radiator cover
- o Bracelets
- o Pens
- o Badge clips
- o Name tags
- o Patient gown snaps
- Window sills, pulls and locks
- o Electrical wallplates

Community Facilities (including various public and commercial buildings)

- o Shopping cart handles, child seats, handrails
- o Cash registers housing, keypads
- o ATM machines keys, housing
- o Gym/Health club lockers, locker handles, locker shelving, trainers' tables,
- o Ice and water dispensers (outer surfaces without water contact)
- Elevator handrail, control panel, buttons, interior walls, floor tiles, exterior call button plate
- o Paper towel dispensers Housing itself, (turn) handle, (push) handle
- Soap holder
- o Soap dispenser (wall mounted) push bar and dispenser itself
- o Soap dispenser (sitting on counter) dispenser housing itself, push mechanism
- o Toilet paper dispenser (housing)
- o Windows (crank), Locking mechanism, pull handles
- o Window treatments (cord pulls), Venetian blinds (wands, cord pulls)
- Jalousie Windows (crank)
- o Casement (cranks, levers, hinges)
- o Single and double-hung windows (locks and pulls)
- o Light switches, switch plates




4

CuVerro® II (A Reg No 85353-2) Master Label version dated August 20, 2012

- o Lids of laundry hampers, trash canisters, and other containers
- o Magazine rack
- o Signage
- o Coat rack and hooks
- o Shower curtain rings
- Radiator cover
- o Bracelets
- o Badge clips
- o Name tags
- Vending machines (non-food contact only)
- o Window sills
- o Electrical wallplates
- o Clip boards
- o Office supplies paper clips, staplers, tape dispensers

Residential Buildings (including homes, apartments, apartment buildings and other residences)

- Kitchen surfaces (non-food contact only) table tops, counter tops, handles (microwave, refrigerator, stove), cabinet doors, cabinet hinges, pulls, backsplash, hoods, control knobs (appliances, fans)
- o Bedrails, footboards
- o Handrails
- o Stair rails
- o Door push plates
- o Sinks spigots, drains, sinks themselves
- o Faucet handles, spigot, drain control lever
- o Paper towel holders, facial tissue holders, toilet paper holders
- o Door handles, doorknobs (outer touch surfaces)
- o Grab bars in bathrooms showers and bathtubs
- o Towel bars
- o Showerheads
- Countertops and tabletops
- o Hinges, locks, latches, and trim
- o Door stops, door pulls, and protector guards
- o Toilet and urinal hardware, levers, push buttons
- o Toilet seat inlay for lifting of seat
- o Light switches, switch plates
- o Thermostat covers, control knobs and wheels
- o Telephone handsets and surfaces (housings), keypad
- o Floor tiles
- o Ceiling tiles (non-porous)
- Wall tiles
- o Computer keyboards keys, housings, computer mouse surfaces
- o Exercise equipment, handles, bars
- o Windows (crank), Locking mechanism, pull handles
- o Window treatments (cord pulls), Venetian blinds (wands, cord pulls)
- o Jalousie Windows (crank)



CuVerro® II (A Reg No 85353 2) Master Label version dated August 20, 2012

- o Casement (cranks, levers, hinges)
- o Single and double-hung windows (locks and pulls)
- o Television control knobs and buttons
- o Lids of laundry hampers, trash canisters, and other containers
- o Bedside pitchers
- o Closet rods and hangers
- o Television remote
- o Cup Holder
- o Toothbrush holder
- o Soap holder
- o Magazine rack
- o Coat rack and hooks
- o Shower curtain rings
- o Radiator cover
- o Window sills
- o Electrical wallplates
- o Baby cribs rails, fittings, brackets, supports
- Bowl stands
- o Office supplies paper clips, staplers, tape dispensers
- o Monitor (television, computer, etc.) housing

Mass Transit Facilities

- o Handrails
- O Stair rails, tubular railing, and supports, elbows and brackets
- o Door push plates, kick plates
- o Door handles, door knobs (outer touch surfaces)
- o Grab bars and handles
- o Tiles wall, floor, ceiling (non-porous)
- o Chairs and benches rails, backs, legs, seats
- o Window sills, pulls, and handles
- o Signage
- Vending machines (non-food contact only)

Other

- Play area equipment (indoor only) bars, handles, chains, push plates, handrails, stair rails and risers, wheels, knobs, flooring
- o Chapel pews
- o Eye glass frames and protective eye wear
- o Pens
- o Combs
- Ashtrays

Do not wax, paint, lacquer, varnish, or otherwise coat touch surfaces

NO SIFICATION

Date Reviewed 9 Date

Peviewed By 1/2 Leady

CuVerro® II - Fabricated Products

The CuVerro® II fabricated products listed above may be sold and distributed under EPA Registration Number 85353-2 Products fabricated with CuVerro® II Antimicrobial Copper Alloys must bear the EPA approved fabricated product label, below, with one or more of the listed claims

STORAGE AND DISPOSAL

Dispose of excess by recycling

WARRANTY STATEMENT

If used as intended, this product is wear-resistant and the durable antibacterial properties will remain effective for as long as the product remains in place and is used as directed

NOTIFICATION Date Reviewed Freyword By

CuVerro® II (A Reg No 85353-2) Master Label version dated August 20, 2012

CuVerro® II Fabricated Product Label

FRONT

[This (touch surface) (product)] made from

CuVerro® II

Active Ingredient

Copper Other 73 0% 27 0% 100 0%]

[Total 100 0%] See [Back/Side Panel][Insert] for Directions for

Use

Net Weight XXX lbs XXX ounces of CuVerro®

11

BACK

CuVerro® II

Laboratory testing has shown that when cleaned regularly this surface

Continuously reduces bacterial contamination achieving 99 9% reduction within 2 hours of exposure

Kills greater than 99 9% of Gram negative and Gram positive bacteria within 2 hours of exposure

Delivers continuous and ongoing antibacterial action remaining effective in killing greater than 99 9% of bacteria within 2 hours

99% of bacteria within two hours and continues to kill 99% of bacteria even after repeated contaminations

Helps inhibit the buildup and growth of bacteria within 2 hours of exposure between routine cleaning and sanitizing steps

[This product/component name] is made (out of)(from) a (copper)(touch) surface that continuously kills bacteria left behind [by dirty hands][on the surface] killing more than 99 9% of bacteria within 2 hours

Staphylococcus aureus Enterobacter aerogenes Methicillin Resistant Staphylococcus aureus (MRSA) Escherichia coli O157 H7 Pseudomonas aeruginosa and Vancomycin – Resistant Enterococcus faecalis (VRE)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Proper Care and Use Clean and sanitize according to standard practice Healthcare facilities must maintain the product in accordance with infection control guidelines. The use of this surface is a supplement to and not a substitute for standard infection control practices users must continue to follow all current infection control practices including those practices related to cleaning and disinfection of environmental surfaces. This surface has been shown to reduce microbial contamination but does not necessarily prevent cross contamination.

This surface may be subject to recontamination and the level of active bacteria at any time will depend on the frequency and timing of recontamination and cleanliness of the surface (among other factors). In order to have proper antimicrobial effect, this product must be cleaned and maintained according to the directions for use.

Do not wax paint lacquer varnish or otherwise coat this product

Routine cleaning to remove dirt and filth is necessary for good sanitation and to assure the effective antibacterial performance of this surface. Cleaning agents typically used for traditional hard non-porous touch surfaces are permissible. The appropriate cleaning agent depends on the type of soiling and the measure of sanitization required. Normal tarnishing or wear of this surface will not impair antibacterial effectiveness.

Not approved for direct food contact or food packaging uses

[Items exposed to outdoor environmental conditions are not representative of indoor laboratory test conditions and therefore may impart reduced efficacy if not cleaned when visibly soiled]

STORAGE AND DISPOSA

Dispose of by recycling or put in trash

WARRANTY STATEMENT

If used as intended this product is wear resistant and the durable antibacterial properties will remain effective for as long as the product remain. In place and is used as directed

EPA Reg No 85353 2 EPA Est No [Proc.] tf Mur Jacturer Number] 85353 XX Manufactured by [Product Manufacturer Company Name and Address] 65353 XX Global Brass and Copper Inc 427 North Shamrock Street East Alton IL 62024

Date Reviewed House

[Optional Logos for Use with Alloy Label or Fabricated Product Label]

Antimicrobial Cut-



CuVerro® CuVerro® Antimicrobial Copper Surfaces