

85353-5

09/20/2012

1/13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D C 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SEP 20 2012

Mr M Visnack
President for,
Global Brass and Copper, Inc
One Revere Park
Rome, NY 13440

Mail to Mr Micah T Reynolds
1150 18th Street, NW, Suite 1000
Washington, D C 20036


Subject CuVerro V
EPA Registration Number 85353-5
Your Notification Dated August 20, 2012
EPA Received Date August 21, 2012

The notification referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to add marketing logo to the product labeling, is acceptable

The notification has been made part of the permanent file

If you have questions concerning this letter, please contact Karen M Leavy at (703)-308-6237

Sincerely,



Marshall Swindell
Product Manager 33
Regulatory Management Branch I
Antimicrobial Division(7510P)

3/13

	United States Environmental Protection Agency Washington DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
----------------------------------------------------------------------------------	--------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------	-----------------------

Application for Pesticide – Section I

1 Company/Product Number <p style="text-align: center;">85353-5</p>	2 EPA Product Manager <p style="text-align: center;">Marshall Swindell</p>	3 Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4 Company/Product (Name) CuVerro® V	PM# <p style="text-align: center;">33</p>	
5 Name And Address Of Applicant (Include ZIP Code) Global Brass and Copper, Inc 427 North Shamrock Street East Alton, Illinois 62024 <input type="checkbox"/> Check if this is a new address		6 Expedited Review In accordance with FIFRA Section 3(c)(3) (b)(i) my product is similar or identical in composition and labeling to EPA Reg No _____ Product Name _____

Section II

<input type="checkbox"/> Amendment – Explain below	<input type="checkbox"/> Final Printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> Me Too Application
<input checked="" type="checkbox"/> Notification – Explain below	<input type="checkbox"/> Other – Explain Below

Explanation Use additional page(s) if necessary (For section I and Section II)

Submission of Label Notification to add marketing logos


This notification is consistent with the provisions of PR Notice 98 10 and EPA regulations at 40 CFR 152 46 and no other changes have been made to the labeling or the confidential statement of formula of this product I understand that it is a violation of 18 U S C Sec 1001 to willfully make any false statement to EPA I further understand that if this notification is not consistent with the terms of PR Notice 98 10 and 40 CFR 152 46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA

Please confirm receipt with Micah Reynolds mreynolds@tsgusa.com, phone (202) 828-8967, or fax (202) 872 0745

Section III

1 Material This Product Will Be Packaged In			
Child Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2 Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted If Yes No per Unit Packaging wgt Container		If Yes No per Unit Packaging wgt Container	
3 Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4 Size(S) Retail Container	
		5 Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6 Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithographed <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			

Section IV

1 Contact Point (Complete items directly below for identification of individual to be contacted if necessary to process this application)		
Name Micah T Reynolds Technology Sciences Group Inc	Title Regulatory Consultant	Telephone No (Incl de Area Code) (202) 828 8967
Certification I certify that the statements I have made on this form and all attachments thereto are true accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law		6 Date Application Received (Stamped)
2 Signature 	3 Title Regulatory Consultant to Global Brass and Copper, Inc	
4 Typed Name Micah T Reynolds	5 Date August 20, 2012	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

CuVerro® V Antimicrobial Copper Alloys

This alloy is only intended for the manufacture and fabrication of touch surface components for use in hospitals, healthcare facilities, and various public, commercial, and residential buildings [The claims listed on the attached fabricated product label may be made in connection with the marketing and sale of CuVerro® V Antimicrobial Copper Alloys and fabricated products made from CuVerro® V Antimicrobial Copper Alloys under EPA Registration Number 85353-5]

A list of components that may be fabricated out of CuVerro® V Antimicrobial Copper Alloys is specified below CuVerro® V Antimicrobial Copper Alloys are not approved for direct food contact or food packaging uses

Touch Surface Components

Healthcare Facilities

- Bedrails, footboards
- Over-bed tables
- Bed-side tables in hospitals, extended care facilities, senior housing etc (knobs, pulls, handles, surfaces)
- Handrails, (corridor/hallways) (Senior housing), automatic door push plates
- Stair rails, handrails, tubular railing, and supports, rail fittings T's, elbows and brackets
- Bedrails, assistance rails,
- Toilet safety rails
- Carts
 - Hospital carts (table surfaces, handles, legs)
 - Computer carts
 - Record carts
 - Phlebotomy carts
 - Other Carts (tables/surfaces, shelving, railings, handles, pulls)
- Equipment carts (horizontal surfaces, frames, handles)
- Door push plates, kick plates, mop plates, stretcher plates
- Sinks spigots, drains, sinks themselves
- Faucet handles spigot, drain control lever
- Water fountains bubbler head, drain strainer, handle
- Alcohol sanitizer dispenser handle
- Paper towel holders, facial tissue holders, toilet paper holders
- Air hand dryer, controls and push buttons on air hand dryers
- Hydrotherapy tanks (whirlpool tanks) shells, covers, headrests, drain fittings (outer surfaces without water contact)
- Door handles, doorknobs (outer touch surfaces)
- Grab bars in bathrooms showers and bathtubs
- Panic bars on emergency room doors
- Towel bars

NOTIFICATION
Date Reviewed 9/30/14
Reviewed By T. Lewis

- Showerheads
- Countertops and tabletops (non-food use only)
- Hinges, locks, latches, and trim
- Door stops, door pulls, and protector guards
- Toilet and urinal hardware, levers, push buttons
- Toilet seat inlay for lifting of seat
- Closures
- Vertical locking arms
- Vertical cover guards
- Protection bars
- Light switches, switch plates
- Visitor chairs armrests, metal frames
- Thermostat covers, control knobs and wheels
- Telephone handsets and surfaces (housings), keypad
- Kitchen surfaces (non-food contact only) table tops, counter tops, handles (microwave, refrigerator, stove), cabinet doors, cabinet hinges, pulls, backsplash, hoods, control knobs (appliances, fans)
- Floor tiles
- Ceiling tiles (non-porous)
- Wall tiles
- Instrument handles

Medical equipment knobs, pulls and handles for

- Drug delivery systems
- Monitoring systems
- Hospital beds
- Office equipment
- Operating room equipment
- Stands and fixtures

Types of knobs e g , Prong, fluted, knurled, push/pull, T-handle, tapered, and ball knobs

- Intravenous (IV) poles, bases, hangers, clips
- Trays (instruments, non-food contact)
- Pans (bed)
- Walkers, wheelchair handles, and tubular components
- Computer keyboards keys, housings, computer mouse surfaces
- Exercise and rehabilitation equipment, handles, bars
- Physical therapy equipment physical therapy tables, treatment chairs and portable taping tables
- Chairs (shower chairs, patient chairs, visitor chairs) rails, backs, legs, seats
- Lighting products X-ray illuminators, operating rooms, patient examination rooms, surgical suites, and reading lamps for hospital rooms and assisted living facilities etc Components can include bases, arms, housings, handles, hinges)
- Headwall systems the unit themselves, outlet covers, knobs and dials, lighting units (lamp housings and adjustable arms), CRT monitors with rotating knobs and levers and adjustments Baskets, monitor housings, knobs, baskets, tables, IV poles

NOTIFICATION
Date Reviewed 9/20/12
Reviewed By *H. Carney*

- Critical care cart Table top, drawer, drawer pull, lock, copper wire baskets for storage of equipment and charts
- Bedside lavatory sink, faucet, handles, drawer pulls, toilet seat, toilet seat cover, toilet handle, door and cabinet facings, counter tops
- Medical records Chart holders, clipboards, filing systems
- Storage Shelving wire shelving etc for medical supplies
- Grab handles on privacy curtains
- Lids of laundry hampers, trash canisters, and other containers
- Bedside pitchers
- Closet rods and hangers
- Television controls knobs, buttons, remote
- Monitor (television, computer, etc) housing
- Cup Holder
- Toothbrush holder
- Soap holder
- Magazine rack
- Signage
- Coat rack and hooks
- Shower curtain rings
- Radiator cover
- Bracelets
- Pens
- Badge clips
- Name tags
- Patient gown snaps
- Window sills, pulls and locks
- Electrical wallplates

Community Facilities (including various public and commercial buildings)

- Shopping cart handles, child seats, handrails
- Cash registers housing, keypads
- ATM machines keys, housing
- Gym/Health club lockers, locker handles, locker shelving, trainers' tables,
- Ice and water dispensers (outer surfaces without water contact)
- Elevator handrail, control panel, buttons, interior walls, floor tiles, exterior call button plate
- Paper towel dispensers Housing itself, (turn) handle, (push) handle
- Soap holder
- Soap dispenser (wall mounted) push bar and dispenser itself
- Soap dispenser (sitting on counter) dispenser housing itself, push mechanism
- Toilet paper dispenser (housing)
- Windows (crank), Locking mechanism, pull handles
- Window treatments (cord pulls), Venetian blinds (wands, cord pulls)
- Jalousie Windows (crank)
- Casement (cranks, levers, hinges)
- Single and double-hung windows (locks and pulls)
- Light switches, switch plates

NOTIFICATION
Date Reviewed 9/20/13
Reviewed By K. Leary

CuVerro® V

Fabricated Product Label

FRONT

[This (touch surface) (product)] made from
CuVerro® V

Active Ingredient	
Copper	91.3%
Other	8.7%
[Total	100.0%]

See [Back/Side Panel][Insert] for Directions for Use
 Net Weight XXX lbs XXX ounces of CuVerro® V

BACK

CuVerro® V

Laboratory testing has shown that when cleaned regularly this surface continuously reduces bacterial contamination achieving 99.9% reduction within 2 hours of exposure
 Kills greater than 99.9% of Gram negative and Gram positive bacteria within 2 hours of exposure
 Delivers continuous and ongoing antibacterial action remaining effective in killing greater than 99.9% of bacteria within 2 hours
 Kills greater than 99.9% of bacteria within two hours and continues to kill 99% of bacteria even after repeated contaminations
 Helps inhibit the buildup and growth of bacteria within 2 hours of exposure between routine cleaning and sanitizing steps
 [This product/component name] is made (out of)(from) a (copper)(touch) surface that continuously kills bacteria left behind [by dirty hands][on the surface] killing more than 99.9% of bacteria within 2 hours
 Staphylococcus aureus Enterobacter aerogenes Methicillin Resistant Staphylococcus aureus (MRSA) Escherichia coli O157 H7 Pseudomonas aeruginosa and Vancomycin – Resistant Enterococcus faecalis (VRE)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Proper Care and Use Clean and sanitize according to standard practice. Healthcare facilities must maintain the product in accordance with infection control guidelines. The use of this surface is a supplement to and not a substitute for standard infection control practices. Users must continue to follow all current infection control practices including those practices related to cleaning and disinfection of environmental surfaces. This surface has been shown to reduce microbial contamination but does not necessarily prevent cross contamination.

This surface may be subject to recontamination and the level of active bacteria at any time will depend on the frequency and timing of recontamination and cleanliness of the surface (among other factors). In order to have proper antimicrobial effect this product must be cleaned and maintained according to the directions for use.

Do not wax paint lacquer varnish or otherwise coat this product

Routine cleaning to remove dirt and filth is necessary for good sanitation and to assure the effective antibacterial performance of this surface. Cleaning agents typically used for traditional hard non porous touch surfaces are permissible. The appropriate cleaning agent depends on the type of soiling and the measure of sanitization required. Normal tarnishing or wear of this surface will not impair antibacterial effectiveness.

Not approved for direct food contact or food packaging uses

[Items exposed to outdoor environmental conditions are not representative of indoor laboratory test conditions and therefore may impart reduced efficacy if not cleaned when visibly soiled.]

STORAGE AND DISPOSAL

Dispose of by recycling or put in trash

WARRANTY STATEMENT


If used as intended this product is wear resistant and the durable antibacterial properties will remain effective for as long as the product remains in place and is used as directed.

EPA Reg No 85353 5 EPA Est No [Product Manufacturer Number] 85353 xx
 Manufactured by [Product Manufacturer Company Name and Address]
 Global Brass and Copper Inc 427 North Shamrock Street East Alton IL 6202

NOTIFICATION
 Date Reviewed 9/30/12
 REVISED [Signature]

[Optional Logos for Use with Alloy Label or Fabricated Product Label]

Antimicrobial
Copper



CuVerro®

CuVerro®

Antimicrobial Copper Surfaces

NOTIFICATION

Date Reviewed

9/20/12

Reviewed By

E. L. [Signature]