

85493-2

1/31/2011

129



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Biopesticides and Pollution Prevention Division
 (7511C)
 1200 Pennsylvania Avenue NW
 Washington, DC 20460

EPA Reg. Number: 85493-2
 Date of Issuance: JAN 31 2011

Term of Issuance: UNCONDITIONAL

Name of Pesticide Product: Repellex® Systemic Tablet

NOTICE OF PESTICIDE:

Registration Re-registration
 (under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):
 Repellex USA, Inc.
 P.O. Box 396
 Niles, MI 49120

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.
 Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA Sec. 3(c)(5) provided you:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data.
2. Make the following label change before you release the product for shipment: Revise the EPA Registration Number to read, "EPA Reg. No. 85493-2."
3. Submit three (3) copies of the revised final printed labeling before you release the product for shipment.
4. Submit within 1 year after the Date of Registration acceptable data packages for Guideline Studies: Storage Stability study (OCSPG GLN: 830.6317) and Corrosion Characteristics study (OCSPG GLN: 830.6320) for this product.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

 W. Michael McDavit, Associate Director
 Biopesticides and Pollution Prevention Division

Date:
 JAN 31 2011

CONCURRENCES							
SYMBOL	EPA Form 8570-6	ASIP					
SURNAME		Adams					
DATE		01/31/11		7511		1-31-11	

2009

Master Label
Sub-label #1 Commercial Use and Sub-Label #2 Residential Use

REPELLEX® SYSTEMIC TABLET

Repels Deer, Rabbits, Voles, Moles, Gophers, Groundhogs, Feral Hogs, Dogs and Cats
from Ornamental Plants

ACTIVE INGREDIENT:
 Capsaicin and Related Capsaicinoids 0.3%

OTHER INGREDIENTS: 99.7%

TOTAL: 100.0%

Contains 0.213 grams of active ingredient per tablet

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IN THE CASE OF ACCIDENTAL...	IMMEDIATELY...
Inhalation	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.	
NOTE TO PHYSICIAN No specific antidote is available. Treat the patient symptomatically.	

See back panel of label for additional PRECAUTIONARY STATEMENTS.

EPA Reg. No. 85493-E

EPA Est. No. 85493-MI-001

Manufactured By:
Repellex USA, Inc.
PO Box 396
Niles, MI 49120

NET WEIGHT:
Batch Code/Lot Number: _____

ACCEPTED

JAN 3 1 2011

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for
the pesticide registered under
EPA Reg. No. 85493-2

30f9

Sub-label #1 Commercial Use

REPELLEX® SYSTEMIC TABLET

Repels Deer, Rabbits, Voles, Moles, Gophers, Groundhogs, Feral Hogs, Dogs and Cats
from Ornamental Plants
For Commercial Use

ACTIVE INGREDIENT:

Capsaicin and Related Capsaicinoids 0.3%

OTHER INGREDIENTS:..... 99.7%

TOTAL:..... 100.0%

Contains 0.213 grams of active ingredient per tablet

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IN THE CASE OF ACCIDENTAL...	IMMEDIATELY...
Inhalation	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
No specific antidote is available. Treat the patient symptomatically.	

See back panel of label for additional PRECAUTIONARY STATEMENTS.

EPA Reg. No. 85493-E

EPA Est. No. 85493-MI-001

Manufactured By:

Repellex USA, Inc.
PO Box 396
Niles, MI 49120

NET WEIGHT:

Batch Code/Lot Number: _____

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product may be toxic to aquatic organisms. For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply to or allow runoff to reach lakes, streams or ponds. Do not contaminate water when disposing of equipment washwaters or rinsate. Tablets exposed on the soil surface may be hazardous to fish and aquatic invertebrates. Cover or collect tablets spilled during loading.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a systemic animal repellent. Its exclusive formula protects ornamental plants, flowers, trees, and shrubs all season long with a single application. The easy-to-use tablets are pre-measured and require no mixing or spraying. Just place tablets into the soil, water in, and walk away! Growing beautiful, strong plants has never been easier.

How it Works: Water dissolves this product in soil, where it is absorbed by roots and moves up through the plant. Once absorbed, rain or watering cannot wash off this internal protection. Even new growth is protected against animal browsing for the entire growing season. For complete results, the repellent must distribute throughout the plant. Depending on the size and health of the plant, this may take one week to one month (for very large plants). To protect plants during uptake, treat with a foliar spray such as Repellex® Deer & Rabbit Repellent.

RESTRICTIONS

- NOT INTENDED FOR USE ON FOOD OR FEED CROPS.
- AVOID CONTACT OF PESTICIDE WITH ROOTS, FOLIAGE, STEMS, AND FRUIT OF ALL CROPS INTENDED FOR CONSUMPTION BECAUSE UNPLEASANT TASTE WILL RESULT.

APPLICATION RATES

When to Use: Apply when planting. For established plants, use any time after new growth appears. Do not apply when plant is dormant or when soil is waterlogged or frozen. These conditions inhibit uptake into the plant. Apply once every growing season.

Note: Application to plants heavily browsed may not prevent their eventual loss due to existing damage and stress. For best results, use this product as part of a regular maintenance program before problems start.

Where to Use: Use on ornamental plants, flowers, trees, and shrubs to deter animals (deer, rabbits, voles, moles, gophers, groundhogs, feral hogs, dogs and cats) from feeding on all parts of plants. Does not protect against birds or insects.

How to Apply: Place tablets in soil or growing medium of plant. Position 2-3 inches away from root crown, and push 1-3 inches below the soil surface. When more than one tablet is applied at once, evenly space them around the plant. Activate the application with irrigation or natural rainfall. Do not over water. For containerized plants, use enough water to wet the potting soil thoroughly without causing water to flush out from the bottom of the container.

How Much to Apply: Measure the height and width of the plant to the nearest foot (12"). Apply 1 tablet per every foot of plant height and width (height + width). For large tree forms, measure the crown only, not including the height of the trunk. Apply once every growing season.

		Plant Width (ft)					
		1ft	2ft	3ft	4ft	5ft	6ft
Plant Height (ft)	1ft	2	3	4	5	6	7
	2ft	3	4	5	6	7	8
	3ft	4	5	6	7	8	9
	4ft	5	6	7	8	9	10
	5ft	6	7	8	9	10	11
	6ft	7	8	9	10	11	12

Note: If plant is very fast-growing, more than doubling in size during a single growing season, additional applications may be required. Repeat application after plant doubles in size. Do not apply more than 3 times per year.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Keep container closed to prevent spills and contamination. Keep away from excess heat and open flames.

Container Disposal: Nonrefillable Container (five gallons or less): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Nonrefillable Container (greater than five gallons): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

WARRANTY STATEMENT

Terms of sale or use: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions. REPELLEX® makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is.

To the fullest extent permitted by State Law: The manufacturer shall not be liable for the buyer's and user's use and/or handling and or storage for this material, when such use and/or handling and/or storage is contrary to labeling directions. Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing

600f9

factors in the use of this product are beyond the control of the seller and are assumed by the buyer and user at their own risk.

REPELLEX®'s directions for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with label directions or established safe practice.

Damages: Buyers or users exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

7099

Master Label
Sub-label #2 Residential Use

REPELLEX® SYSTEMIC TABLET

Repels Deer, Rabbits, Voles, Moles, Gophers, Groundhogs, Feral Hogs, Dogs and Cats
from Ornamental Plants
For Residential Use

ACTIVE INGREDIENT:
 Capsaicin and Related Capsaicinoids 0.3%

OTHER INGREDIENTS:..... 99.7%

TOTAL: 100.0%

Contains 0.213 grams of active ingredient per tablet

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IN THE CASE OF ACCIDENTAL...	IMMEDIATELY...
Inhalation	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.	
NOTE TO PHYSICIAN No specific antidote is available. Treat the patient symptomatically.	

See back panel of label for additional PRECAUTIONARY STATEMENTS.

EPA Reg. No. 85493-E

EPA Est. No. 85493-MI-001

Manufactured By:
Repellex USA, Inc.
PO Box 396
Niles, MI 49120

NET WEIGHT:
Batch Code/Lot Number: _____

8029

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product may be toxic to aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Tablets exposed on the soil surface may be hazardous to fish and aquatic invertebrates. Cover or collect tablets spilled during application.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a systemic animal repellent. Its exclusive formula protects ornamental plants, flowers, trees, and shrubs all season long with a single application. The easy-to-use tablets are pre-measured and require no mixing or spraying. Just place tablets into the soil, water in, and walk away! Growing beautiful, strong plants has never been easier.

How it Works: Water dissolves this product in soil, where it is absorbed by roots and moves up through the plant. Once absorbed, rain or watering cannot wash off this internal protection. Even new growth is protected against animal browsing for the entire growing season. For complete results, the repellent must distribute throughout the plant. Depending on the size and health of the plant, this may take one week to one month (for very large plants). To protect plants during uptake, treat with a foliar spray such as Repellex® Deer & Rabbit Repellent.

RESTRICTIONS

- NOT INTENDED FOR USE ON FOOD OR FEED CROPS.
- AVOID CONTACT OF PESTICIDE WITH ROOTS, FOLIAGE, STEMS, AND FRUIT OF ALL CROPS INTENDED FOR CONSUMPTION BECAUSE UNPLEASANT TASTE WILL RESULT.

APPLICATION RATES

When to Use: Apply when planting. For established plants, use any time after new growth appears. Do not apply when plant is dormant or when soil is waterlogged or frozen. These conditions inhibit uptake into the plant. Apply once every growing season.

Note: Application to plants heavily browsed may not prevent their eventual loss due to existing damage and stress. For best results, use this product as part of a regular maintenance program before problems start.

Where to Use: Use on ornamental plants, flowers, trees, and shrubs to deter animals (deer, rabbits, voles, moles, gophers, groundhogs, feral hogs, dogs and cats) from feeding on all parts of plants. Does not protect against birds or insects.

How to Apply: Place tablets in soil or growing medium of plant. Position 2-3 inches away from root crown, and push 1-3 inches below the soil surface. When more than one tablet is applied at once, evenly space them around the plant. Activate the application with irrigation or natural rainfall. Do not over water. For containerized plants, use enough water to wet the potting soil thoroughly without causing water to flush out from the bottom of the container.

How Much to Apply: Measure the height and width of the plant to the nearest foot (12"). Apply 1 tablet per every foot of plant height and width (height + width). For large tree forms, measure the crown only, not including the height of the trunk. Apply once every growing season.

Plant Height (ft)	Plant Width (ft)					
	1ft	2ft	3ft	4ft	5ft	6ft
1ft	2	3	4	5	6	7
2ft	3	4	5	6	7	8
3ft	4	5	6	7	8	9
4ft	5	6	7	8	9	10
5ft	6	7	8	9	10	11
6ft	7	8	9	10	11	12

Note: If plant is very fast-growing, more than doubling in size during a single growing season, additional applications may be required. Repeat application after plant doubles in size. Do not apply more than 3 times per year.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in original container in a cool, dry place, out of reach of children, preferably in a locked storage cabinet. Keep container closed to prevent spills and contamination. Keep away from excess heat and open flames.

Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container. If empty, place in trash or offer for recycling, if available. If partly filled, call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY STATEMENT

Terms of sale or use: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions. REPELLEX® makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is.

To the fullest extent permitted by State Law: The manufacturer shall not be liable for the buyer's and user's use and/or handling and or storage for this material, when such use and/or handling and/or storage is contrary to labeling directions. Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer and user at their own risk.

REPELLEX®'s directions for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with label directions or established safe practice.

Damages: Buyers or users exclusive remedy for damages for breach of warrantee or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.