

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Ann M. Tillman Repellex USA, Inc. c/o Pyxis Regulatory Consulting, Inc. 4110 136<sup>th</sup> Street, N.W. Gig Harbor, WA 98332

APR 0 8 2011

Subject: Notification to Revise Storage and Disposal Statement per PRN 2007-4

Product Name: Repellex Systemic Tablets

EPA Reg. No: 85493-2

Your Submission Dated March 8, 2011

Dear Ms. Tillman,

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under Pesticide Registration Notice (PRN) 2007-4, as referenced above. A screen of this request has been conducted for applicability under PRN 2007-4, and it has been determined that the action request falls within the scope of this document. Our records have been duly noted, and product label submitted with this application has been stamped "Notification Accepted" and will be placed in our records as current and updated. Should you have any questions regarding this action, you may contact Gina Casciano at (703) 605-0513 or via email at <a href="mailto:casciano.gina@epa.gov">casciano.gina@epa.gov</a>.

Sincerely,

### Linda Hollis

Linda A. Hollis, Chief
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511P)

Please read Instructions	on reverse before compl	eting form.		Form Approve	ed. OMB No.	2070-0060	). Approval expires 2-28-95
United Sta Environmental Prote Washington, DO				gency Regist  Amend  ✓ Other			OPP Identifier Number
		Application	n for Pestic	ide - Sectior	1 l		
1. Company/Product Nur 85493-2	nber		2. EPA L. Ho	Product Manager Ilis		3. Pro	pposed Classification
4. Company/Product (Na Repellex USA, Inc./I	me) Repellex Systemic Ta	ablet	PM#	BPPD	)		
Repellex USA, Inc. c/o Pyxis Regulatory 4110 136th St. NW Giq Harbor, WA 9833	<del>-</del> -	ode)	to: EPA	Reg. No	Date:APR	0 8 20	FIFRA Section 3(c)(3) NGCRPKGG labeling 11 LSCICLNO
			Section -	11			
Amendment - Exp	esponse to Agency lette	r dated		Final printed lab Agency letter de "Me Too" Appli Other - Explain I	ated cation,	to .	
Notification of label chang regulations at 40 CFR 15 Formula for this product. amended label is not con	tional page(s) if necessage per PR Notice 2007-4. 6.10, 156.140, 156.144, 1! I understand that it is a vice sistent with the requirement action and per	This notification 56.146, and 156 plation of 18 U.S nts of 40 CFR 15	is consistent with th .156. No other cha .C. Sec. 1001 to wi 66.10, 156.140, 156	nges have been ma lifully make any fals i.144, 156.146, and	ade to the label se statement to	ing or the C EPA. I furt	Confidential Statement of the the understand that if the
			Section - I	li			
1. Material This Product	Will Be Packaged In:						
Child-Resistent Packaging Yes No * Certification must be submitted	Unit Packaging  Yes  √ No  If "Yes"  Unit Packaging wgt	No. per . container	Water Soluble F Yes  ✓ No  If "Yes" Package wgt	Packaging No. per container	2. Type of (	Container  Metal Plastic Glass Paper Other (S)	HDEP or bags in outer cardboard box
3. Location of Net Conter	nts Information	4. Size(s) Ret	ail Container		ocation of Lab	el Direction	ng
€ Label E. Manner in Which Label	Container	Lithogr	oz. (HDPE), 34 lb (l	bag in box)	On Labeling	accompanyln	g prod3ct
<del></del>		Paper Stencil					3 3 3
			Section - I			3 3 3 3 3 3	
1. Contact Point (Comple	ete items directly below	<del></del>		e contacted, if ne		3 3 3 3 3 3 3 3	· · · · · · · · · · · · · · · · · · ·
Name Ann M. Tillman			Title Agent	· · · · · · · · · · · · · · · · · · ·		(253) <b>85</b>	No. (Instate Area Code) 3-736@•••
	stements I have made or any knowlingly false or ile law.		all attachments th			plete.	6. Date Application Readifieds a (Stamped)
2. Signature	Millian	3	3. Title Agent				,
4. Typed Name Ann M. Tillman		E	3/3/	, //			

### PYXIS REGULATORY CONSULTING, INC.

4110 136<sup>th</sup> St. NW Gig Harbor, WA 98332

Phone: 253-853-7369 Fax: 253-853-5516 www.PyxisRC.com

March 8, 2011

#### **COURIER DELIVERY**

Linda Hollis, Branch Chief Biopesticides and Pollution Prevention Division Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202-4501

Dear Ms. Hollis,

RE: Repellex USA, Inc. – Repellex Systemic Tablets (EPA Reg. No. 85493-2) Revision to Container Disposal Instructions per PRN 2007-4

On behalf of Repellex USA, Inc. please find the enclosed label notification revising the container disposal instructions per PRN 2007-4 for the solid tablet formulation, Repellex Systemic Tablets (EPA Reg. No. 85493-2).

In support of this notification submission, we submit the following documents:

- 1. Completed Application for Registration (EPA Form 8570-1)
- 2. One (1) copy of the Repellex Systemic Tablets labeling with changes tracked
- 3. One (1) copy of the Repellex Systemic Tablets) labeling with changes incorporated
- 4. A CD containing an electronic version of the proposed labeling (085493-2.20110303.Repellex Systemic Tablet Label v6.pdf)
- 5. Certification with Respect to Label Integrity
- 6. Letter of Authorization

Please feel free to contact me by phone (253) 853-7369 or by email at Ann@PyxisRC.com if you have any questions or need any additional information.

Sincerely,

Ann M. Tillman

) ) ))))))

ာ \_၅ ၂ ၂ ၂

Enclosures

cc: E. Summa, Repellex USA, Inc.

## **Notification Accepted**

APR 0 8 2011

Sub-label #1 Commercial Use and Sub-Label #2 Residential Use

Reviewer: G. Casciano

#### REPELLEX® SYSTEMIC TABLET

Repels Deer, Rabbits, Voles, Moles, Gophers, Groundhogs, Feral Hogs, Dogs and Cats from Ornamental Plants

ACTIVE INGREDIENT:	
Capsaicin and Related Capsaicinoids	0.3%
OTHER INGREDIENTS:	<u>99.7%</u>
TOTAL:	100.0%

Contains 0.213 grams of active ingredient per tablet

**Master Label** 

### KEEP OUT OF REACH OF CHILDREN **CAUTION**

	FIRST AID					
IN THE CASE OF ACCIDENTAL	IMMEDIATELY					
Inhalation	Move person to fresh air.					
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.					
	<ul> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>					
	HOT LINE NUMBER					
Have the product co	ontainer or label with you when calling a poison control center or doctor, or going for					
	ay also contact the National Pesticide Information Center at 1-800-858-7378 for					
emergency medical	treatment information.					
NOTE TO PHYSICI	AN					
No specific antidote	is available. Treat the patient symptomatically.					

See back panel of label for additional PRECAUTIONARY STATEMENTS.

<b>EPA Reg. No.</b> 85493-2		EPA Est. No. 8549	3-Mj-001.
Manufactured By: Repellex USA, Inc. PO Box 396 Niles, MI 49120		333333 3	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	NET WEIGHT: Batch Code/Lot Number:	, , , , , , , , , , , , , , , , , , ,	) ) ) ) )

#### Sub-label #1 Commercial Use

### REPELLEX® SYSTEMIC TABLET

Repels Deer, Rabbits, Voles, Moles, Gophers, Groundhogs, Feral Hogs, Dogs and Cats from Ornamental Plants
For Commercial Use

ACTIVE INGREDIENT:	
Capsaicin and Related Capsaicinoids	0.3%
OTHER INGREDIENTS:	<u>99.7</u> 9
TOTAL:	100.0%
Contains 0.213 grams of active ingredient per tablet	

# KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
IN THE CASE OF ACCIDENTAL	IMMEDIATELY
Inhalation	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
	HOT LINE NUMBER
treatment. You m	ontainer or label with you when calling a poison control center or doctor, or going for ay also contact the National Pesticide Information Center at 1-800-858-7378 for treatment information.
NOTE TO PHYSICIA	AN
No specific antidote	is available. Treat the patient symptomatically.

See back panel of label for additional PRECAUTIONARY STATEMENTS.

EPA Reg. No. 85493-2		<b>EPA Est. No.</b> 8549	- ÇÇÇ-ÎM-E0
Manufactured By: Repellex USA, Inc.		. ر ر د ر د	9 9 9 9 9 9 9 9 9
PO Box 396 Niles, MI 49120			33333
	NET WEIGHT: Batch Code/Lot Number:	ົ່ວນັ້ ວ່າວ່າວ - ວ່ານຸ່າ	2323 2333 2333
			3 3 3 3 3
			)

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### **ENVIRONMENTAL HAZARDS**

This product may be toxic to aquatic organisms. For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply to or allow runoff to reach lakes, streams or ponds. Do not contaminate water when disposing of equipment washwaters or rinsate. Tablets exposed on the soil surface may be hazardous to fish and aquatic invertebrates. Cover or collect tablets spilled during loading.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a systemic animal repellent. Its exclusive formula protects ornamental plants, flowers, trees, and shrubs all season long with a single application. The easy-to-use tablets are pre-measured and require no mixing or spraying. Just place tablets into the soil, water in, and walk away! Growing beautiful, strong plants has never been easier.

How it Works: Water dissolves this product in soil, where it is absorbed by roots and moves up through the plant. Once absorbed, rain or watering cannot wash off this internal protection. Even new growth is protected against animal browsing for the entire growing season. For complete results, the repellent must distribute throughout the plant. Depending on the size and health of the plant, this may take one week to one month (for very large plants). To protect plants during uptake, treat with a foliar spray such as Repellex® Deer & Rabbit Repellent.

#### **RESTRICTIONS**

- NOT INTENDED FOR USE ON FOOD OR FEED CROPS.
- AVOID CONTACT OF PESTICIDE WITH ROOTS, FOLIAGE, STEMS, AND FRUIT OF ALL CROPS INTENDED FOR CONSUMPTION BECAUSE UNPLEASANT TASTE WILL RESULT.

#### **APPLICATION RATES**

**When to Use:** Apply when planting. For established plants, use any time after new growth appears. Do not apply when plant is dormant or when soil is waterlogged or frozen. These conditions inhibit uptake into the plant. Apply once every growing season.

Note: Application to plants heavily browsed may not prevent their eventual loss due to existing damage and stress. For best results, use this product as part of a regular maintenance program before problems, start.

Where to Use: Use on ornamental plants, flowers, trees, and shrubs to deter animals (deer, rabbits, າ ອີ ຈີ voles, moles, gophers, groundhogs, feral hogs, dogs and cats) from feeding on all parks of plants. Does not protect against birds or insects.

How to Apply: Place tablets in soil or growing medium of plant. Position 2-3 inches away from root crown, and push 1-3 inches below the soil surface. When more than one tablet is applied at once, everify space them around the plant. Activate the application with irrigation or natural rainfall. Do not over water. For containerized plants, use enough water to wet the potting soil thoroughly without causing water to flush out from the bottom of the container.

**How Much to Apply:** Measure the height and width of the plant to the nearest foot (12"). Apply 1 tábílet and vidth (height + width). For large tree forms, measure the crown only, not including the height of the trunk. Apply once every growing season.

		लिस्तर अंग्रेसिक (जिंक)					
	(	វិដ្ឋក្តិប	$M_{i}$	: E45.	442	St	(त्र(तं
ग्रेन्ट्रायः भित्रोष्ट्रातः (१६)	iljāt.	2	3	4	5	6	7
	283	3	4	5	6	7	8
	:67:	4	5	6	7	8	9
	46	5	6	7	8	9	10
	560	6	7	8	9	10	11
(1)	[ર્સ]	7	8	9	10	11	12

Note: If plant is very fast-growing, more than doubling in size during a single growing season, additional applications may be required. Repeat application after plant doubles in size. Do not apply more than 3 times per year.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Keep container closed to prevent spills and contamination. Keep away from excess heat and open flames.

Container Disposal: Nonrefillable Container (flexible-bag-all weights in outer box): Liner bag: Nonrefillable container. Do not reuse or refill this container. Completely empty liner into application equipment by shaking and tapping sides and bottom to loosen clinging particles. When completely empty offer for recycling if available or dispose of liner in a sanitary landfill."

"Container Disposal — Outer Box: Nonrefillable container. Do not reuse or refill this container. When completely empty offer for recycling if available or dispose of box in a sanitary landfill. Nonrefillable Container (rigid-fifty lbs or less): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. If recycling is not available, puncture or dispose of in a sanitary landfill or incineration or if allowed by state and local authorities, by burning. If burned stay out of smoke.

#### **WARRANTY STATEMENT**

**Terms of sale or use:** Buyer assumes all risks of use, storage or handling of this product not in accordance with directions. REPELLEX® makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is.

To the fullest extent permitted by State Law: The manufacturer shall not be liable for the buyer's and user's use and/or handling and or storage for this material, when such use and/or handling and/or storage is contrary to labeling directions. Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencings factors in the use of this product are beyond the control of the seller and are assumed by the buyer and user at their own risk.

REPELLEX®'s directions for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made, as to the effects of such or the results to be obtained if not used in accordance with label directions or established safe practice.

**Damages:** Buyers or users exclusive remedy for damages for breach of warrantee or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

Master Label Sub-label #2 Residential Use

### REPELLEX® SYSTEMIC TABLET

Repels Deer, Rabbits, Voles, Moles, Gophers, Groundhogs, Feral Hogs, Dogs and Cats from Ornamental Plants
For Residential Use

ACTIVE INGREDIENT:	
Capsaicin and Related Capsaicinoids	0.3%
OTHER INGREDIENTS:	<u>99.7%</u>
TOTAL:	100.0%

Contains 0.213 grams of active ingredient per tablet

# KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID				
IN THE CASE OF ACCIDENTAL	IMMEDIATELY				
Inhalation	Move person to fresh air.				
If person is not breathing, call 911 or an ambulance, then give a respiration, preferably by mouth-to-mouth, if possible.					
	Call a poison control center or doctor for further treatment advice.				
	HOT LINE NUMBER				
Have the product co	ontainer or label with you when calling a poison control center or doctor, or going for				
treatment. You m	ay also contact the National Pesticide Information Center at 1-800-858-7378 for				
emergency medical	treatment information.				
NOTE TO PHYSICI	AN				
No specific antidote	is available. Treat the patient symptomatically.				

See back panel of label for additional PRECAUTIONARY STATEMENTS.

EPA Reg. No. 85493-2	<b>EPA Est. No.</b> 8549	3-Mº007	
Manufactured By:			ວັງ ລຸວ ວຸລຸລຸລ
Repellex USA, Inc. PO Box 396 Niles, MI 49120		7,171 2,171 2,171 2,171	3 3 9 3 3 3 3 3
		3.3	2233
	NET WEIGHT:	ခခ္ခခ့	້າ <b>ວ</b> ານີ້
	Batch Code/Lot Number:	ວອ <b>້</b> ອວັງ ວັ	•
			333333
			33333

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### **ENVIRONMENTAL HAZARDS**

This product may be toxic to aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Tablets exposed on the soil surface may be hazardous to fish and aquatic invertebrates. Cover or collect tablets spilled during application.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a systemic animal repellent. Its exclusive formula protects ornamental plants, flowers, trees, and shrubs all season long with a single application. The easy-to-use tablets are pre-measured and require no mixing or spraying. Just place tablets into the soil, water in, and walk away! Growing beautiful, strong plants has never been easier.

How it Works: Water dissolves this product in soil, where it is absorbed by roots and moves up through the plant. Once absorbed, rain or watering cannot wash off this internal protection. Even new growth is protected against animal browsing for the entire growing season. For complete results, the repellent must distribute throughout the plant. Depending on the size and health of the plant, this may take one week to one month (for very large plants). To protect plants during uptake, treat with a foliar spray such as Repellex® Deer & Rabbit Repellent.

#### RESTRICTIONS

- NOT INTENDED FOR USE ON FOOD OR FEED CROPS.
- AVOID CONTACT OF PESTICIDE WITH ROOTS, FOLIAGE, STEMS, AND FRUIT OF ALL CROPS INTENDED FOR CONSUMPTION BECAUSE UNPLEASANT TASTE WILL RESULT.

#### **APPLICATION RATES**

**When to Use:** Apply when planting. For established plants, use any time after new growth appears. Do not apply when plant is dormant or when soil is waterlogged or frozen. These conditions inhibit uptake into the plant. Apply once every growing season.

Note: Application to plants heavily browsed may not prevent their eventual loss due to existing damage and stress. For best results, use this product as part of a regular maintenance program before problems start.

Where to Use: Use on ornamental plants, flowers, trees, and shrubs to deter animals (deer, rabbits, 2) 3 voles, moles, gophers, groundhogs, feral hogs, dogs and cats) from feeding on all parts of plants. Does not protect against birds or insects.

How to Apply: Place tablets in soil or growing medium of plant. Position 2-3 inches away from root, or crown, and push 1-3 inches below the soil surface. When more than one tablet is applied; at once, eventy space them around the plant. Activate the application with irrigation or natural rainfall. Do ridt over water. For containerized plants, use enough water to wet the potting soil thoroughly without causing water of flush out from the bottom of the container.

How Much to Apply: Measure the height and width of the plant to the nearest foot (12"). Apply 1 tablet per every foot of plant height and width (height + width). For large tree forms, measure the crown only, not including the height of the trunk. Apply once every growing season.

		लिका (भारतः (हा)					
	(î <del></del> )	ំរៀវិ	246	:Ni	4(4)	9/11	(ব্যৱ
(C)	147:	2	3	4	5	6	7
25.	Mi	3	4	5	6	7	8
भुआधुरे	îşî.	4	5	6	7	8	9
	446	5	6	7	8	9	10
शिभागः	. ⊼ft	6	7	8	9	10	11
(A.	্ বিক্	7	8	9	10	11	12

Note: If plant is very fast-growing, more than doubling in size during a single growing season, additional applications may be required. Repeat application after plant doubles in size. Do not apply more than 3 times per year.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage**: Store in original container in a cool, dry place, out of reach of children, preferably in a locked storage cabinet. Keep container closed to prevent spills and contamination. Keep away from excess heat and open flames.

**Pesticide Disposal and Container Handling**: Nonrefillable container. Do not reuse or refill this container. If empty, place in trash or offer for recycling, if available. If partly filled, call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### WARRANTY STATEMENT

**Terms of sale or use:** Buyer assumes all risks of use, storage or handling of this product not in accordance with directions. REPELLEX® makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is.

To the fullest extent permitted by State Law: The manufacturer shall not be liable for the buyer's and user's use and/or handling and or storage for this material, when such use and/or handling and/or storage is contrary to labeling directions. Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer and, user at their own risk.

REPELLEX®'s directions for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with label directions or established safe practice.

Damages: Buyers or users exclusive remedy for damages for breach of warrantee or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental of consequential damages.

373733