



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

June 27, 2022

Prince M. Bamaze  
Regulatory Affairs  
Sergeant's Pet Care Products, LLC  
10077 South 134th Street  
Omaha, NE 68138

Subject: Label Amendment – Agency initiated revisions and 2-year registration extension  
Product Name: LC-2010-4 Fipronil and S-Methoprene for Dogs  
EPA Registration Number: 85495-2  
Application Date: 8/22/2017; 3/2/2021  
Decision Number: 532815; 582834

Dear Mr. Bamaze:

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable under FIFRA Section 3(c)(7)(A), subject to the following conditions:

1. You must submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.
2. The Agency has found your company to be in compliance with the terms and conditions for the subject product and is extending the two-year registration restriction. **This registration is time-limited and expires 05/30/2023.**
3. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product beginning within 3 months of the date the product is first released for shipment, on the first day of the quarter (i.e., January 1, April 1, July 1, or October 1). Please flag any Confidential Business Information as such. Submit enhanced incident reporting and quarterly sales information to the Product Manager's attention. The following is a list of information that must be included in the quarterly reports for each incident:
  - EPA Registration Number
  - Product name (brand name)
  - Lot #
  - Where purchased: internet, store, veterinarian
  - Active Ingredient(s)
  - Weight range for product
  - Date on which incident occurred. (mm/dd/yyyy)

- State in which the incident occurred. (standard 2 letter abbreviation)
  - Registrant case #
  - Species: dog, cat, other (specify)
  - Breed: (as reported by pet owner)
  - Age: months or years
  - Sex: M, F, or neutered
  - Weight: pounds
  - Primary Route of Exposure: dermal, oral, other animal, inhalation, other
  - Body System: neurological, dermatological, GI, respiratory, ocular, other
  - Major signs noted with separate column for each sign, using standard terminology
  - Time to Onset: (hours, days)
  - Treated by veterinarian: yes or no
  - First time product used: yes or no
  - Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)
  - Any known precondition
  - EPA Severity Code: death, major, moderate, minor
  - Outcome: died, recovered, still treated, unknown
4. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
- All incidents should be reported including all minor dermal and ocular irritation reports.
  - Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
  - A similar summary table for cats (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
  - Summary table for cats and table for dogs showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
  - A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
  - A summary table showing the number of dogs incidents for each severity code for each pet weight range on the product label, as applicable.
  - A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range, as applicable.
  - Table showing number of incidents for each dog breed, where provided.

- Table showing number of incidents in dogs for each clinical sign.
- Table showing number of incidents in dogs for each organ system.
- Report aggregate incidents, but do not combine moderate and minor incidents.

If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants. If mitigation measures are necessary, EPA may take regulatory action.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). If you have any questions, please contact Kaitlin Saunders by phone at 202-566-2890, or via email at [Saunders.Kaitlin@epa.gov](mailto:Saunders.Kaitlin@epa.gov).

Sincerely,



Elizabeth Fertich  
Product Manager 4  
Invertebrate-Vertebrate Branch 1  
Registration Division  
Office of Pesticide Programs

Enclosure

**Master Label containing:**

**Sublabel A: Box Label**

**Sublabel B: Package Insert**

**Sublabel C: Labeling on the tube/vial**

**Sublabel D: Stickers for Re-application Reminders**

Supersedes EPA SAL 08/28/2014

{The CRP required text and format will not change from that used in SAUE testing.}

Text in [ ] is optional verbiage

Text in { } is instructional.

Text in ( ) is additional information used in the label

{A statement of purpose of the product and the duration per application, indicated in the optional claims section will be included on the front panel}

**LC-2010-4 Fipronil and S-Methoprene for Dogs**


**ACTIVE INGREDIENTS**

Fipronil.....9.80%

(S)-methoprene.....8.80%

**OTHER INGREDIENTS.....81.40%**

**TOTAL 100.00%**



**EPA Reg. No. 85495-2**

**Sublabel A: Box Label**

**{Front Panel of Box}**

**LC-2010-4 Fipronil and S-Methoprene for Dogs**

{Market Label - the word 'Dog' will be 40-75% in height of the largest letter in the primary brand name.}  
{A large, clear, age and size appropriate picture of dog will be on the front label panel}

[1][2][3][4][5][6][12][24] [vial] [tube] [s]

[1][2][3][4][5][6][12][24] [Applications] [Month Supply]

{The statement below will appear prominently in a box on the front panel on market label as required}

**Only For Use on dogs and puppies 8 weeks or older weighing [5-22]  
[23-44] [45-88] [89-132] lbs.**

**ACTIVE INGREDIENTS**

Fipronil..... 9.80%  
(S)-methoprene.....8.80%  
OTHER INGREDIENTS.....81.40%  
TOTAL 100.00%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Label for Additional Precautionary Statements  
{or}  
See Insert for First Aid and Storage and Disposal

**NET CONTENTS:**

**{For Dog Weighing 5-22 lbs.}**

1 - 0.023 fl oz (0.67 mL) [tube] [vial]  
0.046 fl oz (1.34 mL), 2 - 0.023 fl oz (0.67 mL) [tubes] [vials]  
0.069 fl oz (2.01 mL), 3 - 0.023 fl oz (0.67 mL) [tubes] [vials]  
0.092 fl oz (2.68 mL), 4 - 0.023 fl oz (0.67 mL) [tubes] [vials]  
0.115 fl oz (3.35 mL), 5 - 0.023 fl oz (0.67 mL) [tubes] [vials]  
0.138 fl oz (4.02 mL), 6 - 0.023 fl oz (0.67 mL) [tubes] [vials]  
0.276 fl oz (8.04 mL), 12 - 0.023 fl oz (0.67 mL) [tubes] [vials]  
0.552 fl oz (16.08 mL), 24 - 0.023 fl oz (0.67 mL) [tubes] [vials]

**{For Dog Weighing 23-44 lbs.}**

1 - 0.045 fl oz (1.34 mL) [tube] [vial]  
0.090 fl oz (2.68 mL), 2 - 0.045 fl oz (1.34 mL) [tubes] [vials]  
0.135 fl oz (4.02 mL), 3 - 0.045 fl oz (1.34 mL) [tubes] [vials]  
0.180 fl oz (5.36 mL), 4 - 0.045 fl oz (1.34 mL) [tubes] [vials]  
0.225 fl oz (6.70 mL), 5 - 0.045 fl oz (1.34 mL) [tubes] [vials]  
0.270 fl oz (8.04 mL), 6 - 0.045 fl oz (1.34 mL) [tubes] [vials]  
0.540 fl oz (16.08 mL), 12 - 0.045 fl oz (1.34 mL) [tubes] [vials]  
1.080 fl oz (32.16 mL), 24 - 0.045 fl oz (1.34 mL) [tubes] [vials]

**{For Dog Weighing 45-88 lbs.}**

1 - 0.091 fl oz (2.68 mL) [tube] [vial]  
0.182 fl oz (5.36 mL), 2 - 0.091 fl oz (2.68 mL) [tubes] [vials]  
0.273 fl oz (8.04 mL), 3 - 0.091 fl oz (2.68 mL) [tubes] [vials]  
0.364 fl oz (10.72 mL), 4 - 0.091 fl oz (2.68 mL) [tubes] [vials]  
0.455 fl oz (13.40 mL), 5 - 0.091 fl oz (2.68 mL) [tubes] [vials]  
0.546 fl oz (16.08 mL), 6 - 0.091 fl oz (2.68 mL) [tubes] [vials]  
1.092 fl oz (32.16 mL), 12 - 0.091 fl oz (2.68 mL) [tubes] [vials]  
2.184 fl oz (64.32 mL), 24 - 0.091 fl oz (2.68 mL) [tubes] [vials]

**{For Dog Weighing 89-132 lbs.}**

1 - 0.136 fl oz (4.02 mL) [tube] [vial]  
0.272 fl oz (8.04 mL), 2 - 0.136 fl oz (4.02 mL) [tubes] [vials]  
0.408 fl oz (12.06 mL), 3 - 0.136 fl oz (4.02 mL) [tubes] [vials]  
0.544 fl oz (16.08 mL), 4 - 0.136 fl oz (4.02 mL) [tubes] [vials]  
0.680 fl oz (20.10 mL), 5 - 0.136 fl oz (4.02 mL) [tubes] [vials]  
0.816 fl oz (24.12 mL), 6 - 0.136 fl oz (4.02 mL) [tubes] [vials]  
1.632 fl oz (48.24 mL), 12 - 0.136 fl oz (4.02 mL) [tubes] [vials]  
3.264 fl oz (96.48 mL), 24 - 0.136 fl oz (4.02 mL) [tubes] [vials]

{A minimum of 1.5 cm x 1.5 cm icon as indicated black cat, black text, red circle and line through cat, on white background to ensure easy spotting, in lower right-hand corner of front label panel.}



## {Back Panel of Box}

{Product Name}

[[{Product Name} {or} [This product] acts fast (starts [killing][working] within 48 hours after application) on fleas, ticks, and mosquitoes, and is an effective, [30-days] [1 month] [4 weeks] lasting, waterproof, and easy-to-use application for control of fleas, flea eggs, ticks, chewing lice, and mosquitoes.

[ONLY use on dogs and puppies 8 weeks or older weighing [5- 22] [23-44] [ 45-88] [ 89-132] lbs.]

### **DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

Read entire label before each use. Carefully follow all precautionary statements and Directions for Use.

For topical application only. Apply {Product Name} ONLY to dogs and puppies aged 8 weeks or older and [5-22] [23-44] [45-88] [89-132] lbs., including on breeding, pregnant, and lactating bitches, as indicated below for control of fleas, flea eggs, ticks (including all stages of American Dog ticks, Brown Dog ticks, Deer ticks and Lone Star ticks), chewing lice and mosquitoes. Dog must be dry at time of application and remain dry for 24 hours after application. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

### **Restrictions:**

Do not allow children to apply this product.

Do not touch the area where the application was made until it is dry.

Do not apply the product superficially to the dog's hair.

Do not bathe or allow water immersion for 24 hours after application.

Do not reapply for [4 weeks] [a month] [30 days].


Do not allow your dog to ingest this product.

Do not use on cats, rabbits or other animals.

Do not use on dogs or puppies under 8 weeks or less than [5] [23] [45] [89] lbs.

Do not apply more than one [tube] [vial] per treatment for one dog regardless of dog's weight.

{Optional graphics to illustrate "how to Apply"}



{CRP: One of the following terms: "tube" or "vial" will be used consistently throughout the label.}

### How to Open:

1. Remove product [tube] [vial][s] from the package.
2. [Separate one [tube] [vial] from the others]. Hold the [tube] [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

### How to Apply:

1. Invert [tube] [vial] over dog and use open end to part dog's hair.
2. Squeeze [tube] [vial] firmly to apply all of the solution [on] [to] the dog's skin as a spot to the dog's back between the shoulder blades.

### Frequency of Application

**Fleas:** For control of fleas apply once every [4 weeks] [month] [30 days].

**Ticks:** Each application kills ticks for [one month] [4 weeks] [30 days]. For control of ticks, apply once every [4 weeks] [month] [30 days].

**Chewing Lice:** Each application kills chewing lice for [one month] [4 weeks] [30 days]. For control of chewing lice, apply once every [4 weeks] [month] [30 days].

**Mosquitoes:** For control of mosquitoes, apply once every [4 weeks] [month] [30 days].

[Do not reapply {Product Name} {or} [This product] for [30 days] [4 weeks] [one month], including following your dog's exposure to bathing or swimming, as {Product Name} remains effective in those conditions.]

{Side Effects box to be located immediately above the cat warning box on the back label panel}

**Side Effects:** Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting and/or diarrhea have been reported. If these or other side effects occur, consult your veterinarian or call [FidoPharm] {Name of distributor} at 1-xxx-xxx-x x x x

{Minimum of 1.5cm x 1.5cm cat prohibition icon and warning text will be in a box in the lower right hand corner of the back panel with black cat + red circle and line through the cat, black text, on white background to ensure easy spotting.}

DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.



FidoPharm, Inc.  
P.O. Box 540399  
Omaha, NE 68154-0399 USA

EPA Reg. No. 85495-2  
EPA Est. No. XXXXX-XX-XX

©2013 FidoPharm, Inc. All rights reserved.

{Drawing of telephone receiver} Questions? Comments? 1-888-908-TICK



**{Top Panel of Box}**

{Product Name}

[Only for use on dogs and puppies 8 weeks or older weighing [5-22] [23-44] [ 45-88] [89-132] lbs.]

[1][2][3][4][5][6][12][24] [vial] [tube] [s]

[1][2][3][4][5][6][12][24] [Applications] [Month Supply]

**{Bottom Panel of Box}**

[For Use on Dogs Only]

**{Right side panel of Box}**

{Product Name}

[Only for use on dogs and puppies 8 weeks or older weighing [5-22] [23-44] [ 45-88] [89-132] lbs.]

[1][2][3][4][5][6][12][24] [vial] [tube] [s]

[1][2][3][4][5][6][12][24] [Applications] [Month Supply]

**{Left side panel of Box}**

Lot Number:

[1][2][3][4][5][6][12][24] [vial] [tube] [s]

[1][2][3][4][5][6][12][24] [Applications] [Month Supply]

**Sublabel B: Package Insert**

{Product Name}

**Only for use on dogs and puppies 8 weeks or older and [5-22] [23-44] [45-88] [89-132] lbs.**

{Product Name} {or} [This product] is a topical application for fast action (starts [killing][working] within 48 hours after application) on fleas, ticks, and mosquitoes, and [30-days] [1 month] [4 weeks] lasting control of fleas, flea eggs, ticks, chewing lice, and mosquitoes.

**ACTIVE INGREDIENTS**

Fipronil.....	9.80%
(S)-methoprene.....	8.80%
OTHER INGREDIENTS.....	81.40%
TOTAL	100.00%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

[{Product Name} {or} [This product] acts fast (starts [killing][working] within 48 hours after application) on fleas, ticks, and mosquitoes, and is an effective, [30-days] [1 month] [4 weeks] lasting, waterproof, and easy-to-use application for control of fleas, flea eggs, ticks, chewing lice, and mosquitoes on dogs and puppies [5-22][23-44][45-88][89-132] lbs.[,] 8 weeks [of age] or older. When used as directed, {Product Name} {or} [this product] can control infestations of fleas, ticks, and chewing lice and help to prevent reinfestation on dogs and puppies [5-22][23-44][45-88][89-132] lbs.[,] 8 weeks [of age] or older, including on breeding, pregnant and lactating bitches.]

Specifically, {Product Name} {or} [this product] kills, controls and prevents infestations of:

- 1) Adult fleas, flea eggs, and flea larvae, including fleas which could cause flea allergy dermatitis, and can prevent the further development of fleas at the egg, larvae and pupae stages.
- 2) Brown Dog tick, the American Dog tick, the Lone Star tick, and the Deer tick (including ticks that may transmit Lyme Disease), at all stages.
- 3) Chewing lice infestations.
- 4) Kills mosquitoes.

{Product Name} {or} [This product] contains the active ingredient fipronil and the insect growth regulator (IGR) (S)-methoprene.

## DIRECTIONS FOR USE

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

Read entire label before each use. Carefully follow all precautionary statements and Directions for Use.

For topical application only. Apply {Product Name} {or} [this product] ONLY to dogs and puppies aged 8 weeks or older and [5-22] [23-44] [45-88] [89-132] lbs., including on breeding, pregnant, and lactating bitches, for control of fleas, flea eggs, ticks, chewing lice, and mosquitoes. Dog must be dry at time of application and remain dry for 24 hours after application. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

### Restrictions:

Do not allow children to apply this product.

Do not touch the area where the application was made until it is dry.

Do not apply the product superficially to the dog's hair.

Do not bathe or allow water immersion for 24 hours after application.

Do not reapply for [4 weeks] [a month] [30 days].


Do not allow your dog to ingest this product.

Do not use on cats, rabbits or other animals.

Do not use on dogs or puppies under 8 weeks or less than [5] [23] [45] [89] lbs.

Do not apply more than one [tube] [vial] per treatment for one dog regardless of dog's weight.

{Optional graphics to illustrate "how to Apply"}



{CRP: One of the following terms; "tube" or "vial" will be used consistently throughout the label.}

### How to Open:

1. Remove product [tube] [vial][s] from the package.
2. [Separate one [tube] [vial] from the others]. Hold the [tube] [vial] with notched end pointing up and away from the face and body. Use scissors to cut off the narrow end at the notches along the line.

### How to Apply:

1. Invert [tube] [vial] over dog and use open end to part dog's hair.
2. Squeeze [tube] [vial] firmly to apply all of the solution [on] [to] the dog's skin as a spot to the dog's back between the shoulder blades.

## Frequency of Application

**Fleas:** For control of fleas apply once every [4 weeks] [month] [30 days].

**Ticks:** Each application kills ticks for [one month] [4 weeks] [30 days]. For control of ticks, apply once every [4 weeks] [month] [30 days].

**Chewing Lice:** Each application kills chewing lice for [one month] [4 weeks] [30 days]. For control of chewing lice, apply once every [4 weeks] [month] [30 days].

**Mosquitoes:** For control of mosquitoes, apply once every [4 weeks] [month] [30 days].

[Do not reapply {Product Name} {or} [this product] for [4 weeks] [month] [30 days].

[Do not reapply {Product Name} {or} [this product] for [30 days] [4 weeks] [one month], including following your dog's exposure to bathing or swimming, as {Product Name} {or} [this product] remains effective in those conditions.]

### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Do not remove [tube][vial] from the pack until ready to use. Store in a cool [below 77°F/[25°C]] dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. **If empty:** Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### FIRST AID

<b>If swallowed:</b>	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
<b>If in eyes:</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>If on skin:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water. Call a poison control center or doctor for treatment advice.

### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-781-4738 for emergency medical treatment information.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans. Caution.

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

**Hazards to Domestic Animals.**

For external use only. Do not use on dogs or puppies under 8 weeks of age or less than [5] [23] [45] [89] lbs. Sensitivities may occur after using ANY pesticide product for dogs. While temporary irritation at the application area may occur, if signs of continued sensitivity occur, consult a veterinarian immediately. Should any unusual reactions to the application occur, do not reapply before consulting with a veterinarian. Certain medications can interact with pesticides. Consult with your veterinarian before using this product on medicated, debilitated, or aged dogs. Call 1-888-908-TICK for 24-hour assistance. This product is not a substitute for prescribed heartworm preventative.

**Physical or Chemical Hazards**

**Flammable:** Keep away from heat and open flame.

**Warranty**

To the extent consistent with applicable law, Sellers make no warranty, express or implied, concerning the use of this product other than as indicated on the labeling. Buyer assumes all risk of use and handling of the product when such use and handling are contrary to the label instructions.

**Side Effects:** Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting and/or diarrhea have been reported. If these or other side effects occur, consult your veterinarian or call [FidoPharm] {Name of distributor} at 1-xxx-xxx-x x x x .

**DO NOT USE ON CATS.** Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.



FidoPharm, Inc.  
P.O. Box 540399  
Omaha, NE 68154-0399 USA

EPA Reg. No. 85495-2  
EPA Est. No. XXXXX-XXX-XX  
©2013 FidoPharm, Inc. All rights reserved.  
{Drawing of telephone receiver} Questions? Comments? 1-888-908-TICK

**Sublabel C: Labeling on the [Tube] [Vial]**

**Neck of tube/vial:** Contains: fipronil 9.80%  
s-methoprene 8.80%

**Body of tube/vial:**

{Product Name}  
[0.023 fl.oz.] {Or} [0.045 fl.oz.] {Or} [0.091 fl.oz.] {Or}  
[0.136 fl.oz.]

ONLY for dogs and puppies 8 weeks or older  
weighing [5-22] [23-44] [45-88] [89-132] lbs.



**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

Read entire label before using. Use scissors to open.

**EPA Reg. No. 85495-2**

{Lot Code is engraved on the crimp portion of tubes}  
{EPA Reg. No. may be on either the front or back label}

**Sublabel D: Stickers for Re-application Reminders [Optional]**

**Care Card**

Kills Fleas, Flea Eggs, Ticks, Chewing Lice, & Mosquitoes

Picture of Dog

Month 1

Drawing of  
paw

---

Date of  
Application

Month 2

Drawing of  
paw

---

Date of  
Application

Month 3

Drawing of  
paw

---

Date of  
Application

Month 4

Drawing of  
paw

---

Date of  
Application

Month 5

Drawing of  
paw

---

Date of  
Application

Month 6

Drawing of  
paw

---

Date of  
Application

Place sticker on your calendar or refrigerator to remind yourself to apply {Product Name} to your dog

Dog's Name: \_\_\_\_\_ lbs.

### **{Optional marketing statements}**

{Active ingredients comparison statement will appear on the same label panel as the corresponding disclaimer indicated with a (\*)}

- [Contains the same active ingredients used in FRONTLINE® Plus for Dogs.][\*]
- [\*] This product is not manufactured or distributed by Boehringer Ingelheim Animal Health, the makers of FRONTLINE® Plus for Dogs. FRONTLINE® Plus for Dogs is a registered trademark of Boehringer Ingelheim Animal Health.]

[[Brand name] is a registered trademark of Sergeant's Pet Care Products, Inc.]

- Kills fleas, flea eggs, ticks, chewing lice & mosquitoes
- Fast action (starts [killing][working] within 48 hours after application) on fleas, ticks, and mosquitoes.
- Kills ticks, including ticks that may transmit Lyme Disease
- Waterproof
- [30-days] [1 month] [4 weeks] Lasting control

{note to reviewer: X&Y is based on the number of tubes/vials or %. When additional [tube][vial] is provided, the extra tube (or vial) will not cover or distract consumer from required text. X&Y will not exceed the allowable net contents}

- Bonus
- Buy "x" get "y" free
- Get "x%" free
- "X%" More Free
- Clip, Part, Squeeze
- Easy to use applicator
- Easier than ever applicator lets you **clip** the tip, **part** the fur [hair] and **apply** directly to the skin
- Easier than ever applicator lets you **clip** the tip, **part** the fur [hair] and **squeeze** directly onto the skin
- Clean cut [open] [tube] [vial] [!]
- No mess [open] [tube] [vial] [!]
- Clip-tip design [tube] [vial] [!]



{Statements below may be used in addition to the required language}

- Only For [Small] [S] Dogs 5 [to] [-] 22 lbs and 8 weeks or older
- Only For [Medium] [M] Dogs 23 [to] [-] 44 lbs and 8 weeks or older
- Only For [Large] [L] Dogs 45 [to] [-] 88 lbs and 8 weeks or older
- Only For [Extra Large] [X-Large] [X-L] Dogs 89 [to] [-] 132 lbs and 8 weeks or older