

85556-2

10/14

6/26/2012

Thomas L Higgins  
President  
AP Goldshield LLC  
9570 Pan American Dr  
El Paso Texas 79927

JUN 26 2012

SUBJECT Goldshield 75  
EPA Registration Number 85556 2  
Application Date June 1 2012  
Receipt Date June 5 2012

Dear Mr Higgins


The following amendment submitted in connection with registration under the Federal Insecticide Fungicide and Rodenticide Act (FIFRA) as amended is acceptable

- To revise the STORAGE AND DISPOSAL language to be in agreement with PR Notice 2007 4 and Chp 13 of the Label Review Manual

Based on a review of the submitted information this notification is acceptable Your proposed changes will be made part of the record for this file

**General Comments**

A stamped copy of the accepted labeling is enclosed Submit 1 copy of your final printed label before distributing or selling the product bearing the revised labeling Should you have any questions concerning this letter please contact Emilia Oiguenblik at (703) 347 0199 or Velma Noble at (703) 308 6233

Sincerely  
  
Velma Noble  
Product Manager (31)  
Regulatory Management Branch I  
Antimicrobials Division (7510P)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							



**AP Goldshield**

*Goldshield™ 75*

**MICROBIOSTATIC AGENT**

A Silicone Quaternary Ammonium Salt

Active Ingredient 3 (trihydroxysilyl) propyldimethyloctadecyl ammonium chloride  
Other Ingredients  
TOTAL INGREDIENTS


EPA Reg No 85556 2

NET CONTENTS 2 4 8 16 20 22 32 or 36 fluid oz 1 5 55 150 or 275 gal

**KEEP OUT OF REACH OF CHILDREN**

EPA EST 88321 TN 001

Lot No \_\_\_\_\_



75%  
99.25%  
100.0%



A microbiostatic agent is an agent that inhibits the growth of odor causing bacteria bacteria which cause staining and discoloration fungi (mold and mildew) and algae This product does not protect users or others against food borne or disease causing bacteria

**ENVIRONMENTAL HAZARDS**

**Commercial and industrial uses.** This pesticide is toxic to fish Do not discharge effluent containing this product into lakes streams ponds estuaries oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority For guidance contact your State Water Board or Regional Office of the EPA

De activation may be required during clean up if a spill occurs De activation of *Goldshield™ 75* can be achieved by the addition of anionic surfactant (such as soap sulfonates sulfates) in quantity equivalent to that of *Goldshield™ 75*

20914

**Homeowner use.** This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

**DIRECTIONS FOR USE**  
**Approved commercial and Industrial Applications**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.

Apply *Goldshield™ 75* by brushing, dipping, padding, soaking, spraying, fogging or by using foam finishing techniques.

Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions such as time and temperature should be determined for each application before use. If necessary, reapply *Goldshield™ 75* every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains and algae stains return.


*Goldshield™ 75* when used as a concrete additive is added directly during concrete preparation. Use 40 fluid ounces per cubic feet of concrete. Addition of *Goldshield™ 75* reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

**Approved commercial and industrial applications**


The active ingredient in *Goldshield™ 75* is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent.


*Goldshield™ 75* can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity:

- Air filters for furnaces, air conditioners, air purification devices, automobiles, recirculating air handling systems
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies



- Cellulose sponges
- Concrete additive for sewer pipes manholes and concrete sewer structures not to be used in treatment of storm drains
- Concrete additive for repair and renewal of sewer pipes and manholes and concrete sewer structures not to be used in treatment of storm drains
- Exterior walls (such as stone concrete brick)
- Fiberfill for upholstery sleeping bags apparel where the fiber is cotton natural down nylon polyester rayon or wool
- Fiberglass ductboard
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Mens underwear and outerwear
- Non woven disposable diapers
- Non woven polyester
- Outerwear apparel (jackets sweaters sweatshirts coats raincoats overcoats jerseys ponchos)
- Polyurethane and cellulose foam for household industrial and institutional sponges and mops
- Polyurethane and polyethylene foam when covered
- Polyurethane foam for packaging and cushioning in non food contact applications
- Polyurethane foam used as a growth medium for non food crops and plants
- Pre moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials defined as shingles roofing granules wood shakes felt stone and synthetic overcoats
- Sand bags tents tarpaulins sails and ropes
- Athletic and casual shoes
- Shoe insoles
- Shower curtains
- Socks comprised of nylon nylon/orlon cotton/nylon linen/Lycra acrylic/polypropylene/nylon/Lycra wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton 100 percent polyester and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates acrylics cotton fiberglass nylon polyester polyethylene polyolefins polypropylene rayon spandex vinyl wool
- Vacuum cleaner bags and filters
- Vinyl paper wallpaper for non food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture cars walls windows floors appliances dishes counter tops the wiping cloths do not impart pesticide properties
- Women's hosiery





Women's intimate apparel

### DIRECTIONS FOR USE

Approved commercial applications used in homes, offices, automobile automobiles and institutions  
e.g. schools, hospitals, daycare centers, churches, correctional facilities

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

**For Pump Spray Application** Using pump sprayer spray entire area 4-6 from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand for 3 minutes and wipe with dry cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color fastness of fabrics and carpets by treating and drying small concealed area prior to application. Goldshield™ 75 treats approximately 200 square feet per gallon. When treating coarser substrates more Goldshield™ 75 may be required due to absorption. A fan may be used to assist in drying carpeting.

**For Commercial Spray Application** For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaners, pressure sprayer) apply and then let stand until dry or let stand for 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color fastness of fabrics and carpets by treating and drying a small concealed area prior to application. Goldshield™ 75 treats approximately 200 square feet per gallon. When treating coarser substrates more Goldshield™ 75 may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpeting.

**For Dipping/Soaking Application** Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Goldshield™ 75 to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color fastness of fabrics and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperatures at a maximum of 160° C (320° F) for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply Goldshield™ 75 every three months or when odor, staining and discoloration due to bacteria, mold, stains, mildew, stains and algae stains return.

**Approved commercial applications used in homes offices automobiles and institutions  
e.g schools hospitals, daycare centers, banks, churches correctional facilities**

The active ingredient in *Goldshield™* 75 is effective against odor causing bacteria bacteria which cause staining and discoloration fungi (mold and mildew) and algae as a static agent


*Goldshield™* 75 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity

- Air filters for furnaces air conditioners air purification devices automobiles re circulating air handling systems
- Air filters/materials
- Aquarium filter material
- Bed sheets blankets and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Cellulose sponges
- Exterior walls (such as stone concrete brick)
- Fiberfill for upholstery sleeping bags apparel where the fiber is cotton natural down nylon polyester rayon or wool
- Fiberglass ductboard
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Mens underwear and outerwear
- Non woven disposable diapers
- Non woven polyester
- Outerwear apparel (jackets sweaters sweatshirts coats raincoats overcoats jerseys ponchos)
- Polyurethane and cellulose foam for household industrial and institutional sponges and mops
- Polyurethane and polyethylene foam when covered
- Polyurethane foam for packaging and cushioning in non food contact applications
- Polyurethane foam used as a growth medium for non food crops and plants
- Pre moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials defined as shingles roofing granules wood shakes felt stone and synthetic overcoats
- Sand bags tents tarpaulins sails and ropes
- Athletic and casual shoes
- Shoe insoles



60914

- Shower curtains
- Socks comprised of nylon nylon/orlon cotton/nylon linen/Lycra acrylic/polypropylene/nylon/Lycra wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton 100 percent polyester and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates acrylics cotton fiberglass nylon polyester polyethylene polyolefins polypropylene rayon spandex vinyl wool
- Vacuum cleaner bags and filters
- Vinyl paper wallpaper for non food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture cars walls windows floors appliances dishes counter tops the wiping cloths do not impart pesticide properties
- Women's hosiery
- Women's intimate apparel



**DIRECTIONS FOR USE**  
**For homeowner applications**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

**Approved homeowner uses**

The active ingredient in *Goldshield™ 75* is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. *Goldshield™ 75* can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity:

70e14

	Pest controlled	Method of Application
<p>Bedsheets blankets bedspreads curtains draperies (washable only) underwear socks intimate apparel hosiery throw rugs toweling toilet tank covers shower curtains shoe insoles outerwear apparel (jackets sweaters sweatshirts coats raincoats overcoats jerseys ponchos) <i>Goldshield™ 75</i> can be applied to fabrics made of acetates acrylics cotton fiberglass linen Lycra nylon orlon polyester polyethylene polyolefins polypropylene rayon silk spandex vinyl and wool</p>	<p>Odor causing bacteria bacteria which cause staining and discoloration and fungi (mold and mildew)</p>	<p><b>DIP/SOAK</b> Use appropriate sized wash basin or tub for dipping/soaking the item you are treating Use enough <i>Goldshield™ 75</i> solution to completely submerge item Keep item in solution for 3 minutes Remove item and wring excess liquid Drying may be attained by dripping dry or wringing excess liquid from treated item For larger items (e.g. bedspreads curtains draperies) place in washing machine on spin cycle to aid in the removal of excess liquid Test staining and color fastness of fabric and carpets by treating and drying a small concealed area prior to application Do not reuse solution after dipping/soaking Dry treated articles before use Substrates can be hang dried at room temperature or at temperatures to a maximum of 160 C (320 F) (for example in a clothes dryer) If necessary reapply <i>Goldshield™ 75</i> every three months or when odor staining and discoloration due to bacteria mold stains and mildew stains return</p> <p><b>SPRAY</b> Using a trigger pump sprayer or pressure sprayer spray the entire surface area 4-6 from the surface making sure the surface is completely covered Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge If spotting occurs wipe with moist cloth or sponge Test staining and color fastness of fabric by treating and drying a small concealed area prior to application If necessary reapply <i>Goldshield™ 75</i> every three months or when odor staining and discoloration due to bacteria mold stains and mildew stains return</p>
<p>Air filters and air filter material for</p> <ul style="list-style-type: none"> <li>• Furnaces air conditioners</li> <li>• Air purification systems</li> <li>• Automobiles</li> <li>• Re circulating air handling systems</li> <li>• Vacuum cleaner filters</li> <li>• Aquariums</li> </ul>	<p>Odor causing bacteria bacteria which cause staining and discoloration fungi (mold and mildew) and algae</p>	<p><b>Method of Application</b></p> <p><b>SPRAY</b> When treating filters remove filter from the unit Using a trigger pump sprayer or pressure sprayer spray the entire surface area 4-6 from the surface making sure the surface is completely covered Apply and then let stand until dry If necessary reapply <i>Goldshield™ 75</i> every three months or when odor staining and discoloration due to bacteria mold stains mildew stains and algae stains return</p>

80914

ACCEPTED

FEB 26 2004

Under the Federal Insecticide, Fungicide and  
Rodenticide Act  
Registration No. 85556-2



90914

	Pest controlled	Method of Application
Carpeting	<p>Odor causing bacteria bacteria which cause staining and discoloration and fungi (mold and mildew)</p>	<p><b>SPRAY</b> Apply to clean carpet surface Using a trigger pump sprayer or pressure sprayer spray the entire surface area 4 6 from the surface making sure the surface is completely covered For rotary jet extraction cleaners and carpet steamers add the <i>Goldshield™ 75</i> solution directly to the cleaning tank then operate the equipment in accordance with manufacturer's instructions Apply and then let stand until dry Test staining and color fastness of carpets by treating and drying a small concealed area prior to application <i>Goldshield™ 75</i> treats approximately 200 square feet per gallon When treating coarser substrates (e.g. wool carpeting) more <i>Goldshield™ 75</i> may be required due to absorption Dry carpet areas and surfaces before re entry A fan may be used to assist in drying carpeting Remove children and pets from treated area until completely dried If necessary reapply <i>Goldshield™ 75</i> every three months or when odor staining and discoloration due to bacteria mold stains and mildew stains return</p> <div data-bbox="820 220 1063 556" style="border: 1px solid black; padding: 5px; margin: 10px auto; width: fit-content;"> <p style="text-align: center; font-weight: bold; font-size: 1.2em;">ACCEPTED</p> <p style="font-size: 0.8em;">             26 2017              Under the Federal Insecticide Fungicide and              Pesticide Act              Registered under              EPA Reg. No. 83556-2           </p> </div>
<p>Mattress pad and mattress ticking and upholstery composed of acetates acrylics cotton fiberglass nylon polyester polyethylene polyolefins polypropylene rayon spandex vinyl wool fiberfill to be used in upholstery sleeping bags apparel where the fiber is cotton natural</p>	<p>Pest controlled</p> <p>Odor causing bacteria bacteria which cause staining and discoloration</p>	<p><b>SPRAY</b> Clean surfaces prior to application Using a trigger pump sprayer spray the entire surface area 4 6 from the surface making sure the surface is completely covered Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge If spotting occurs wipe with moist cloth or sponge Test staining and color fastness of fabric by treating and drying a small concealed area prior to application When applying to mattress pads and ticking do not soak Remove children and pets from treated area until completely dried If necessary reapply</p>

down nylon rayon or wool	and fungi (mold and mildew)	<p><b>Goldshield™ 75</b> every three months or when odor staining and discoloration due to bacteria mold stains and mildew stains return</p>
<p><b>Method of Application</b></p>		
Tents tarpaulins sails ropes	<p>Pest controlled</p> <p>Odor causing bacteria bacteria which cause staining and discoloration</p> <p>fungi (mold and mildew) and algae</p>	<p><b>SPRAY</b> Clean surface prior to application Using a trigger pump sprayer or pressure sprayer spray the entire surface area 4-6 from the surface making sure the surface is completely covered Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge If spotting occurs wipe with moist cloth or sponge Test staining and color fastness of fabric by treating and drying a small concealed area prior to application If necessary reapply <b>Goldshield™ 75</b> every three months or when odor staining and discoloration due to bacteria mold stains mildew stains and algae stains return</p> <p><b>DIP/SOAK</b> Use appropriate sized wash basin or tub for dipping/soaking the item you are treating Use enough <b>Goldshield™ 75</b> solution to completely submerge item Keep item in solution for three minutes Remove item and wring excess liquid Test staining and color fastness of fabric by treating and drying a small concealed area prior to application Do not reuse solution after dipping/soaking Dry treated articles before use Substrates can be hang dried at room temperature or at temperatures to a maximum of 160 C (320 F) (for example in a clothes dryer) Remove excess liquid before attempting to dry in a clothes dryer If necessary reapply <b>Goldshield™ 75</b> every three months or when odor staining and discoloration due to bacteria mold stains mildew stains and algae stains return</p>
<p><b>Method of Application</b></p>		
Roofing materials (such as shingles roofing granules wood shakes felt stone synthetic overcoats) Exterior walls (such as stone concrete brick)	<p>Pest controlled</p> <p>Odor causing bacteria bacteria which cause staining and discoloration</p> <p>fungi (mold and mildew)</p>	<p><b>SPRAY</b> Make sure the roof or wall is clean prior to application Using a pressure sprayer spray the entire surface area 6-12 from the surface making sure the surface is completely covered After applying the solution of <b>Goldshield™ 75</b> let stand until dry <b>Goldshield™ 75</b> treats approximately 200 square feet of roofing or wall per gallon If necessary reapply <b>Goldshield™ 75</b> every three months or when odor staining and discoloration due to bacteria mold stains mildew stains and algae stains return</p>

10 of 14

**ACCEPTED**

JUN 26 2017

Under the Federal Insecticide Fungicide and Rodenticide Act  
 P. J. A. M. L. Y. C. E. R.  
 85536-2

	and algae Pest controlled	Method of Application
<p>Buffer pads (polishing and abrasive) Polyurethane and cellulose foam for household sponges and mops vacuum cleaner bags umbrellas casual shoes athletic shoes</p>	<p>Odor causing bacteria bacteria which cause staining and discoloration and fungi (mold and mildew)</p>	<p><b>SPRAY</b> Clean surface prior to application Using a trigger pump sprayer or pressure sprayer spray the entire surface area 4 6 from the surface making sure the surface is completely covered Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge If spotting occurs wipe with moist cloth or sponge If necessary reapply <i>Goldshield™ 75</i> every three months or when odor staining and discoloration due to bacteria mold stains and mildew stains return</p>
<p>Tubs glazed tiles vanity tops shower curtains shower stalls (areas) sinks washable walls wall paper for non food contact floors window sills cabinets garbage cans appliances refrigerators (exterior) fiberglass formica glazed tiles glazed porcelain synthetic marble plastic vinyl</p>	<p>Odor causing bacteria bacteria which cause staining and discoloration and fungi (mold and mildew)</p>	<p><b>SPRAY</b> Using a trigger pump sprayer spray the entire surface area 4 6 from the surface making sure the surface is completely covered Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge If spotting occurs wipe with moist cloth or sponge If necessary reapply <i>Goldshield™ 75</i> every three months or when odor staining and discoloration due to bacteria mold stains and mildew stains return</p>

MOLD MILDEW ODOR PROTECTOR AND INHIBITOR *Goldshield™ 75* is an antimicrobial agent effective against odor causing bacteria

*Goldshield™ 75* is an antimicrobial agent effective against bacteria which cause staining and discoloration


*Goldshield™ 75* is an antimicrobial agent effective against fungi (mold and mildew)

*Goldshield™ 75* is an antimicrobial agent effective against algae

*Goldshield™ 75* is an antimicrobial agent controls the source of odors on surfaces in the home in the bathroom in the kitchen

Bacteriostatic fungistatic (mold and mildew) algae static

*Goldshield™ 75*, an antimicrobial agent inhibits smelly odors caused by mold and mildew that can grow even in the cleanest homes



119  
14

12 of 14

PAGE 11 MASTER LABEL FOR Goldshield™ 75

**Goldshield™ 75** an antimicrobial agent inhibits the growth of odor causing bacteria

Effective on hard non porous washable bathroom and kitchen surfaces and fixtures around the home

Effective on modern hard non porous washable surfaces made of fiberglass glazed porcelain Formica® stainless steel synthetic marble

Imparts microbiostatic properties

Use on carpet and upholstery to inhibit odor causing bacteria bacteria which cause staining and discoloration and fungi (mold and mildew)

Unscented

Use on carpet and upholstery to inhibit the growth of odor causing bacteria

Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew)

Use on carpet and upholstery to inhibit the growth of odor causing bacteria bacteria which cause staining and discoloration fungi (mold and mildew) and algae

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria

Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration

Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew)

Provides an invisible microbiostatic coating to inhibit the growth of algae

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria bacteria which cause staining and discoloration fungi (mold and mildew) and algae

Prevents deterioration caused by bacteria and fungi (mold and mildew)

Inhibits deterioration caused by bacteria

Resists development of microbial odors

Resists development of stains and discoloration due to bacteria

Resists development of stains due to fungi (mold and mildew)

Resists stains due to algae

Resists development of microbial odors stains and discoloration due to bacteria fungi (mold and mildew) and algae


Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria

Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration

Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew)

Provides/creates an invisible barrier to inhibit the growth of algae

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria bacteria which cause staining and discoloration fungi (mold and mildew) and algae



Up to 5 gallons

**STORAGE AND DISPOSAL**

Do not contaminate water food or feed by storage and disposal

**Pesticide Storage** Store in original tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food pet food feed seed fertilizers and veterinary supplies

**Pesticide Disposal** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility [For

**Home owners use the statement will read Pesticide disposal** Wastes resulting from the use of this product may be disposed of on site]

**Container Disposal** Nonrefillable container Do not reuse or refill this container Triple rinse container (or equivalent) promptly after emptying Triple rinse as follows Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip Fill the container ¼ full with water and recap Shake for 10 seconds Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal Drain for 10 seconds after flow begins to drip Repeat this procedure two more times Offer for recycling if available or dispose of in a sanitary landfill or by incineration or if allowed by state and local authorities by burning If burned stay out of smoke [For homeowners use statement will read

**Container Disposal** Securely wrap original container in several layers of newspaper and discard in trash ]


**5 gallon containers and larger (not for homeowner)**

**STORAGE AND DISPOSAL**

Do not contaminate water food or feed by storage and disposal

**Pesticide Storage** Store in original tightly closed containers below 30°C (86 F) and above 0°C (32°F) in a secure area inaccessible to children and away from food pet food feed seed fertilizers and veterinary supplies

**Pesticide Disposal** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility




**Container Disposal** Nonrefillable container Do not reuse or refill this container Triple rinse container (or equivalent) promptly after emptying Triple rinse as follows Empty the remaining contents into application equipment or a mix tank Fill the container ¼ full with water Replace and tighten closures Tip container on its side and roll it back and forth ensuring at least one complete revolution for 30 seconds Stand the container on its end and tip it back and forth several times Turn the container over onto its other end and tip it back and forth several times Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal Repeat this procedure two more times Offer for recycling if available or dispose of in a sanitary landfill or by incineration or if allowed by state and local authorities by burning If burned stay out of smoke

FOR MORE INFORMATION CONCERNING THIS PRODUCT PLEASE CONSULT THE MATERIAL SAFETY DATA SHEET (MSDS) THE MSDS CAN BE OBTAINED BY WRITING AP Goldshield LLC 9570 Pan American Dr El Paso Texas 79927 or email customerservice@goldshieldtech.com

**IMPORTANT WARRANTY AND DISCLAIMER INFORMATION**

AP Goldshield LLC warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this bulletin when used in accordance with directions under normal conditions of use but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions or under abnormal conditions or under conditions not reasonably foreseeable to the seller and buyer assumes the risk of any such use

AP GOLDSHIELD LLC SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY INCLUDING THE WARRANTY OF MERCHANTABILITY



140 of 14