

85556-2

10/14

JUL 6 2012

Thomas L Higgins
President
AP Goldshield LLC
9570 Pan American Dr
El Paso, Texas 79927

SUBJECT Goldshield 75
EPA Registration Number 85556-2
Application Date June 1, 2012
Receipt Date June 5, 2012

Dear Mr Higgins

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable

General Comments

A stamped copy of the accepted labeling is enclosed Submit 1 copy of your final printed label before distributing or selling the product bearing the revised labeling Should you have any questions concerning this letter, please contact Emilia Oiguenblik at (703) 347 0199 or Velma Noble at (703) 308 6233

Sincerely,

DHE for

Velma Noble
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510P)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							




AP Goldshield™

Goldshield™ 75

MICROBIOSTATIC AGENT

A Silicone Quaternary Ammonium Salt



Active Ingredient	3- (trihydroxysilyl) propyldimethyloctadecyl ammonium chloride	75%
Other Ingredients		99.25%
TOTAL		100.0%

KEEP OUT OF REACH OF CHILDREN

EPA Reg No 85556-2

EPA EST 88321-TN 001

NET CONTENTS 2 4 8 16 20 22 32 or 36 fluid oz 1 5 55 150 or 275 gal

Lot No _____



A microbiostatic agent is an agent that inhibits the growth of odor causing bacteria bacteria which cause staining and discoloration fungi (mold and mildew) and algae This product does not protect users or others against food-borne or disease-causing bacteria

ENVIRONMENTAL HAZARDS

Commercial and industrial uses. This pesticide is toxic to fish Do not discharge effluent containing this product into lakes streams ponds estuaries oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority For guidance contact your State Water Board or Regional Office of the EPA

De-activation may be required during clean up if a spill occurs De-activation of *Goldshield™ 75* can be achieved by the addition of anionic surfactant (such as soap sulfonates sulfates) in quantity equivalent to that of *Goldshield™ 75*

Homeowner use. This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

DIRECTIONS FOR USE
Approved commercial and Industrial Applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.

Apply *Goldshield™ 75* by brushing, dipping, soaking, spraying techniques.

Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply *Goldshield™ 75* every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.


Goldshield™ 75 when used as a concrete additive is added directly during concrete preparation. Use 40 fluid ounces per cubic feet of concrete. Addition of *Goldshield™ 75* reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

Approved commercial and industrial applications


The active ingredient in *Goldshield™ 75* is effective against odor causing bacteria, bacteria which cause staining and discoloration of fungi (mold and mildew) and algae as a static agent.

Goldshield™ 75 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity:


- Air filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies



- Cellulose sponges
- Concrete additive for sewer pipes manholes and concrete sewer structures not to be used in treatment of storm drains
- Concrete additive for repair and renewal of sewer pipes and manholes and concrete sewer structures not to be used in treatment of storm drains
- Exterior walls (such as stone concrete brick)
- Fiberfill for upholstery sleeping bags apparel where the fiber is cotton natural down nylon polyester rayon or wool
- Fiberglass ductboard
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Mens underwear and outerwear
- Non-woven disposable drapers
- Non-woven polyester
- Outerwear apparel (jackets sweaters sweatshirts coats raincoats overcoats jerseys ponchos)
- Polyurethane and cellulose foam for household, industrial and institutional sponges and mops
- Polyurethane and polyethylene foam when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials - defined as shingles roofing granules wood shakes felt stone and synthetic overcoats
- Sand bags tents tarpaulins sails and ropes
- Athletic and casual shoes
- Shoe insoles
- Shower curtains
- Socks comprised of nylon nylon/orlon cotton/nylon linen/Lycra acrylic/polypropylene/nylon/Lycra wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton 100 percent polyester and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates acrylics cotton fiberglass nylon polyester polyethylene polyolefins polypropylene rayon spandex vinyl wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture cars walls windows floors appliances dishes counter tops the wiping cloths do not impart pesticide properties
- Women's hosiery



40914



- Women s intimate apparel

DIRECTIONS FOR USE

Approved commercial applications used in homes, offices, automobile automobiles and institutions
e g schools, hospitals, daycare centers, churches, correctional facilities

It is a violation of Federal law to use this product in a manner inconsistent with its labeling Dry treated areas and articles such as clothing before use Remove children and pets from treated area until completely dry Clean surfaces prior to application

For Pump Spray Application Using pump sprayer, spray entire area 4"-6" from the surface making sure the surface is completely covered Apply and then let stand until dry or let stand for 3 minutes and wipe with dry cloth or sponge If spotting occurs, wipe with moist cloth or sponge Test for staining and color-fastness of fabrics and carpets by treating and drying small, concealed area prior to application *Goldshield™ 75* treats approximately 200 square feet per gallon When treating coarser substrates, more *Goldshield™ 75* may be required due to absorption A fan may be used to assist in drying carpeting

For Commercial Spray Application For commercial application equipment (i e carpet/upholstery steamers, rotary jet extraction cleaners, pressure sprayer) apply and then let stand until dry or let stand for 3 minutes and wipe dry with cloth or sponge If spotting occurs, wipe with moist cloth or sponge Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application *Goldshield™ 75* treats approximately 200 square feet per gallon When treating coarser substrates, more *Goldshield™ 75* may be required due to absorption Dry carpet areas and surfaces before re-entry and dry articles before use A fan may be used to assist in drying carpeting

For Dipping/Soaking Application Use appropriate sized wash basin or tub for dipping/soaking the item you are treating Use enough *Goldshield™ 75* to completely submerge item Completely submerge item in solution for 3 minutes Remove item and dry Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application Do not reuse solution after dipping/soaking

The substrate can be dried at room temperatures at temperatures to a maximum of 160° C (320° F) , for example in a clothes dryer

Remove excess liquid before attempting to dry in a clothes dryer If necessary, reapply *Goldshield™ 75* every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return


50914

**Approved commercial applications used in homes, offices, automobiles and institutions
e.g., schools, hospitals, daycare centers, banks, churches, correctional facilities**

The active ingredient in *Goldshield™ 75* is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent.

Goldshield™ 75 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) and algaestatic activity:

- Air filters for furnaces, air-conditioners, air purification devices, automobiles, re-circulating air handling systems
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Cellulose sponges
- Exterior walls (such as stone, concrete, brick)
- Fiberfill for upholstery, sleeping bags, apparel where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass ductboard
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Mens underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials - defined as shingles, roofing granules, wood shakes, felt, stone, and synthetic overcoats
- Sand bags, tents, tarpaulins, sails, and ropes
- Athletic and casual shoes
- Shoe insoles




- Shower curtains
- Socks comprised of nylon nylon/orlon cotton/nylon linen/Lycra acrylic/polypropylene/nylon/Lycra wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton 100 percent polyester and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates acrylics, cotton fiberglass nylon, polyester polyethylene polyolefins polypropylene rayon spandex vinyl wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture cars walls windows floors appliances dishes, counter tops, the wiping cloths do not impart pesticide properties
- Women's hosiery
- Women's intimate apparel

DIRECTIONS FOR USE
For homeowner applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling Dry treated areas and articles such as clothing before use Remove children and pets from treated area until completely dry Clean surfaces prior to application

Approved homeowner uses

The active ingredient in *Goldshield*™ 75 is effective against odor causing bacteria bacteria which cause staining and discoloration fungi (mold and mildew) and algae as a static agent *Goldshield*™ 75 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity



70914

80914

	Pest controlled	Method of Application
<p>Bedsheets blankets bedspreads curtains draperies (washable only) underwear, socks intimate apparel hosiery throw rugs toweling toilet tank covers shower curtains shoe insoles outerwear apparel (jackets, sweaters eatshirts coats raincoats overcoats jerseys ponchos) Goldshield™ 75 can be applied to fabrics made of acetates acrylics cotton fiberglass linen Lycra nylon, orlon polyester polyethylene polyolefins polypropylene rayon silk spandex vinyl and wool</p>	<p>Odor causing bacteria bacteria which cause staining and discoloration and fungi (mold and mildew)</p>	<p>DIP/SOAK Use appropriate sized wash basin or tub for dipping/soaking the item you are treating Use enough Goldshield™ 75 solution to completely submerge item Keep item in solution for 3 minutes Remove item and wring excess liquid Drying may be attained by dripping dry or wringing excess liquid from treated item For larger items (e.g. bedspreads curtains draperies) place in washing machine on spin cycle to aid in the removal of excess liquid Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application Do not reuse solution after dipping/soaking Dry treated articles before use Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160 °C (320 °F) (for example in a clothes dryer) If necessary, reapply Goldshield™ 75 every three months or when odor staining and discoloration due to bacteria mold stains and mildew stains return</p> <p>SPRAY Using a trigger pump sprayer or pressure sprayer spray the entire surface area 4 -6 from the surface making sure the surface is completely covered Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge If spotting occurs wipe with moist cloth or sponge Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application If necessary reapply Goldshield™ 75 every three months or when odor staining and discoloration due to bacteria mold stains and mildew stains return</p>
<p>Air filters and air filter material for</p> <ul style="list-style-type: none"> • Furnaces air conditioners • Air purification systems • Automobiles • Re-circulating air handling systems • Vacuum cleaner filters • Aquariums 	<p>Pest controlled</p> <p>Odor causing bacteria bacteria which cause staining and discoloration fungi (mold and mildew), and algae</p>	<p>Method of Application</p> <p>SPRAY When treating filters remove filter from the unit Using a trigger pump sprayer or pressure sprayer spray the entire surface area 4 - 6 from the surface making sure the surface is completely covered Apply and then let stand until dry If necessary reapply Goldshield™ 75 every three months or when odor staining and discoloration due to bacteria mold stains mildew stains and algae stains return</p> <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 10px auto;"> <p style="text-align: center; font-weight: bold; font-size: 1.2em;">ACCEPTED</p> <p style="text-align: center; font-weight: bold;">JUL 6 2012</p> <p style="font-size: 0.8em;">Under the Federal Insecticide, Fungicide and Pesticide Act ESTC 85536-2</p> </div>

90414

	Pest controlled	Method of Application
<p>Carpeting</p>	<p>Odor causing bacteria bacteria which cause staining and discoloration and fungi (mold and mildew)</p>	<p>SPRAY Apply to clean carpet surface Using a trigger pump sprayer or pressure sprayer spray the entire surface area 4 - 6' from the surface making sure the surface is completely covered For rotary jet extraction cleaners and carpet steamers add the Goldshield™ 75 solution directly to the cleaning tank then operate the equipment in accordance with manufacturer's instructions Apply and then let stand until dry Test staining and color-fastness of carpets by treating and drying a small concealed area prior to application Goldshield™ 75 treats approximately 200 square feet per gallon When treating coarser substrates (e.g., wool carpeting) more Goldshield™ 75 may be required due to absorption Dry carpet areas and surfaces before re-entry A fan may be used to assist in drying carpeting Remove children and pets from treated area until completely dried If necessary reapply Goldshield™ 75 every three months or when odor staining and discoloration due to bacteria mold stains and mildew stains return</p> <div data-bbox="824 247 1112 613" style="border: 1px solid black; padding: 5px; text-align: center;"> <p>ACCEPTED JUL 6 2012 Under the Federal Insecticide Fungicide and Rodenticide Act as amended for the pesticide registered under EPA Reg. No. 25538-2</p> </div>
<p>Mattress pad and mattress ticking and upholstery composed of acetates acrylics cotton fiberglass nylon polyester polyethylene polyolefins polypropylene rayon spandex vinyl, wool fiberfill to be used in upholstery sleeping bags apparel where the fiber is cotton natural</p>	<p>Odor causing bacteria bacteria which cause staining and discoloration</p>	<p>SPRAY Clean surfaces prior to application Using a trigger pump sprayer spray the entire surface area 4 - 6' from the surface making sure the surface is completely covered Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge If spotting occurs wipe with moist cloth or sponge Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application When applying to mattress pads and ticking do not soak Remove children and pets from treated area until completely dried If necessary reapply</p>

PAGE 9 - MASTER LABEL FOR Goldshield™ 75

<p>down nylon rayon or wool</p>	<p>and fungi (mold and mildew)</p>	<p><i>Goldshield™ 75</i> every three months or when odor staining and discoloration due to bacteria mold stains and mildew stains return</p>
<p>Tents tarpaulins sails ropes</p>	<p>Pest controlled</p>	<p>Method of Application</p> <p>SPRAY Clean surface prior to application Using a trigger pump sprayer or pressure sprayer spray the entire surface area 4 -6 from the surface making sure the surface is completely covered Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge If spotting occurs wipe with moist cloth or sponge Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application If necessary, reapply <i>Goldshield™ 75</i> every three months or when odor staining and discoloration due to bacteria, mold stains mildew stains and algae stains return</p> <p>DIP/SOAK Use appropriate sized wash basin or tub for dipping/soaking the item you are treating Use enough <i>Goldshield™ 75</i> solution to completely submerge item Keep item in solution for three minutes Remove item and wring excess liquid Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application Do not reuse solution after dipping/soaking Dry treated articles before use Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160 °C (320 °F) (for example in a clothes dryer) Remove excess liquid before attempting to dry in a clothes dryer If necessary reapply <i>Goldshield™ 75</i> every three months or when odor staining and discoloration due to bacteria mold stains mildew stains and algae stains return</p>
<p>Roofing materials (such as shingles, roofing granules wood shakes felt stone synthetic overcoats)</p>	<p>Pest controlled</p>	<p>Method of Application</p> <p>SPRAY Make sure the roof or wall is clean prior to application Using a pressure sprayer spray the entire surface area 6 -12 from the surface making sure the surface is completely covered After applying the solution of <i>Goldshield™ 75</i> let stand until dry <i>Goldshield™ 75</i> treats approximately 200 square feet of roofing or wall per gallon If necessary reapply <i>Goldshield™ 75</i> every three months or when odor staining and discoloration due to bacteria mold stains mildew stains and algae stains return</p>
<p>Exterior walls (concrete brick)</p>	<p>Pest controlled</p>	<p>Method of Application</p> <p>SPRAY Make sure the roof or wall is clean prior to application Using a pressure sprayer spray the entire surface area 6 -12 from the surface making sure the surface is completely covered After applying the solution of <i>Goldshield™ 75</i> let stand until dry <i>Goldshield™ 75</i> treats approximately 200 square feet of roofing or wall per gallon If necessary reapply <i>Goldshield™ 75</i> every three months or when odor staining and discoloration due to bacteria mold stains mildew stains and algae stains return</p>

ACCEPTED

JUL 6 2012

Under the Federal Insecticide Fungicide and Rodenticide Act, recommended for the pesticide registered under EPA Reg No. 85553-01

	and algae Pest controlled	Method of Application
<p>Buffer pads (polishing and abrasive) Polyurethane and cellulose foam for household sponges and mops vacuum cleaner bags umbrellas casual shoes athletic shoes</p>	<p>Odor causing bacteria bacteria which cause staining and discoloration and fungi (mold and mildew)</p>	<p>SPRAY Clean surface prior to application Using a trigger pump sprayer or pressure sprayer spray the entire surface area 4 -6 from the surface making sure the surface is completely covered Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge If spotting occurs wipe with moist cloth or sponge If necessary reapply <i>Goldshield™ 75</i> every three months or when odor staining and discoloration due to bacteria mold stains and mildew stains return</p>
<p>Tubs glazed tiles, vanity tops shower curtains shower stalls (areas) sinks washable walls wall paper for non-food contact floors window sills cabinets garbage cans appliances refrigerators (exterior) fiberglass formica glazed tiles glazed porcelain synthetic marble plastic vinyl</p>	<p>Pest controlled Odor causing bacteria bacteria which cause staining and discoloration and fungi (mold and mildew)</p>	<p>SPRAY Using a trigger pump sprayer spray the entire surface area 4 - 6 from the surface making sure the surface is completely covered Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge If spotting occurs wipe with moist cloth or sponge If necessary reapply <i>Goldshield™ 75</i> every three months or when odor staining and discoloration due to bacteria mold stains and mildew stains return</p>

MOLD MILDEW ODOR PROTECTOR AND INHIBITOR *Goldshield™ 75* is an antimicrobial agent effective against odor causing bacteria

Goldshield™ 75 is an antimicrobial agent effective against bacteria which cause staining and discoloration

Goldshield™ 75 is an antimicrobial agent effective against fungi (mold and mildew)

Goldshield™ 75 is an antimicrobial agent effective against algae

Goldshield™ 75, is an antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in Bacteriostatic fungistatic (mold and mildew) algaeaestic

Goldshield™ 75, an antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow even in the cleanest of homes

ACCEPTED
JUL 6 2012
Under the Federal Insecticide Fungicide and Rodenticide Act, this product is registered for the sale and use in the United States.
EPA Reg. No. 85556-2

110e 14

- Goldshield™ 75**, an antimicrobial agent, inhibits the growth of odor causing bacteria
- Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home
- Effective on modern hard non-porous washable surfaces made of fiberglass glazed porcelain Formica® stainless steel synthetic marble
- Imparts microbiostatic properties
- Use on carpet and upholstery to inhibit odor causing bacteria bacteria which cause staining and discoloration and fungi (mold and mildew)
- Unscented
- Use on carpet and upholstery to inhibit the growth of odor causing bacteria
- Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration
- Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew)
- Use on carpet and upholstery to inhibit the growth of odor causing bacteria bacteria which cause staining and discoloration fungi (mold and mildew) and algae
- Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria
- Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration
- Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew)
- Provides an invisible microbiostatic coating to inhibit the growth of algae
- Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria bacteria which cause staining and discoloration fungi (mold and mildew) and algae
- Prevents deterioration caused by bacteria and fungi (mold and mildew)
- Inhibits deterioration caused by bacteria
- Resists development of microbial odors
- Resists development of stains and discoloration due to bacteria
- Resists development of stains due to fungi (mold and mildew)
- Resists stains due to algae
- Resists development of microbial odors, stains and discoloration due to bacteria fungi (mold and mildew) and algae
- Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria
- Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration
- Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew)
- Provides/creates an invisible barrier to inhibit the growth of algae
- Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria bacteria which cause staining and discoloration fungi (mold and mildew) and algae

ACCEPTED
JUL 6 2012
Under the Federal Insecticide Fungicide and Rodenticide Act, registered under EPA Reg. No. 85556-2

120f14

Up to 5 gallons

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal


Pesticide Storage Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food, pet food, feed, seed, fertilizers, and veterinary supplies

Pesticide Disposal Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility [For

Home owners use the statement will read Pesticide disposal Wastes resulting from the use of this product may be disposed of on site]

Container Disposal Nonrefillable container Do not reuse or refill this container Triple rinse container (or equivalent) promptly after emptying Triple rinse as follows Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip Fill the container ¼ full with water and recap Shake for 10 seconds Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal Drain for 10 seconds after flow begins to drip Repeat this procedure two more times Offer for recycling if available or dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning If burned, stay out of smoke [For homeowners use statement will read

Container Disposal Securely wrap original container in several layers of newspaper and discard in trash]



5 gallon containers and larger (not for homeowner)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal

Pesticide Storage Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food, pet food, feed, seed, fertilizers, and veterinary supplies

Pesticide Disposal Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility

13 of 14

Container Disposal Nonrefillable container Do not reuse or refill this container Triple rinse container (or equivalent) promptly after emptying Triple rinse as follows Empty the remaining contents into application equipment or a mix tank Fill the container ¼ full with water Replace and tighten closures Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds Stand the container on its end and tip it back and forth several times Turn the container over onto its other end and tip it back and forth several times Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal Repeat this procedure two more times Offer for recycling if available or dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning If burned, stay out of smoke

FOR MORE INFORMATION CONCERNING THIS PRODUCT, PLEASE CONSULT THE MATERIAL SAFETY DATA SHEET (MSDS) THE MSDS CAN BE OBTAINED BY WRITING AP Goldshield LLC, 9570 Pan American Dr, El Paso Texas 79927 or email customerservice@goldshieldtech.com

IMPORTANT WARRANTY AND DISCLAIMER INFORMATION

AP Goldshield, LLC warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this bulletin when used in accordance with directions under normal conditions of use, but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use

AP GOLDSHIELD, LLC SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY INCLUDING THE WARRANTY OF MERCHANTABILITY

