
| 5678-10 | C | 2/28 | 2011 | C | 10f |
|---|--|---|--|--|--|
| U.S. ENVIRONMEN | | TAL PROTECTION AGENCY Pesticide Programs | | EPA Registration | Date of Issuance: |
| AND THE REAL PROTECTION | Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460 | | | 85678-10 | FEB 28 2011 |
| NOTICE OF PESTIC | | | Term of Issuance: Unconditional | | |
| | Reregistration | Reregistration | | Name of Pesticide Product: | |
| | (under FIFRA, as amended) of Registrant (include ZIP Co | | | Tribufos Technical | |
| RedEagle Intern 1925 East Edge Lakeland, FL 33 | wood Drive, Suite 105 | P.O. E | Box 640 | ory Associates 19707-0640 | , INC. |
| | ng:differing:in substance from that ac or to use of the label/in commerce. /ir | | | | |
| This product is r | agistared in secondarias | | | | |
| the Agency r 2. Submit one- | or cite all data required for requires all registrants of year Storage Stability (Gu 30.6320) studies within e | or registratio similar prod uideline 830 | n review/n ucts to su .6317) an | eregistration of bmit data. d Corrosion Ch | aracteristics |
| the Agency r 2. Submit one- (Guideline 8 | or cite all data required for requires all registrants of year Storage Stability (Gu | or registratio similar prod uideline 830 ighteen (18) | n review/r ucts to su .6317) and months f | eregistration of bmit data. d Corrosion Ch rom the date of | aracteristics this notice. |
| the Agency r 2. Submit one (Guideline 8 The Basic Confi A stamped copy printed label bef months from the bear the new re subject to cance | or cite all data required for requires all registrants of year Storage Stability (Gu 30.6320) studies within e | or registratio similar prod uideline 830 ighteen (18) mula (CSF) for your reco uct for shipr e next printir ditions are n h FIFRA §6(| n review/r ucts to su .6317) and months fi dated Jan ords. Sub nent. Pro ng of the la ot complie | eregistration of bmit data. d Corrosion Ch rom the date of uary 26, 2011 i mit one (1) cop ducts shipped a bel, whichever | aracteristics this notice. s acceptable. y of the revised final after eighteen (18) occurs first, must istration will be |
| the Agency r 2. Submit one-y (Guideline 8 The Basic Confi A stamped copy printed label bef months from the bear the new re subject to cance constitutes acce | or cite all data required for requires all registrants of year Storage Stability (Gu 30.6320) studies within e dential Statement of Forr of the label is enclosed to fore you release the prod e date of this notice or the vised label. If these conce ellation in accordance with | or registratio similar prod uideline 830 ighteen (18) mula (CSF) for your reco uct for shipr e next printir ditions are n h FIFRA §6(ns. | n review/r ucts to su .6317) and months f dated Jan ords. Sub nent. Pro ng of the la ot complie (e). Your f | eregistration of bmit data. d Corrosion Ch rom the date of uary 26, 2011 i mit one (1) cop ducts shipped a bel, whichever ed with, the regi release for ship | aracteristics this notice. s acceptable. y of the revised final after eighteen (18) occurs first, must stration will be ment of the product |
| the Agency r 2. Submit one-y (Guideline 8 The Basic Confi A stamped copy printed label bef months from the bear the new re subject to cance constitutes acce If you have any q | or cite all data required for requires all registrants of year Storage Stability (Gu 30.6320) studies within e dential Statement of Forr of the label is enclosed to fore you release the prod e date of this notice or the vised label. If these cond ellation in accordance with eptance of these condition uestions, please contact Mi | or registratio similar prod uideline 830 ighteen (18) mula (CSF) for your reco uct for shipr e next printir ditions are n h FIFRA §6(ns. | n review/r ucts to su .6317) and months f dated Jan ords. Sub nent. Pro ng of the la ot complie (e). Your f | eregistration of bmit data. d Corrosion Ch rom the date of uary 26, 2011 i mit one (1) cop ducts shipped a bel, whichever ed with, the regi release for ship | aracteristics this notice. s acceptable. y of the revised final after eighteen (18) occurs first, must stration will be ment of the product |
| the Agency r 2. Submit one- (Guideline 8 The Basic Confi A stamped copy printed label bef months from the bear the new re subject to cance constitutes acce If you have any q Signature of Approving | or cite all data required for requires all registrants of year Storage Stability (Gu 30.6320) studies within e dential Statement of Forr of the label is enclosed to fore you release the prode date of this notice or the vised label. If these condi- ellation in accordance with optance of these condition uestions, please contact Mi | or registratio similar prod uideline 830 ighteen (18) mula (CSF) for your reco uct for shipr e next printir ditions are n h FIFRA §6(ns. | n review/r ucts to su .6317) and months f dated Jan ords. Sub nent. Pro ng of the la ot complie (e). Your f | eregistration of bmit data. d Corrosion Ch rom the date of uary 26, 2011 i mit one (1) cop ducts shipped a abel, whichever ed with, the regi release for ship | aracteristics this notice. s acceptable. y of the revised final after eighteen (18) occurs first, must stration will be ment of the product |
| the Agency r 2. Submit one-y (Guideline 8 The Basic Confi A stamped copy printed label bef months from the bear the new re subject to cance constitutes acce If you have any q | or cite all data required for requires all registrants of year Storage Stability (Gu 30.6320) studies within e dential Statement of Forr of the label is enclosed to fore you release the prod e date of this notice or the vised label. If these condi- ellation in accordance with eptance of these condition uestions, please contact Mi | or registratio similar prod uideline 830 ighteen (18) mula (CSF) for your reco uct for shipr e next printir ditions are n h FIFRA §6(ns. | n review/r ucts to su .6317) and months f dated Jan ords. Sub nent. Pro ng of the la ot complie (e). Your f | eregistration of bmit data. d Corrosion Ch rom the date of uary 26, 2011 i mit one (1) cop ducts shipped a abel, whichever ed with, the regi release for ship | aracteristics this notice. s acceptable. y of the revised final after eighteen (18) occurs first, must stration will be ment of the product h.mindy@epa.gov. |

85678-10.20110215.V1







Tribufos Technical

FOR USE IN THE MANUFACTURE OF COTTON DEFOLIANTS

| Ingredients | By Wt. |
|---|--------|
| Active Ingredients: | |
| Tribufos (S, S, S,-tributyl phosphoro-trithioate) | |
| Other Ingredients: | 0.5% |
| Total | |
| | |

EPA Reg. No. 85678-10

EPA Est. No.____

Net Contents: 275 gallon

KEEP OUT OF REACH OF CHILDREN

WARNING

| | FIRST AID |
|------------------------------|--|
| IF SWALLOWED | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| IF ON SKIN OR CLOTHING | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| IF INHALED | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. |

Have the product or container label with you when calling a poison control center or going in for treatment.

For 24-hour medical emergency assistance (human or animal) call 1-800-222-1222. For chemical emergency assistance (spill, leak, fire, or accident) call ChemTrec at 1-800-424-9300.

NOTE TO PHYSICIAN: This product inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system and the somatic motor nerves. Poisoning with this product also results in cardiovascular and respiratory symptoms which must be treated as separate pathological entities apart from the cholinergic effects.

Use atropine sulfate to reverse cholinergic symptoms; maintain a systematic, symptomatic treatment of the cardiovascular and respiratory effects, even though the cholinergic symptoms have ceased. Pralidoxime (2-PAM) may be indicated as antidotal therapy. Contact a medical toxicologist, or poison center for guidance on the optimal utilization of 2-PAM. Do not give central nervous

Draft Label- Initial Registration

system depressants. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. The use of oxygen is recommended in case of respiratory distress.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed or absorbed through the skin. Harmful if inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

This product exhibits oxidizing potential. Do not mix or contact with oxidizing agent to prevent such hazard.

ENVIRONMENTAL HAZARDS

This product is toxic to terrestrial and aquatic plants, fish, and aquatic vertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. Do not contaminate water when disposing of equipment washwaters. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, or disposal.

PESTICIDE STORAGE: Store in a cool, dry place. Protect from excessive heat. Do not store or transport near food or feed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Refillable container: Refill this container with this pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into manufacturing equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into manufacturing equipment or rinsate collection system. Repeat this rinsing procedure two more times.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is intended for further manufacturing of pesticides only. All formulators are responsible for obtaining EPA registration for their formulated product.

Only for formulation into a defoliant for use on cotton.

This product may be used to formulate products for any additional use(s) not listed on the manufacturer's use product label if the formulator, user group, or grower has complied with U.S. EPA submission requirements regarding the support of such use(s).

85678-10.20110215.V1

Draft Label- Initial Registration

WARRANTY AND DISCLAIMER STATEMENT

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of RedEagle International LLC, no claims are made to guarantee germination of carry-over seed.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of RedEagle International LLC. To the extent allowable under State law, all such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, REDEAGLE INTERNATIONAL LLC MAKES NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of RedEagle International LLC is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, REDEAGLE INTERNATIONAL LLC DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT REDEAGLE INTERNATIONAL LLC'S ELECTION, THE REPLACEMENT OF PRODUCT.

Manufactured for: RedEagle International LLC 1925 E Edgewood Drive Lakeland, FL 33803