
85685-3



Page 17 18



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511P)
1200 Pennsylvania Avenue NW
Washington, D.C. 20460

EPA Registration Number:

Date of Issuance:

OCT 2 5 2012

85685-3

Term of Issuance:

Unconditional

Name of Pesticide Product:

FourStar® MBG

NOTICE OF PESTICIDE:

X Registration
Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Amy Plato Roberts - Agent for: FourStar Microbial Products LLC 3330 Noyac Road, Bldg E Sag Harbor, NY 11963

Note: Changes in labeling, differing in substance from that accepted in connection with this registration, must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA Registration Number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA or the Act). Registration is in no way to be construed as an endorsement or recommendation of this product by the Environmental Protection Agency (EPA or the Agency). In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This registration does not eliminate the need for continual reassessment of the pesticide. If EPA determines at any time that additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under section 3(c)(2)(B) of FIFRA.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) and is subject to the following terms:

- 1. Revise the EPA Registration Number to read as follows: "EPA Reg. No. 85685-3."
- 2. Submit two (2) copies of the final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for further description of final printed labeling. (Continued page 2)

Signature of Approving Official:

Telecia Fort

Felecia A. Fort, Associate Director (Acting)

Biopesticides and Pollution Prevention Division (7511P)

Date:

10-25-12

EPA Form 8570-6

3. Submit the following confirmatory data on FourStar® MBG by the due dates specified below. These data must be determined by EPA to be acceptable.

Study Type	Required Data/Information	Due Date
Storage Stability and Corrosion Characteristics (Guidelines Number 830.6317 and 830.6320, respectively)	Provide the results of a one-year storage stability study and of the corrosion characteristics of the End-use Product.	October 31, 2013

A stamped copy of the label is enclosed for your records.

Sincerely,

OCT 2 5 2012

Felecia A. Fort, Associate Director (Acting)

Biopesticides and Pollution Prevention Division (7511P)

Enclosures (2):

- FourStar® MBG Accepted Label

- A-79 Enclosure

MASTER LABEL

FourStar® MBG

(Multi-Brood Granule)

Alternate Brand Names: "FourStar® WSP"; "FourStar® Water Soluble Pouch"

Sublabel A: Commercial Use

Sublabel B: Commercial Use - Water Soluble Pouch

Sublabel C: Residential Use

Sublabel D: Residential Use - Water Soluble Pouch

Optional Label Claims

ACTIVE INGREDIENTS:

Bacillus sphaericus 2362, Serotype H5a5b, strain AML614*	3.0%
Bacillus thuringiensis subspecies israelensis Strain BMP 144	
solids, spores and insecticidal toxins*	3.0%
OTHER INGREDIENTS:	94.0%
TOTAL:	100.0%

^{*}Equivalent to 30 Bs ITU/mg and 210 Bti ITU/mg respectively. <u>Note</u>: The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

CAUTION

EPA Reg. No.: (Pending as File Symbol 85685-G)

EPA Establishment No.: XXXXX-XX-XX

Manufactured for:

FourStar Microbial Products LLC 3330 Noyac Road, Bldg. E Sag Harbor, NY 11963

ACCEPTED

OCT 2 5 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 85685-3

000000

Sublabel A:

Commercial Use

FourStar® MBG

(Multi-Brood Granule)

ACTIVE INGREDIENTS:

Bacillus sphaericus 2362, Serotype H5a5b, strain AML614*	3.0%
Bacillus thuringiensis subspecies israelensis Strain BMP 144	
solids, spores and insecticidal toxins*	3.0%
OTHER INGREDIENTS:	94.0%
TOTAL:	100.0%

^{*}Equivalent to 30 Bs ITU/mg and 210 Bti ITU/mg respectively. Note: The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
If inhaled	 •Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth if possible. • Call poison control center or doctor for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eyes. Call poison control center or doctor for treatment advice.
If on skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.
	HOT LINE NUMBER

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.

U.S. Patent No. 5,484,600

EPA Reg. No.: (Pending as File Symbol 85685-G)

EPA Establishment No.: XXXXX-XX-XX

Manufactured for:

FourStar Microbial Products LLC 3330 Noyac Road, Bldg. E Sag Harbor, NY 11963

Net Contents: XX

Lot No.: XX

HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Mixers / loaders must wear a dust / mist filtering respirator meeting NIOSH standards of at least N-95, R-95, or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.

ENVIRONMENTAL HAZARDS: Do not contaminate water when disposing or equipment washwaters or rinsate. Do not apply directly to treated, finished drinking water reservoirs or drinking water receptacles when the water is intended for human consumption.

DIRECTIONS FOR USE

It is a violation of Federal law to apply this product in a manner inconsistent with its labeling.

APPLICATION DIRECTIONS

FourStar® MBG is a highly selective multi-brood microbial insecticide effective against mosquito larvae in a variety of aquatic habitats for up to 4 weeks. FourStar MBG releases effective levels of *Bacillus sphaericus* and *Bacillus thuringiensis* subspecies *israelensis* to the water surface and throughout the water column.

Apply uniformly according to rates listed below by aerial or conventional ground equipment. Reapply after 1 to 4 weeks under typical environmental conditions. More frequent applications may be made if monitoring indicates larval populations have reestablished or weather conditions have rendered initial treatments ineffective.

APPLICATION SITES

FourStar MBG can be applied to areas that contain aquatic life, fish and plants as well as areas in contact with humans, animals, horses, livestock, pets, birds or wildlife.

Examples of application sites include:

Natural and manmade aquatic sites such as lakes, ponds, canals, rivers and streams (including river & stream edges), floodplains, swamps, marshes, irrigation ditches, flood water, woodland pools, snow melt pools, livestock watering ponds and troughs. Tidal water, salt marshes, mangroves, estuaries. Drainage ditches, roadside ditches, retention, detention, and seepage ponds. Sewage effluent, sewage lagoons, oxidation ponds, septic ditches, animal waste lagoons, impounded wastewater associated with fruit and vegetable processing. Rice fields, pastures/hay fields, orchards (including citrus groves, peaches, almonds, dates, walnuts), asparagus fields, corn fields, cotton fields, alfalfa fields, vineyards.

Any location where water accumulates and remains standing for periods of time, except treated, finished drinking water for human consumption.

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment and weather related factors determine the potential spray drift. The applicator and treatment coordinator are responsible for considering all these factors when making decisions.

APPLICATION RATES

To control mosquito larvae, apply 5 to 10 lbs of **FourStar MBG** per acre. Use 10 to 20 lbs per acre where late instar larvae predominate, larval populations are high, water is heavily polluted and/or algae are abundant, or under conditions where local experience indicates the need for higher rates to achieve extended control.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place.

Pesticide Disposal: To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment by shaking and tapping sides and bottom to loosen clinging particles. Then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances.

NOTICE TO USER

To the extent consistent with applicable law, seller makes no warranty express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. To the extent consistent with applicable law, user assumes all risks of use, storage or handling not in strict accordance with label instructions.

Sublabel B:

Commercial Use - Water Soluble Pouch

FourStar® WSP

(Water Soluble Pouches)

Alternate Brand Names: "FourStar® WSP"; "FourStar® Water Soluble Pouch"

ACTIVE INGREDIENTS:

Bacillus sphaericus 2362, Serotype H5a5b, strain AML614*	3.0%
Bacillus thuringiensis subspecies israelensis Strain BMP 144	
solids, spores and insecticidal toxins*	3.0%
OTHER INGREDIENTS:	94.0%
TOTAL:	100.0%

^{*}Equivalent to 30 Bs ITU/mg and 210 Bti ITU/mg respectively. <u>Note</u>: The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

CAUTION

FIRST AID	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eyes. Call poison control center or doctor for treatment advice.
If on skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.
	HOT LINE NUMBER
Have the pro	duct container or label with you when calling a poison control center or doctor

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.

U.S. Patent No. 5,484,600

EPA Reg. No.: (Pending as File Symbol 85685-G)

EPA Establishment No.: XXXXX-XX-XX

Manufactured for:

FourStar Microbial Products LLC 3330 Noyac Road, Bldg. E Sag Harbor, NY 11963 Net Contents: XX

Lot No.: XX

0000

HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS: Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply directly to treated, finished drinking water reservoirs or drinking water receptacles when the water is intended for human consumption.

DIRECTIONS FOR USE

It is a violation of Federal law to apply this product in a manner inconsistent with its labeling.

FourStar® Water Soluble Pouches (WSP): Once the foil bag containing Water Soluble Pouches is opened, minimize exposure of the WSP to humidity.

APPLICATION DIRECTIONS

FourStar® WSP is a highly selective multi-brood microbial insecticide effective against mosquito larvae in a variety of aquatic habitats for up to 8 weeks. FourStar WSP releases effective levels of *Bacillus sphaericus* and *Bacillus thuringiensis* subspecies *israelensis* to the water surface and throughout the water column.

Apply uniformly according to rates listed below by hand. Reapply after 1 to 8 weeks under typical environmental conditions. More frequent applications may be made if monitoring indicates that larval populations have reestablished or weather conditions have rendered initial treatments ineffective.

APPLICATION SITES

FourStar WSP can be applied to all field mosquito development sites that contain aquatic life, fish and plants as well as areas in contact with humans, animals, horses, livestock, pets, birds or wildlife.

Examples of application sites include:

Natural and manmade aquatic sites such as catch basins and storm drains, abandoned swimming pools, unused swimming pools or spas, flooded basements, pool covers, gutters and drains, wheelbarrows, garbage cans and covers, discarded tires, ponds, lagoons, hollow trees and tree holes, urns, rain barrels, livestock watering troughs/ponds/tanks, irrigation ditches, roadside ditches, water gardens, impounded wastewater associated with fruit and vegetable processing, retention, detention and seepage ponds, animal waste lagoons, flood water, standing water, storm water retention areas, birdbaths, fountains, flowerpots and planters, snowmelt pools, septic tanks.

Any location where water accumulates and remains standing for periods of time, except treated, finished drinking water for human consumption.

APPLICATION RATES

Apply on basis of surface area of potential mosquito breeding sites by placing one (1) **FourStar WSP** for up to 50 square feet of treatment area. For larger sites, apply 1 additional pouch for each additional 50 square feet of surface area. In areas where late instar larvae predominate, larval populations are high or under conditions where local experience indicates the need for higher rates to achieve extended residual control, double the application rate.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place.

Pesticide Disposal: To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

Container Handling: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or dispose of the empty outer foil pouch in the trash as long as WSP is unbroken.

NOTICE TO USER

To the extent consistent with applicable law, seller makes no warranty express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with label instructions.

000000

Sublabel C:

Residential Use

FourStar® MBG

(Multi-Brood Granule)

ACTIVE INGREDIENTS:

Bacillus sphaericus 2362, Serotype H5a5b, strain AML614*	3.0%
Bacillus thuringiensis subspecies israelensis Strain BMP 144	
solids, spores and insecticidal toxins*	3.0%
OTHER INGREDIENTS:	94.0%
TOTAL:	100.0%

^{*}Equivalent to 30 Bs ITU/mg and 210 Bti ITU/mg respectively. <u>Note</u>: The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

CAUTION

FIRST AID	
If inhaled	 •Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth if possible. • Call poison control center or doctor for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eyes. Call poison control center or doctor for treatment advice.
lf on skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.
	HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.

U.S. Patent No. 5,484,600

EPA Reg. No.: (Pending as File Symbol 85685-G)

EPA Establishment No.: XXXXX-XX-XX

Manufactured for:

FourStar Microbial Products LLC 3330 Noyac Road, Bldg. E Sag Harbor, NY 11963 Net Contents: XX Lot No.: XX

HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS: Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply directly to treated, finished drinking water reservoirs or drinking water receptacles when the water is intended for human consumption.

DIRECTIONS FOR USE

It is a violation of Federal law to apply this product in a manner inconsistent with its labeling.

INTRODUCTION

FourStar MBG granules are an easy and effective way to kill developing mosquitoes in standing water before they become biting adults. With just one bite, adult mosquitoes may transmit West Nile virus and other viruses that can cause encephalitis in both people and animals. They may also transmit heartworms to dogs and cats. FourStar MBG releases bacteria into the water to prevent adult mosquito development for up to 4 weeks. Mosquito larvae exposed to treated water will die before they reach adulthood.

GENERAL DIRECTIONS

FourStar MBG is a highly selective biological larvicide effective against mosquito larvae in a variety of habitats. Apply **FourStar MBG** to containerized standing water or any private water sites <u>except</u> treated, finished drinking water reservoirs, drinking water receptacles or state waters. **FourStar MBG** can be applied to areas that contain aquatic life, fish and plants as well as areas used by or in contact with humans, animals, horses, livestock, pets, birds or wildlife.

Examples of application sites include, but are not limited to:

Bird baths Plastic covers Garbage cans Flower pots **Buckets Fountains** Water gardens **Planters** Wheelbarrows Ornamental Fish ponds Standing water Urns Roof gutters Ornamental Ponds Flood water Unused swimming pools Old tires Natural depressions Rain barrels Man-made depressions Unused spas Pool covers

How to Apply:

Uniformly apply **FourStar MBG** in standing water areas where mosquitoes may develop. Use one (1) teaspoon in sites up to 30 square feet of water surface area. For larger areas, apply one (1) cup per 1,250 square feet of surface area. Repeat treatments as needed to prevent adult mosquito emergence.

(Sprinkle 1 pound to cover 2,178 square feet) (Sprinkle ½ pound to cover 1,089 square feet) (Sprinkle 1 cup per 1,250 square feet) (Sprinkle ¼ cup per 312 square feet) (Sprinkle 1 tablespoon per 90 square feet)

(Sprinkle 1 teaspoon per 30 square feet)

(optional chart)

APPLICATION RATES	
Amount of Product	Treatment Area
1/4 tsp.	7.5 sq. ft.
½ tsp.	15 sq. ft.
1 tsp.	30 sq. ft.
½ tbsp.	45 sq. ft.
1 tbsp.	90 sq. ft.
½ cup	312 sq. ft.
½ cup	625 sq. ft.
1 cup	1,250 sq. ft.
1 lb.	2,178 sq. ft.

Do not use food utensils such as tablespoons or measuring cups for food purposes after use with insecticides.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Store in a cool, dry place.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or (800) 858-7378 (National Pesticide Information Center) for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE TO USER:

To the extent consistent with applicable law, seller makes no warranty express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with label instructions.

Sublabel D:

Residential Use - Water Soluble Pouch

FourStar® WSP

(Water Soluble Pouches)

Alternate Brand Names: "FourStar® WSP"; "FourStar® Water Soluble Pouch"

ACTIVE INGREDIENT:

* Bacillus sphaericus 2362, Serotype H5a5b, strain AML614	3.0%
**Bacillus thuringiensis subspecies israelensis, strain BMP 144	3.0%
fermentation solids, spores and insecticidal toxins	
OTHER INGREDIENTS:	94.0%
TOTAL:	100.0%

Equivalent to *30 Bs ITU/mg and **210 ITU/mg. The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

CAUTION

FIRST AID	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eyes. Call poison control center or doctor for treatment advice.
If on skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.
	HOT LINE NUMBER
Have the prod	duct container or label with you when calling a poison control center or doctor

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.

U.S. Patent No. 5,484,600

EPA Reg. No.: (Pending as File Symbol 85685-G)

EPA Establishment No.: XXXXX-XX-XX

Manufactured for:

FourStar Microbial Products LLC 3330 Noyac Road, Bldg. E Sag Harbor, NY 11963 Net Contents: XX

Lot No.: XX

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS: Do not apply to treated, finished drinking water reservoirs or drinking water receptacles when the water is intended for human consumption.

DIRECTIONS FOR USE

It is a violation of Federal law to apply this product in a manner inconsistent with its labeling.

INTRODUCTION

FourStar Water Soluble Pouch (WSP) are an easy and effective way to kill developing mosquitoes in standing water before they become biting adults. With just one bite, adult mosquitoes may transmit West Nile virus and other viruses that can cause encephalitis in both people and animals. They may also transmit heartworms to dogs and cats. FourStar WSP release bacteria into the water to prevent adult mosquito development for up to 8 weeks. Mosquito larvae exposed to treated water will die before they reach adulthood.

GENERAL DIRECTIONS

FourStar WSP are a highly selective biological larvicide effective against mosquitoes in a variety of habitats. Apply **FourStar WSP** to containerized standing water or any private water sites <u>except</u> treated, finished drinking water reservoirs, drinking water receptacles or state waters. **FourStar WSP** can be applied to areas that contain aquatic life, fish and plants as well as areas used by or in contact with humans, animals, horses, livestock, pets, birds or wildlife.

Examples of application sites include, but are not limited to:

Bird baths Plastic covers Rain barrels Flower pots Fountains Garbage cans Water gardens **Planters** Buckets Fish ponds Urns Wheelbarrows Roof gutters Standing water Ornamental Ponds Unused swimming pools Old tires Flood water Unused spas Stock tanks Natural depressions Pool covers Animal watering troughs Man-made depressions

How to Apply:

Simply place **FourStar WSP** in standing water where mosquitoes may develop. Use one (1) WSP pouch in sites up to 50 square feet of water surface area. For larger sites, apply 1 additional pouch for each additional 50 square feet of surface area. Repeat treatments as needed to prevent adult mosquito emergence. Once package is opened, minimize exposure of water soluble pouch to humidity.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Store in a cool, dry place.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or (800) 858-7378 (National Pesticide Information Center) for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE TO USER:

To the extent consistent with applicable law, seller makes no warranty express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with label instructions.

OPTIONAL LABEL CLAIMS

- Biolarvicide.
- Biological Mosquito Control.
- (A) Biological Larvicide Granule(s).
- Mosquito Biolarvicide Granules.
- Made with microbial active ingredients.
- Highly selective microbial larvicide.
- A (highly selective) microbial insecticide effective against mosquitoes in a variety of habitats.
- Easy to use.
- Effective year-round when mosquito larvae are present.
- Easy to apply granules.
- Quick, clean and simple to use.
- Nothing to mix or spray. (Only for residential and water soluble pouch labels)
- Prevents the development of adult mosquitoes.
- Prevents immature mosquitoes from developing into adults.
- Prevents emergence of biting adult mosquitoes.
- Kills developing mosquito larvae.
- (Use) (Apply) in standing water (where mosquitoes may breed); see label for specific use sites.
- (Use) (Apply) in containerized or private standing water (where mosquitoes may breed); see label for specific use sites.
- Kills mosquito larvae in (stagnant) standing water (before they are able to bite) (where they breed). Apply to standing (stagnant) water in your yard.
- For use in water-holding receptacles (containers) where mosquitoes may breed including water gardens; see label for specific use sites.
- Effective year-round when mosquito larvae are present.
- Biological Mosquito Larvicide (Granule) provides up to 60 days control.
- Effective [controls] for up to 8 weeks.

- Controls mosquitoe(s) (larvae).
- Controls mosquito larvae (in standing water).
- One application controls (mosquito larvae) for up to 8 weeks.
- For use (to control mosquito larvae) in fish habitats.
- When bacteria released by (product name) are ingested by mosquito larvae, mosquitoes are prevented from developing into biting adults.
- When ingested by mosquito larvae, (product name) prevents mosquitoes from becoming (developing into) breeding, biting adults.
- When ingested by mosquito larvae, (product name) prevents the development of adults.
- When bacteria are ingested by mosquito larvae, (product name) prevents emergence of breeding, biting adults.
- Kills mosquito larvae upon ingestion of bacteria.
- Kills mosquito larvae upon ingestion by destroying the cellular lining of the insect digestive tract.
- (Product name) is a highly selective microbial insecticide effective against mosquito larvae including those which may (can) transmit (carry) West Nile Virus.
- Kills (mosquitoes) (developing mosquitoes) (mosquito larvae) (before they hatch) including those which may (can) transmit (carry) West Nile Virus (and encephalitis) (and equine encephalitis).
- Kills (mosquitoes) (developing mosquitoes) (mosquito larvae) before they become breeding, biting adults, including those which may (can) transmit (carry) West Nile Virus (and encephalitis) (and equine encephalitis).
- Kills (mosquitoes) (developing mosquitoes) (mosquito larvae) (before they hatch) including those which may (can) transmit (West Nile Virus and) heartworm disease (to dogs and cats).
- Dual Action Release (logo)