

85827-5

06/22/2011

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ms. Linda Oberstad
Green Light, A Valent USA Company
1600 Riviera Ave., Ste 200
Walnut Creek, CA
94596-8025

NOTIFICATION

JUN 22 2011

Subject: Notification to of various label changes
EPA Registration Number: 85827-5
Decision: 450097

Dear Ms Oberstad:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration (PRN)98-10 dated May 25, 2011, for the abovementioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact Samantha Hulkower at (703) 603-0683.

Sincerely,

Mark Suarez
Product Manager 13
Insecticide Branch
Registration Division (7505P)

Enclosures: Copy of Label Stamped "Notification"



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 85827-5	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Green Light Conquest Indoor & Outdoor Pest Control	PM# 13 Insecticide Branch	
5. Name and Address of Applicant (Include ZIP Code) Green Light, A Valent U.S.A. Company 1600 Riviera Ave., Suite 200 Walnut Creek, CA 94596-8025 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)


NOTIFICATION: Updated the Environmental Hazards statement according to PR-Notice 2008-1, updated Storage & Disposal language according to PR-Notice 2007-4, updated the warranty statement and updated manufactured for address, telephone numbers and trademarks.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container Pint, Quart & Gallon		5. Location of Label Directions <input checked="" type="checkbox"/> On Labeling	
6. Manner in Which Label is Affixed to Product		<input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Linda Obrestad	Title Regulatory Analyst	Telephone No. (Include Area Code) 925-256-2791	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Analyst		
4. Typed Name Linda Obrestad	5. Date May 25, 2011		



1600 Riviera Ave. Suite 200
P. O. Box 8025
Walnut Creek, CA 94596-8025

A VALENT U.S.A. COMPANY

Green Light® Conquest® Indoor & Outdoor Pest Control
EPA Reg. No. 85827-5
NOTIFICATION

Mr. Richard Gebken (Team 10)
Insecticide Branch
Document Processing Desk (7505P)
Office of Pesticide Programs (NOTIF)
U.S. Environmental Protection Agency
Room S4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Dear Mr. Gebken:


Green Light Company is submitting a label notification to update our product label for Green Light® Conquest® Indoor & Outdoor Pest Control (EPA Reg. No. 85827-5). The following changes have been made to this proposed label:

- Transferred EPA Reg. No. from 869-234 to 85827-5
- Updated the Environmental Hazards statement according to PR-Notice 2008-1
- Updated the Container Disposal according to PR-Notice 2007-4
- Updated the Warranty statement
- Updated Green Light manufactured address, telephone numbers and trademarks

- I have enclosed the following documents to support this Notification submission:
- Pesticide applications (Form 8570-1)
 - Certification Statements consistent with the provisions of PR-Notice 98-10, PR-Notice 2007-4 and PR-Notice 2008-1
 - One (1) copy of the proposed label
 - One (1) copy of the proposed label with redline additions/strike through

If you should have any questions please contact me at (925) 256-2791 or email: linda.obrestad@valent.com or Ms. Julie Schlekau at (202) 872-0955 or email: julie.schlekau@valet.com

Sincerely,
Linda Obrestad
Linda Obrestad
Regulatory Analyst
Registration and Regulatory Affairs



Enclosures



NOTIFICATION

JUN 22 2011

Green Light® Conquest® Indoor & Outdoor Pest Control

- Fast-Acting
- Long-Lasting
- Non-Staining
- Water-Based
- Ready-To-Use

FOR USE IN AND AROUND THE HOME AND ON ORNAMENTAL SHRUBS AND FLOWERS
 Provides 60 Day (2 Month) Control Of Cockroaches And Fleas
 Controls Fleas And Ticks On Dogs For 35 Days

For Residential Use Only

FOR CONTROL OF INSECT PESTS INCLUDING: ANTS (including Pharaoh (sugar), Odorouse House, Fire, Pavement, Red Harvester, Carpenter), APHIDS, CENTIPEDES, CRICKETS, FLEAS, FLIES, GNATS, JAPANESE BEETLES, LACE BUGS, MOSQUITOS, ROACHES (including German, Brown Banded, Smoky Brown, American), SCORPIONS, SPIDERS, SPIDER MITES AND TICKS.

ACTIVE INGREDIENT:

Permethrin*	0.25%
OTHER INGREDIENTS	99.75%
Total	100.00%

*(3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate.

Cis/trans ratio: min. 35% (±) cis
 max. 65% (±) trans


Conquest and *Green Light* are registered trademarks of Green Light, A Valent U.S.A. Company.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel booklet for additional precautionary statements.

EPA Reg. No. 85827-5
 EPA Est. No.



Manufactured for Green Light, A Valent U.S.A. Company, P. O. Box 8025, Walnut Creek, CA 94596-8025, www.greenlighco.com 800-777-5702

NET CONTENTS ONE QUART (0.946 liters)


**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.

FIRST AID	
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
HOTLINE NUMBER	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the 800-892-0099 for general information and/or medical information.</p>	



ENVIRONMENTAL HAZARDS:

This product is extremely toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.

STORAGE AND DISPOSAL
<p>PESTICIDE STORAGE: Store in original container. Store in a locked storage area out of reach of children and pets.</p> <p>PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse this container. If empty - Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.</p>

INDOOR USE: For control of **Cockroaches (including German, Brown Banded, Smoky, Brown, American), Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Pillbugs (Sowbugs), Ants (including Pharaoh (Sugar), Odorous House, Fire, Carpenter), Silverfish, Firebrats, Spiders, Flies, Gnats, Mosquitos, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Meal Worms, Grain Mites and Cadelles.** Direct the spray into hiding places, cracks and crevices, behind shelves and drawers, along baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, around plumbing and other utility installations, around doors, windows and wherever these pests may find entrance. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. Repeat treatment as needed.

To control **Carpet Beetles:** Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelves. Repeat treatment as needed.

To control **Bedbugs:** Spray mattresses lightly particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, molding and floors. Repeat treatment as needed.

To control **Fleas** (adults and larvae) and **Ticks** (adults and larvae): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, molding, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed. Allow to dry thoroughly before allowing pets to contact treated areas.

To control **Clothes Moths**: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storage, directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

To kill **Lice** and **Louse Eggs**: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

FOR USE ON DOGS: To control **Fleas, Ticks** and **Lice**: Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into eyes or face. Avoid contact with genitalia. Repeat every 35 days.

Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rise with large amounts of water. If signs continue, consult a veterinarian immediately.

NOTE: DO NOT USE ON DOGS UNDER 12 WEEKS. DO NOT USE ON CATS OR KITTENS.

FOR USE ON ORNAMENTAL SHRUBS AND FLOWERS: For use on roses, dahlia, asters and other ornamentals to kill **Japanese Beetles** hit by spray as well all **Whiteflies, Aphids, Exposed Thrips, Spiders, Red Spider Mites** and **Leafminers**. May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, eunonymus, fuschia, geraniums, crassula, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jew and zinnias.

Effective when used as directed against **Whiteflies, Aphids, Spider Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Ants, Armyworms, Codling Moth, Leafhoppers, Cucumber Beetles, Leafrollers, Cabbage Looper, and Webworms.**

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

