

86068-3

10/26/2010

Page 1 of 14

OCT 26 2010



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ross Gilbert
Agent for Texcan Investments and Marketing Company, Inc.
c/o Pyxis Regulatory Consulting, Inc.
4110 136th Street, NW
Gig Harbor, WA 98332

Subject: Notification of Container Disposal Changes per PRN 2007-4
Glyphosate 41% Super Concentrate Herbicide
EPA Reg. No. 86068-3
Application Dated: September 29, 2010

Dear Mr. Gilbert:

Please disregard the response from August 31, 2010. Initially, your application was not reviewed as a Household or Residential Use product. On October 13, 2010 the error was corrected and the label submitted with your application was stamped "Notification" and placed in our records.

If you have any questions, please call me directly at 703 305 5697.

Sincerely,

A handwritten signature in black ink, appearing to read "Jim Tompkins".

Jim Tompkins, Product Manager 25
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

2814

Please read instructions on reverse before completing form.

Form Approved, O.S. No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input checked="" type="checkbox"/>	Amendment
<input type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 86068-3	2. EPA Product Manager J. Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Texcan Investments and Marketing Company, Inc. / Glyphosate 41% Super Concentrate Herbicide	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) Texcan Investments and Marketing Company, Inc. c/o Pyxis Regulatory Consulting, Inc. 4110 136th St. NW Gig Harbor, WA 98332 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input checked="" type="checkbox"/> Resubmission in response to Agency letter dated <u>8/31/2010</u>	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Submission of a non-PRIA label amendment making revisions as described in the attached cover letter. As no data are being submitted with this amendment, nor will data need to be reviewed to approve the proposed labeling, Texcan Investments and Marketing Company, Inc. believes this action qualifies as a Fast Track amendment and is not subject to a Pesticide Registration Service Fee.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If "Yes" Unit Packaging wgt. No. per container		<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Package wgt. No. per container			
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 16, 24, 32, 64, 128 fl. oz.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Ross Gilbert		Title Agent		Telephone No. (Include Area Code) 253-353-7300	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title Agent			
4. Typed Name Ross Gilbert		5. Date 9/29/10			

PYXIS REGULATORY CONSULTING, INC.

3 8 14

4110 136th St. NW
Gig Harbor, WA 98332

Phone: 253-853-7369
Fax: 253-853-5516
www.PyxisRC.com

September 29, 2010

COURIER DELIVERY

Jim Tompkins (PM 25)
Document Processing Desk (AMEND)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

RE: Texcan Investments and Marketing Company, Inc. – Glyphosate 41% Super Concentrate Herbicide (EPA Reg. No. 86068-3)
Submission of Label Amendment in Response to EPA letter dated August 31, 2010

Dear Mr. Tompkins,

On behalf of Texcan Investments and Marketing Company, Inc., please find the enclosed label amendment. A label notification was originally made under PRN 2007-4 under a cover letter dated August 10, 2010. The EPA response dated August 31, 2010 requested that the label changes be resubmitted as a label amendment. This submission is in response to that letter.

This amendment therefore seeks to revise the container disposal instructions for Glyphosate 41% Super Concentrate Herbicide per PRN 2007-4. In doing so, we have drawn the amended language from the Label Review Manual, Chapter 13 (“Storage and Disposal”), Section V, Subsection A (“Products Labeled for Household or Residential Uses Only”), Table 2 (“Recommended Pesticide Disposal and Container Handling Statements for Household or Residential Use Products”).

In support of this amendment submission, we submit the following documents:

1. Completed Application for Amendment (EPA Form 8570-1)
2. One (1) copy of the Glyphosate 41% Super Concentrate Herbicide labeling with changes tracked
3. Five (5) copies of the Glyphosate 41% Super Concentrate Herbicide labeling with changes incorporated
4. Certification with Respect to Label Integrity
5. One (1) copy of the Glyphosate 41% Super Concentrate Herbicide labeling on CD
6. Letter of Authorization

As no data are being submitted with this amendment, nor will data need to be reviewed to approve the proposed labeling, Texcan Investments and Marketing Company, Inc. believes this action qualifies as a Fast Track amendment and is not subject to a Pesticide Registration Service Fee.

4 8 14

J. Tompkins
September 29, 2010

Please contact me by phone (253) 853-7369 or by email at Ross@PyxisRC.com if you have any questions or need any additional information.

Sincerely,



Ross Gilbert

Enclosures

cc: Bill Turnage; Texcan Investments and Marketing Company, Inc.

41% Super Concentrate Herbicide

[Editorial Notes: Bracketed text [This for internal use or serves as a 'place holder' for graphics. Text in parenthesis () is optional wording.]
[Refer to APPENDIX I for consolidated list of label claims.]

Glyphosate 41% Super Concentrate Herbicide [insert distributor brand name]

Alternate Brand Name: [insert name] Super Concentrate Weed & Grass Killer

KEEP OUT OF REACH OF CHILDREN

WARNING

Active Ingredient	
Glyphosate, isopropylamine salt	41.0%
Other Ingredients	59.0%

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

[OPTIONAL REENTRY ICON] People and pets may enter treated areas after spray has dried.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently for 15-20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing. • Call a poison control center [insert contact telephone #] or doctor for treatment advice.

If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. • Call a poison control center or doctor for treatment advice.
Emergency Medical Information	
<ul style="list-style-type: none"> • Have the product container or label with you when calling a poison control center or doctor, or going for treatment. • You may contact [insert contact telephone #] for emergency medical treatment information.) • This product is identified as [insert brand name], EPA Reg. No. [insert reg. No.] [insert company no. if distributor product] 	

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

See back panel booklet for additional precautionary statements (Read precautions and directions on back label.)

NET [16, 24, 32, 64, 128] FL OZ ()

PULL HERE TO OPEN LABEL

PEEL HERE (PRESS TO RESEAL)

Open Resealable Label for Directions & Precautions

[insert brand name]

[insert brand name] will kill almost all annual and perennial weeds, grasses and other unwanted plants. Mix [insert brand name] with water and use to control on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard. This product can also be used for large jobs such as lawn restoration/renovation and garden plot preparation. [insert brand name] kills weeds by stopping the production of a substance found in plants. Any [insert brand name] not absorbed by the plant breaks down into natural materials. This product will not move in or on the soil to untreated plants.

Questions, Comments Call [insert telephone number] and [insert website].

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL. USE ONLY ACCORDING TO LABEL INSTRUCTIONS.**

WHEN TO USE

Use anytime weeds are actively growing. (Most treated weeds usually show initial symptoms within 1 week (in 2-4 days) and complete kill in 1 to 2 weeks. Larger more established weeds may take up to 4 weeks for complete kill. For best results, apply on a warm sunny day when daytime temperature is above 60° F and no rainfall is forecast for 24 hours. Warm, sunny weather will speed up weed control. Apply only when air is calm. Reapply if it rains within 6 hours (2 hours) after application. (Rainfall or watering 6 (2) hours after application will not wash away effectiveness.) Hard-to-control weeds (such as bermudagrass) may require a repeat application if they regrow. NOT recommended for spot weed control in lawns since [insert brand name] kills all green plants, including lawn grass.

[Optional Product Usage]

Kills:	Weed and grasses
Use On:	Patios, walkways or driveways
	Around fruits, vegetables, flowers, shrubs or trees
	Along fences
In Large Areas	For lawn replacement
	For garden replacement

WHERE TO USE

General Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, and ornamental plantings and flower beds, around buildings, and in brick and gravel walkways. Use to trim and edge landscape areas. Do NOT use for spot weed control in lawns since [insert brand name] kills all green plants, including lawn grass.

Spot Spraying: Use on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Spray when air is calm. Make sure [insert brand name] does not contact the leaves, green stems, or exposed roots of plants you don't want to kill. If necessary, use cardboard or plastic to shield plants. [insert brand name] will not move in or on the soil to untreated plants. If [insert brand name] is used to control weeds around fruit or nut trees or grapevines, allow 21 days before eating the fruit or nuts.

Landscaping: Use to prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

Lawn Renovation:

- Use [Insert Brand Name] to kill existing weeds and grasses including the old lawn.
- For best results, apply in Spring or Fall, when daytime temperatures are at least 60°F
- Under dry conditions, water lawn every other day for a week before using this product.
- Do not mow for 7 days before or after treatment.
- After 7 days, prepare the soil for planting by raking or rototilling the lawn. Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and other amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have a

good contact with soil to germinate and grow.

- Keep area moist for 2 weeks to establish new lawn, then water as needed.

Brush Control: Use when brush is green and growing. If plants are taller than 5 feet, cut back and spray regrowth. Brush sprayed in the fall may not be fully controlled until the following season. Hard-to-control species such as Blackberry, Kudzu, or Poison Oak may require a second application.

Stump Treatment: Stumps can be treated to prevent regrowth. For best results, treat when the vegetation is actively growing and within 5 minutes of being cut down.

- Cut the stump close to the soil surface
- Drive 4-5 nail holes into the stump
- Flood the stump with undiluted product

This treatment will control or suppress many types of woody brush and trees, such as alder, bluegum, eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.

To Kill Vines:

- If vine is growing up a pole, fences, or mature tree trunk, cut vine to a height of 3 to 4 feet and spray to thoroughly cover remaining vine.
- If vine is climbing a shrub or immature (green) tree trunk, cut vines at base and spray its regrowth. Shield shrubs and green bark from spray drift with a sheet (piece) of cardboard or plastic.

HOW TO USE

IMPORTANT: [insert brand name] is an all-purpose weed and grass killer which will kill almost all plants contacted. If necessary, use cardboard or plastic to shield desirable plants. If plants are accidentally sprayed, rinse off immediately with water. Spray when air is calm. Spray to evenly wet the weed.

To apply this product use

- Plastic, aluminum or stainless steel tank sprayer
- ORTHO DIAL'n SPRAY®
- ORTHO SPRAY-ETTE®
- Other hose-end sprayer recommended for weed killers
- Hand-trigger sprayer

Do not use or store solutions of this product in galvanized steel or unlined steel sprayers, or apply through any type of irrigation system or with a sprinkling can.

Rinse sprayer and flush all sprayer components with water 3 times after use. Spray rinse water on bare soil or gravel. After very thorough cleaning, sprayer may be used to apply other products.

Use the following table to determine the amount of [insert brand name] you need.
Close cap tightly after use.

APPLICATOR	MIXING INSTRUCTIONS		AREA TO TREAT
	General Weed Control Annuals	Tough Weed Control Perennials or Brush Lawn Renovation	
Tank Sprayer	Use 1½ oz (3 Tbs) [insert brand name] in 1 gal of water	Use 2½ oz (5 Tbs) [insert brand name] in 1 gal of water	300 sq ft (30 ft x 10 ft)
ORTHO DIAL'n SPRAY Hose-End Sprayer	Add 1½ oz (3 Tbs) [insert brand name] to sprayer jar. DO NOT ADD WATER. Set dial to 1½ oz and spray	Add 2½ oz (5 Tbs) [insert brand name] to sprayer jar. DO NOT ADD WATER. Set dial to 2½ oz and spray	300 sq ft (30 ft x 10 ft)
ORTHO SPRAY-ETTE	Add 6 oz [insert brand name] to sprayer jar. Fill to the 4 gal mark and spray	Add 10 oz [insert brand name] to sprayer jar. Fill to the 4 gal mark and spray	1200 sq ft (30 ft x 40 ft)
Handtrigger Sprayers	Use 2 tsp in 24 oz of water	Use 1 Tbs in 24 oz of water	Use for spot treatments or single weeds.

1 teaspoon = (tsp)
 34 fl oz = 1 Tablespoon (TBS) = 3 tsp
 1 fl oz = 2 Tbs

For best results use mixture within 2 weeks.

[Alternate mixing instructions for measuring cap containers]

Measuring Cap: To open, squeeze cap sides at the points indicated while unscrewing. The measuring cap has four levels indicated inside. The following table and the measuring cap should be used to determine the amount of [insert brand name] you need. Close cap tightly after use. No need to rinse.

APPLICATOR	MIXING INSTRUCTIONS		AREA TO TREAT
	General Weed Control Annuals	Tough Weed Control Perennials or Brush Lawn Renovation	
Tank Sprayer	Fill cap to Level 2 three times (3 Tbs). Add to 1 gallon of water	Fill cap to Level 2 five times (5 Tbs). Add to 1 gallon of water	300 sq ft (30 ft x 10ft)
ORTHO DIAL'n SPRAY® Hose-End Sprayer	Fill cap to Level 2 three times (3 Tbs) and add to sprayer jar. DO NOT ADD WATER. Set dial to 1½ oz	Fill cap to Level 2 five times (5 Tbs) and add to sprayer jar. DO NOT ADD WATER. Set dial to 2½ oz and spray.	300 sq ft (30 ft x 10 ft)

	and spray		
ORTHO SPRAY-ETTE®	Fill cap to Level 4 three times (6 oz) and add to sprayer jar. Fill to the 4 gallon mark and spray.	Fill cap to Level 4 five times (10 oz) and add to sprayer jar. Fill to the 4 gallon mark and spray.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Fill cap to Level 1 two times (2 tsp). Add to 24 oz of water.	Fill cap to Level 2 one time (1 Tbs). Add to 24 oz of water.	Use for spot treatments or single weeds.

1 = 1 teaspoon (tsp)

2 = 1 Tablespoon (Tbs) = 3 tsp

3 = 1 fl oz (2 Tbs)

4 = 2 fl oz (4 Tbs)

WEEDS CONTROLLED INCLUDE: Bahiagrass, Barnyardgrass, Bermudagrass, CanadaThistle, Chickweed, Common Ragweed, Crabgrasses, Dandelion, Fescues, Field Bindweed, Field Sandbur, Foxtail, Johnsongrass, Kentucky Bluegrass, Kudzu, Lambsquarter, Orchardgrass, Perennial Ryegrass, Poison Ivy, Poison Oak, Quackgrass, Red Clover, Shepardspurse, Smooth Bromegrass, Sowthistle, White Clover, and Yellow Nutsedge

[OR alternate text]

CONTROLS WEEDS AND GRASSES INCLUDING:

General Weed Control (Annuals)

Annual Bluegrass	Creeping Beggarweed	Horseweed/mares tail	Sandspur
Annual Ryegrass	Diffuse Lovegrass	Knotweed	Shepherdspurse
Barnyardgrass	Dog Fennel	Lambsquarters	Smooth Cat's Ear
Beggarweed	Evening Primrose	Little Bitter Cress	Smooth Pigweed
Black Medic	Fall Panicum	London Rocket	Sowthistle
Blue Mustard	Fiddleneck	Maiden Cane	Spoiled Spurge
Blue Toadflax	Field Pennycress	Mallow	Sprangletop
Brassbuttons	Field Sandbur	Mayweed	Tansy Mustard
Bromegrass	Filaree	Mouseear Chickweed	Tansy Ragwort
Bur Clover	Florida Pusley	Pennsylvania Smartweed	Teaweed
Buttercup	Foxtail	Prickly Lettuce	Texas Panicum
Chickweed	Garden Spurge	Prostrate Spurge	Tumble Mustard
Common Groundsel	Goosegrass	Puncture Vine	Witchgrass

Common Plantain	Henbit	Redroot Pigweed	Wild Mustard
Crabgrass			

Tough Weed Control (perennials, Brush)

Alder	Dallisgrass	Nimblewill	Smooth Bromegrass
Artichoke Thistle	Dewberry	Nutsedge	Smooth Bentgrass
Bahiagrass	Elderberry	Oak species	St. Augustinegrass
Bentgrass	False Dandelion	Oldenlandia	Sumac
Bermudagrass	Fescue species	Orchardgrass	Tall Fescue
Blackberries	Field Bindweed (Wild Morning-glory)	Oxalis	Timothy
Broadleaf Plantain	Guineagrass	Pampasgrass	Torpedograss
Canada Thistle	Honeysuckle	Pennywort	Trumpet creeper
Cattail	Horsenettle	Perennial Ryegrass	Vaseygrass
Ceanothus	Horseradish	Poison Hemlock	Virginia Creeper
Cherry species	Iceplant	Poison Oak	White Clover
Cocklebur	Johnsongrass	Poison Ivy	Whitetop
Cogongrass	Kentucky Bluegrass	Primrose	Wild Barley
Common Mullein	Kikuyugrass	Purple Nutsedge	Wild Oats
Common Ragweed	Knapweed	Quackgrass	Wild Sweet Potato
Coyote Brush	Kudzu	Quaking Aspen	Willow
Creeping Bentgrass	Lantana	Ragweed	Yellow Nutgrass
Creeping Charlie	Milkweed	Raspberry	Yellow Starthistle
Curly dock	Multiflora Rose	Red Clover	Zoysia
Dandelion	Nightshade silverleaf		

[optional phone icon] For information regarding specific weeds controlled by this product Call [insert number].

RE-SEEDING AND REPLANTING IN SPRAYED AREAS**WHEN TO REPLANT**

- All ornamental flowers, trees and (&) shrubs may be planted **1 day** after application.

- The following berries may be planted **1 day** after application:
Blackberry, Blueberry, Boysenberry, Cranberry, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Olallieberry and (&) Raspberry (Black and (&) Red).
- The following fruits, vegetables &(and) herbs may be planted **1 day** after application:
Artichoke (Jerusalem), Beans (all), Beet Greens, Broccoli, Brussel Sprouts, Cabbage (all), Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Endive, Horseradish, Kale, Kohlrabi, Leek, Lentils, Lettuce, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Potato, Turnip & (and) Yams.
- The following fruits, vegetables & (and) herbs may be planted **3 days** after application:
Corn, Cucumber, Eggplant, Garlic, Gourds, Melons (all), Peas (all), Peppers (all), Pumpkin, Squash (summer & (and) winter, Tomatillo, Tomato (by seed) & (and) Watercress.
- Lawn grasses may be planted **7 days** after application.
- Tomatoes from transplant & (and) unlisted fruits, vegetables & (and) herbs may be planted **30 days** after application.

This product can be used to refill [insert brand name for ready-to-use product].

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in original container in a safe place away from direct sunlight.
PESTICIDE DISPOSAL: Nonrefillable container. Do not reuse or refill this container.
~~**Empty Container**~~If empty: ~~Do not reuse container. Put in trash. Recycle where available.~~Place in trash or offer for recycling if available.
~~**Partially Full Container**~~If partly filled: Call your local solid waste disposal service or 1-800-CLEANUP.
~~Never pour product down any drain.~~agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY AND DISCLAIMER NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions. (Product guaranteed to the extent of purchase price, only when used according to label directions.)

[Manufactured (Distributed) for:]
[name and address]

[Manufactured By:]
[name and address]

EPA Reg. No. 86068-3
EPA Est. XXXXX-XX-XXX
Made in USA

| EPA 20100810[EPA approval date]

APPENDIX 1 Consolidated List of Label Claims

- A single application kills most weeds
- Built-in Measuring Cap
- Can be used over the root zone of trees, shrubs, or desirable plants
- Can reseed or sod lawns 7 days after treatment
- Completely kills even the toughest weeds and grasses
- Concentrated for extra value
- Controls existing weeds, is not preemergent
- Covers up to 300 sq ft per gallon of spray, 75 sq ft per quart, 55 sq ft per 24 oz
- Dead weeds guaranteed
- Does not have soil activity
- Economical - mix 12 tablespoons (6 oz) per gallon
- Effects within one week (initial symptoms in 2-4 days) with complete kill in 2 to 4 weeks (1 to 2 weeks)
- Eliminates roots and weeds (guaranteed)
- For general weed control - Kills Weeds and Grasses in 2 to 4 weeks - Roots & All
- (Formula) Enters the plant within 6 (or 2) hours (won't wash off)
- Guaranteed results in one application
- Ideal for tough weeds in flower beds and vegetable gardens
- Kills the root (so weeds won't grow back)
- Kills over 175 types of weeds (as listed)
- Kills grass and weeds around flower beds, trees, shrubs, and sidewalks
- Kills to the root
- Kills tough and hard-to-kill weeds?
- Kills/spray weeds in flower beds and around fences, trees, driveways, walkways, and shrubs, in and around fences, patios, paths, sidewalk cracks, walkways
- Kills tough weeds in 1 to 2 weeks (roots and all)
- Kills unwanted weeds and grasses, (roots and all)
- Kills weeds and grasses (down to the root)
- Kills weeds roots and all
- Mix with water to make up to 5/21 gallons of spray solution (varies with qt/gal container size)
- Multipurpose grass & broadleaf weed control
- New (formula)
- NEW LARGER SIZE Covers XX sq. ft.
- NEW MEASURING CAP AND POUR SPOUT INCLUDED

- New, improved formula
- No odor
- No root, no weed, guaranteed
- No root. No weed. No problem.
- Now easier to measure and pour
- Ornamental gardens can be reseeded or planted 1 day after treatment
- Rainproof in 6 (or 2) hours
- Rainfast (rainproof) in hours
- Rainfall or watering within 6 (or 2) hours after application will not wash away effectiveness
- Rainfall within 6 (or 2) hours could affect performance
- Rainfast (rainproof) in hours
- Rainproof in 6 (2) hours
- Satisfaction guaranteed or your money back with proof of purchase
- Single application controls (kills) most weeds
- Spray woody brush, trees, and vines around houses, buildings, wooded lots, vacant lots, storage and recreational areas and along fences and driveways, or anywhere tough weeds are growing.
- Sprayed areas can be reseeded or replanted 1 day after application in a flower bed
- Starts working in 24 hours
- Use in or around vegetable gardens (flower beds, trees, shrubs)
- Use in/apply with a BIG SHOFTM Multi-purpose sprayer or other tank sprayer, ORTHO® DIAL N' SPRAY®, ORTHO SPRAY-ETTE® or other ORTHO hose- end sprayers
- Use to prepare sites for large plantings, for planting flower beds, for planting fruit trees, ornamentals, vegetables, garden sites, and to renovate lawns
- Use to refill Roundup Ready-To-Use
- Used by American Zoo and Aquarium Association Member Zoos to effectively control weeds
- Uses for Stump Treatment
- Visible results in 7 days
- Water-based formula
- Yellowing and wilting in (about) 24 hours