86203-5

9/16/2010 (



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

September 16, 2010

Ms. Lisa Ayn Setliff, Agent Mitsui Chemicals Agro, Inc. c/o Landis International 3185 Madison Highway P.O. Box 5126 Valdosta, GA 31603-5126

Subject: Label Notification per Pesticide Registration Notice 98-10 Product Name: Etofenprox 3 Emulsifiable Concentrate EPA Registration Number: 86203-5 Application Date: August 19, 2010

Dear Ms. Setliff:

This replacement letter is being issued to correct a typographical error discovered in an Agency letter dated September 16, 2010 that was signed by Kevin Sweeney for Richard Gebken. The product name appearing in the original September 16, 2010 letter is incomplete and should read "Etofenprox 3 Emulsifiable Concentrate". Please note that this replacement letter bears the same date as the original letter and corrects the typographical error. This letter is the only decision letter for this submission that will remain on file with the Agency.

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated August 19, 2010 for the product Etofenprox 3 Emulsifiable Concentrate, EPA Reg. No. 86203-5. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10. The label submitted with the application has been stamped "NOTIFICATION" and will be placed in our records.

If you have any questions, please call Kevin Sweeney at (703) 305-5063.

Sincerely,

! Leak

Richard Gebken Product Manager 10 Registration Division (7505P) Office of Pesticide Programs

Enclosure

NOTI ATION SEP 1 6 2010

ETOFENPROX 3 EMULSIFIABLE CONCENTRATE

Effectively Kills Roaches, Ants, Fleas, Ticks, Crickets, Sowbugs (Pillbugs), Silverfish, Carpenter Ants, Boxelder Bugs, Earwigs, Ground Beetles, Spiders, Carpet Beetles, Flies, Wasps, Bees, Saw-toothed Grain Beetles, Red Flour Beetles, Confused Flour Beetles, & Cigarette Beetles.

For Use in Private Residences and the Non-Food/Feed Areas of Commercial Establishments.

Use In Homes, Apartments Buildings, The Non-Food/Feed Areas of Hotels, Stores, Warehouses, Office Buildings, Schools, Nursing Homes, Hospitals, Industrial Buildings, Vessels, Rail Cars, Trucks, Trailers & Aircrafts

For Use Only by pest control Opera1ors or Commercial Applicators.

Low-Odor Formulation

Active ingredient:

Etofenprox [2-(4-Ethoxypheyl)-2-methylpropyl 3-phenoxybenzyl ether]	. 32.50%
Inert ingredients:	
Total	

Contains 2.8 lbs. Etofenprox per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for additional precautionary statements.

NET CONTENTS: 2.5 gallons (9.5 L)

EPA REG. NO. 86203-5

Etofenprox 3 Emulsifiable Concentrate is a low-odor formulation for effective residual <u>centrol</u> of Cockroaches, Ants, Fleas, Ticks, Crickets, Sowbugs (Pillbugs), Silverfish, Carpenter Ants, Boxelder Bugs, Earwigs, Flies, Spiders and other listed insects.

EPA EST. NO.

 $\mathbf{c} \in \mathbf{c}$

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Causes skin irritation. Harmful if absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles or face shield. Remove contaminated clothing and wash clothing before reuse. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID			
Call poison control center or doctor immediately for treatment advice.			
If Swallowed:	• Have person sip a glass of water if able to swallow.		
	• Do not induce vomiting unless told to do so by the poison control center or doctor.		
	• Do not give anything by mouth to an unconscious person.		
If on Skin or	Take off contaminated clothing.		
Clothing:	• Rinse skin immediately with plenty of water for 15 - 20 minutes.		
	• Call a poison control center or doctor for treatment advice.		
	• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.		
If In Eyes:	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing		
	eye.		
	• Call a poison control center or doctor for treatment advice.		
	NOTE TO PHYSICIAN		
<u> </u>	Probable mucosal damage may contraindicate the use of gastric lavage.		

PHYSICAL OR CHEMICAL HAZARDS

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THE ENTIRE LABEL PRIOR TO USE. USE STRICTLY IN ACCORDANCE WITH ALL LABEL PRECAUTIONS AND DIRECTONS.

Use in buildings and structures such as homes, apartments, hotels, offices, stores, warehouses, schools, nursing homes, hospitals, industrial buildings, vessels, rail cars, trucks, trailers and aircrafts.

Note: Do not apply to classrooms when in use. Do not use in aircraft cabins. Do not apply to patient rooms in hospitals and nursing homes while occupied. For use in the non-food and non-feed areas of food or feed handling establishments. Do not use in food or feed areas of food or feed handling establishments, restaurants or other areas where food or feed is commercially prepared or processed. Do not use in serving areas while food is exposed or the facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms but excluding areas where foods may be prepared or held. Remove food from food serving areas of commercial establishments prior to treatment. Wash all exposed food serving/handling surfaces thoroughly with potable water following treatment and before use. In homes, remove all food and cooking utensils. Cover all food handling surfaces and wash thoroughly after treatment and before use. Repeated exposure to etofenprox can cause skin Irritation.

cece

Non-food and non-feed areas of food and feed establishments are areas such as garbage rooms, lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning and bottling).

3

Etofenprox 3 Emulsifiable Concentrate, when used as directed, is non-staining and will not damage fabrics, painted or other surface types. However, some natural fibers (such as wool) and synthetics may be adversely affected by any liquid product.

Always spot test on a hidden area prior to making a full treatment. Do not apply to wood surfaces as water spotting may occur.

Do not apply undiluted Etofenprox 3 Emulsifiable Concentrate in homes, apartments, condominiums and schools.

DILUTION AND SPRAY INSTRUCTIONS: Mix and apply Etofenprox 3 Emulsifiable Concentrate at a 0.5% active ingredient content rate. To prepare a 0.5% dilution, use 0.25 fl. ozs. of Etofenprox 3 Emulsifiable Concentrate in 16 fl. oz. of water. For best results, fill spray container with 1/3 the required amount of water, add the appropriate amount of Etofenprox 3 Emulsifiable Concentrate and finish filling spray container with balance of water needed.

Adjust sprayer nozzle to deliver thin stream of product. 16 fl. oz. of diluted product should treat the baseboards of one average size home.

Repeat treatments to infested areas as necessary at intervals of 14 days or greater. Do not make more than 6 applications per site per year.

Etofenprox 3 Emulsifiable Concentrate may be tank mixed with Insect Growth Regulator's (IGR's) to control pre-adult stages of certain insects.

For Cockroaches, Ants, Crickets, Firebrats, Sowbugs (pillbugs), Spiders, and Silverfish:

Apply as a spot, crack and crevice or baseboard treatment to areas where these insects may be found or hide. This may include dark corners of rooms and closets; cracks and crevices in walls or floors; along baseboards, door and window frames; behind and beneath sinks, stoves, refrigerators, cabinets, and around garbage containers, plumbing and utility installations. Insects driven out of hiding should be sprayed directly. For Ants: Apply to ant trails, also around doors and windows and wherever else ants may find entrance.

For Carpenter Ants: Apply as a spot treatment to ant trails; around doors and windows; in wall voids and other indoor areas where carpenter ants are found or may enter the premises. Where accessible, directly spray indoor areas where ant nests or infested wood is located.

For Boxelder Bugs, Earwigs, and Ground Beetles: Apply as a spot, crack and crevice or baseboard treatment. Treat around doors, windows and other areas where these insects could enter the premises. Make localized applications to other areas where these insects are seen or suspected.

For Fleas and Ticks: Treat all baseboard areas and room perimeters, as well as cracks and crevices in hard surface floors. Spot treat additional areas where fleas may be present. These areas include under furniture, under the edges of floor coverings, dark corners, and favorite resting spots or other places your pet frequents. Provide a good, even treatment, but do not soak the areas you treat. Humans and pets should avoid contact with treated areas until spray bas thoroughly dried.

ETOFENPROX 3EC

A total management program best controls fleas. It is suggested that infested areas be thoroughly vacuumed prior to treatment. The vacuum cleaner bag should be discarded immediately in an outdoor trash container. Continue to discard vacuum cleaner bags until flea infestation has been brought under control. For effective flea control, it is very important to control the source of the flea infestation. This can require treatment of pets with a product registered for flea control and treatment of outdoor areas frequented by pets or infested areas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal.

Pesticide Storage: Store in a cool, dry, ventilated area away from humans, pets, food or feedstuffs. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling - Plastic: Nonrefillable container. Do not reuse or refill this container.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¹/₄ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or incinerator, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY AND CONDITIONS OF SALE: MITSUI CHEMICALS AGRO, INC. WARRANTS THAT THE CHEMICAL COMPOSITION OF THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL WHEN USED IN ACCORDANCE WITH DIRECTIONS UNDER NORMAL COMPOSITION OF USE. MITSUI CHEMICALS AGRO, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE USE OF THIS PRODUCT OTHER THAN AS INDICATED ON THE LABEL. BUYER ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN ON THE LABEL.

MITSUI CHEMICALS AGRO, INC.			
Shiodome City Center	P. O. Box 5126		
1-5-2 Higashi-Shimbashi	Valdosta, GA 31603-5126		
Minato-ku, Tokyo 105-7717	USA		
JAPAN			

ASP 081910

1. . . .

cece

ecco

4