



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460

EPA	Reg.	Number

Date of Issuance:

86330-3

OCT 28 2010

NOTICE OF PESTICIDE:

__ Registration _x Reregistration (under FIFRA, as amended) Term of Issuance:

Unconditional

Name of Pesticide Product:

SUNSPRAY 7E

Name and Address of Registrant (include ZIP Code):

Holly Refining & Marketing-Tulsa, LLC 1700 South Union Avenue Tulsa, OK 74107

ATTN: Ms. Jennifer Hall

5 884644 676/ 1135 676/1140 5884643 5884643

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant, the above named pesticide is hereby reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Decision, EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

The basic Confidential Statement of Formula (CSF) dated "01/12/10" is accepted and replaces all CSFs previously accepted for this product.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is accepted.

See page 2 for Labeling Notes.

You must submit one (1) copy of the final printed labeling before you release the product for shipment. Products shipped after 12 months from the date of this Notice or the next printing of the label whichever occurs first, must bear the new revised label. A stamped copy of the label is enclosed for your records. If you have any questions, please contact William Jacobs at 703-305-6406 or jacobs.bill@epa.gov.

Signature of Approving Official:

Venus Eagle, Product Manager 01 Insecticide-Rodenticide Branch

Registration Division (7505P)

Jenus Engle

Date:

OCT 28 2010

Labeling Notes

The comments below apply to the labeling that was submitted to the Office of Pesticide Programs on October 15, 2010, and received on October 18, 2010.

Container Label

1. In the "Metal Container:" paragraph (under "Container Disposal:") in the "STORAGE AND DISPOSAL" section, "State an local" should be replaced with "State and local".

Booklet

- 1. In the "Metal Container:" paragraph (under "Container Disposal:") in the "STORAGE AND DISPOSAL" section, "State an local" should be replaced with "State and local".
- 2. After the first sentence of the first paragraph in the "<u>AGRICULTURAL USE</u> <u>REQUIREMENTS</u>" box (page 3), "xcftg" should be deleted.

0

and Rodenticide ACCEPTED
OCT 2.8 2010
Under the Federal Insecticide pesticide registered Act, as amended,

NSPRAY®7E A superior horticultural spray oil

Active Ingredient: Mineral Oil*98.8	wt%	
Other Ingredient: Emulsifier1.2	wt%	
	wt%	
*Unsulfonated Residue of Mineral Oil92.0		
*50% Distillation Point of Mineral Oil	°F -	
*Flash Point345.0	°F	
Weight per Gallon7.1	lbs.	

CAUTION: KEEP OUT OF REACH OF CHILDREN

FIRST AID

If on skin or clothing:

Take off contaminated clothing.

* Contains petroleum distillates

Rinse skin immediately with plenty of water for 15-20 minutes followed by washing with soap & water.

Call a poison control center or doctor for treatment advice.

If swallowed:

Immediately call a poison control center or

DO NOT INDUCE VOMITING unless told to do so by a poison control center or

Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If in eves:

Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the

Call a poison control center or doctor for treatment advice.

If inhaled:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, if possible. Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-918-594-6000 for emergency medical treatment information.

NOTE TO PHYSICIAN

Contains petroleum distillates - vomiting may cause aspiration pneumonia. Aspiration may occur after swallowing or vomiting and results in serious, and sometimes delayed, lung injury.

According to the California Safe **Drinking Water and Toxic Enforcement** Act of 1986 Regulations, otherwise known as "Proposition 65"-ATTENTION- This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

EPA Registration No. 86330-3 EPA Establishment No. 86330-OK-1 **Net Contents: BULK**

PRECAUTIONARY STATEMENTS

Hazards to humans & domestic animals.

CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemicalresistance category selection chart.

Mixers, loaders, applicators, flaggers, and other handlers must wear: long-sleeve shirt and long pants, shoes plus socks, and chemical-resistant gloves made of Barrier Laminate or Viton. See engineering controls for additional requirements. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENGINEERING CONTROLS FOR AERIAL APPLICATIONS

Engineering Controls: Pilots must use an enclosed cockpit that meets the requirements listed in the WPS for agricultural pesticides [40 CFR 170.240(d)(6)].

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide Storage: Store in a cool, dry, locked area out of the reach of children. Keep oil container tightly closed in storage to prevent entry of water.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins

Metal Container: If container is not to be recycled, puncture and dispose of it in a sanitary landfill or by other procedures approved by State an local authorities.

Plastic Container: If container is not to be recycled, puncture and dispose of it in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

See additional Precautionary Statements inside booklet. See Directions for Use inside booklet.



A superior horticultural spray oil

·	
Active Ingredient: Mineral Oil*	98.8 wt%
Other Ingredient: Emulsifier	
-	100.0 wt%
*Unsulfonated Residue of Mineral Oil	92.0 % Min
*50% Distillation Point of Mineral Oil	435.0 °F
*Flash Point	345.0 °F
Weight per Gallon	7.1 lbs.
*Contains petroleum distillates	

CAUTION - KEEP OUT OF REACH OF CHILDREN

FIRST AID

If on skin or clothing:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes followed by washing with soap & water. Call a poison control center or doctor for treatment advice.

If swallowed:

Immediately call a poison control center or doctor.
DO NOT INDUCE VOMITING unless told to do so by a poison control center or doctor. Do not give any liquid to the

person.

Do not give anything by mouth to an unconscious person.

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.

If inhaled:

innaled:
Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, if possible. Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-918-594-6000 for emergency medical treatment information.

NOTE TO PHYSICIAN

Contains petroleum distillates vomiting may cause aspiration pneumonia. Aspiration may occur after swallowing or vomiting and results in serious, and sometimes delayed, lung injury.

According to the California Safe **Drinking Water and Toxic** Enforcement Act of 1986 Regulations, otherwise known as Proposition 65"- ATTENTION-This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

EPA Registration No. 86330-3

See Additional Precautionary Statements Inside Booklet. See Directions For Use Inside Booklet



Holly Refining & Marketing-Tulsa, LLC 1700 South Union Avenue • Tulsa, OK 74107

Ree & 10/18/10

PRECAUTIONARY STATEMENTS

Hazards to humans & domestic animals CAUTION

Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical-resistance category selection chart.

Mixers, loaders, applicators, flaggers, and other handlers must wear: long-sleeve shirt and long pants, shoes plus socks, and chemical-resistant gloves made of Barrier Laminate or Viton. See engineering controls for additional requirements.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Apply this product only as specified on this label.

ENGINEERING CONTROLS FOR AERIAL APPLICATIONS

Engineering Controls: Pilots must use an enclosed cockpit that meets the requirements listed in the WPS for agricultural pesticides [40 CFR 170.240(d)(6)].

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage: Store in a cool, dry, locked area out of the reach of children. Keep oil container tightly closed in storage to prevent entry of water.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Metal Container: If container is not to be recycled, puncture and dispose of it in a sanitary landfill or by other procedures approved by State an local authorities.

Plastic Container: If container is not to be recycled, puncture and dispose of it in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

LIMITED WARRANTY AND LIABILITY

This product conforms to the description and is suitable for the uses set forth on this label but is strictly limited to those uses solely as directed under the specified label conditions, and only if purchased in the original unopened container. TO THE EXTENT CONSISTENT WITH APPLICABLE LAWS, MANUFACTURER AND SELLER DISCLAIM ANY AND ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO **WARRANTIES OF MERCHANTABILITY AND FITNESS** FOR PARTICULAR PURPOSE (except as specified on this label). Buyer and all users shall assume all risk, liability and damage if this product is used, stored, handled or applied other than as specifically set forth on this label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAWS. LIABILITY OF MANUFACTURER AND SELLER AND USER'S REMEDIES SHALL BE LIMITED TO REFUND OF THE PURCHASE PRICE OR REPLACEMENT OF THE SPECIFIC QUANTITY INVOLVED, TO THE EXTENT CONSISTENT WITH APPLICABLE LAWS, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, (40 CFR part 170).xcftg This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as soil or water, is: coveralls, shoes plus socks, and chemical-resistant gloves made of any waterproof material.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter until sprays have dried.

USE SITE RESTRICTIONS

This product may only be used on the following crops: apples, pears, pecans, peaches, sweet corn, field com, sugar beets, and citrus (oranges, grapefruit, and lemons, only)

PESTS CONTROLLED

This product may be used to control mite and insect pests in the egg stage, including: spider mites, eriophyid mites, armored scale, soft scale, mealybugs, psyllids, whiteflies, aphids, leafrollers, leaftiers, webworms, cankerworms, plant bugs, leafhoppers and adelgids. This product will kill other immature insect forms if the spray covers the entire insect. See the application rate tables for species claimed to be controlled on specific crops.

MIXING DIRECTIONS

- Add sufficient water to the mixing tank to allow proper agitation by pump or paddles.
- 2. Add other pesticides that are to be part of the mix. If a wettable powder formulation is to be added, mix the water and powder thoroughly so that the powder is totally suspended in the water before the oil is added. If other pesticide to be added is an emulsifiable formulation, do so after the oil and water have been thoroughly mixed.
- Add oil under agitation when tank is 3/4 full topping off with water to form milky solution.
- 4. Maintain agitation until solution is used.
- 5. In small equipment lacking agitators, stir or shake diluted spray frequently during application.
- Read and follow all directions and restrictions on the labels of the proposed tank-mix products.
- 7. Flush fluid in sprayer hose lines back into tank reservoir if fluid is allowed to stand for more than 20 minutes.

APPLICATION INSTRUCTIONS

The target pest must be completely covered with spray. Oil residue on the plant surface often acts as a feeding and ovipositioning deterrent. However, the primary target is the pest itself as oil is a contact pesticide. Spray only when the temperature is above 40°F and there is no danger of freezing.

SPRAY DRIFT MANAGEMENT

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, and relative humidity) and method of application (e.g., ground, aerial,

and airblast) can influence pesticide drift. The applicator and grower must evaluate all factors and make appropriate adjustments when applying this product.

Do not apply at wind speeds greater than 15 mph at the application site.

If applying at wind speeds less than 3 mph, the applicator must determine if a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into areas of temperature inversions.

Apply as a medium or coarser spray (ASABE standard 572), and the minimum volume mean diameter (VMD) for spinning atomizer nozzles.

GROUND-BASED EQUIPMENT APPLICATION:

Apply using a nozzle height of no more than 4 feet above the ground or crop canopy.

Do not apply at wind speeds greater than 15 mph at the application site.

Apply as a medium or coarser spray (ASABE standard 572), and the minimum volume mean diameter (VMD) for spinning atomizer nozzles.

AIRBLAST EQUIPMENT APPLICATION:

For airblast applications, turn off outward pointing nozzles at row ends and when spraying outer row. To minimize spray loss over the top in orchard applications, spray must be directed into the canopy.

AERIAL APPLICATIONS:

Use only as an emergency application when soil conditions do not permit regular ground application. Apply quantity of product shown for each listed crop for control of listed insects in sufficient water to make a minimum of 20 gals. dilute spray per acre. For aerial applications of agricultual products, do not release spray at a height greater than 10 feet above the ground, top of crops, or above the orchard canopy. The boom length must not exceed 75% of the

wingspan or 90% of the rotor blade diameter. When applications are made with a cross-wind, the swath will be diplaced downwind. The applicator must compensate for this displacement at the downwind edge of the application area by adjusting the path of the aircraft upwind. Leave at least one swath unsprayed at the downwind edge of the treated field. Do not apply at wind speeds greater than 15 mph at the application site. Apply as a medium or coarser spray (ASABE standard 572), and the minimum volume mean diameter (VMD) for spinning atomizer nozzles.

TIMING THE TREATMENT

The applicator must determine the precise timing to fit local growth and climatic conditions.

DO NOT EXCEED MAXIMUM RATES OR APPLY MORE OFTEN THAN SPECIFIED ON THIS LABEL.

CITRUS

Oils applied after October may increase cold damage to trees. Oils applied in August and September may affect solid contents and retard coloring.

USE PRECAUTIONS

Keep oil container tightly closed in storage to prevent entry of water. Store drum on its side. Roll drum before use. All horticultural oils interfere with or slow plant transpiration and respiration during the period of evaporation. Phytotoxicity may result if sprayed to plants during periods of prolonged high temperature and high relative humidity. Do not spray to plants under moisture stress. Do not use in combination with or immediately before or after spraying with Dinitro compounds, fungicides such as Captan, Folpet, Dyrene, Karathene, Morestan or any other product containing sulfur. Do not use with Sevin brand 50W carbaryl on deciduous fruit trees. Also do not use with dimethoate.

TANK MIXES

Read and follow all directions and restrictions on the labels of the proposed tank-mix products. Check tank mixture for physical and chemical compatibility. Mix only enough material to do the job.

This product may be used:

- 1. as a carrier for *Bacillus thuringlensis* when applied through a mist blower or cold fog machine;
- 2. in a tank mix with Lorsban on apples, pears, peaches, pecans, sweet corn and field corn;
- 3. in a tank mix with Supracide* on apples, pears, pecans, peaches, and citrus (oranges, grapefruit, and lemons); and
- as a spreader or carrier for some synthetic organic insecticides that are applied to plants growing in or on habitable buildings.

*Note: Supracide is a RESTRICTED USE PESTICIDE.

Crops	insect Control Aid	Application Rate 7E Gals. per 100 Gal. Dilute Spray	Time of Application (Stage of Development)
Apples	Apple Red Bug European Fruit Lecanium Scale	2 2	Dormant Dormant
	Fruit Tree Leaf Roller	3	Dormant
	European Red Mite	2	Green Tip to Delayed Dormant
	San Jose Scale Scurfy Scale	2 3	Delayed Dormant 1/2" Green Delayed Dormant 1/2" Green
Pears	Fruit Tree Leaf Roller	3	Dormant
	Pear Leaf Blister Mite	3	Dormant
	Pear Psylla	2	Late Dormant
Pecans	Obscure Scale	3	Dormant
Peaches	Cottony Peach Scale	3	Dormant
Sweet Corn Field Corn	Ear Worms Fall Army Worm Corn Root Worm	2	Spring-Early
Sugar Beets	Mites Leaf Miner	2 gal/acre	As Needed

Crops	Insect Control Aid	Dilute Gals./100 Gals.	Concentrate* Gal./Acre
Citrus	Citrus Rust Mite Scale Insects Greasy Spot Disease	1	10
	Spider Mites Whitefly Loosens Sooty Mold	0.5	5

^{*}Apply in sufficient water and manner to assure thorough distribution. *Citrus: Do not exceed a maximum of 159 pounds of active ingredient (in a maximum volume of 1500 gallons of spray mix per acre) when treating citrus in Florida and Texas. Do not exceed a maximum of 212 pounds of active ingredient (in a maximum volume of 2000 gallons of spray mix per acre) when treating citrus in California.

NOTES

·



SS-5218 9/09