

86381-1

10/7/2010

10/6



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Biopesticides and Pollution Prevention Division  
(7511P)  
1200 Pennsylvania Avenue NW  
Washington, DC 20460

EPA Reg. Number:  
86381-1

Date of Issuance:  
OCT 07 2010

Term of Issuance: Unconditional

Name of Pesticide Product:  
SpudDefender

NOTICE OF PESTICIDE:

Registration  Re-registration  
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):  
PIMI Agro Clean Tech, Ltd.  
c/o Wagner Regulatory Associates  
PO Box# 640, Hockessin, DE 19707

~~Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA registration number.~~

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This registration does not eliminate the need for continual reassessment of the pesticide. If the EPA determines at any time, that additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under section 3(c)(2)(B) of FIFRA.

The product is registered in accordance with FIFRA section 3(c)(5) and is subject to the following terms and conditions:

1. Submit and/or cite all data required for registration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data.
2. Submit acceptable data packages within 1 year of the date of registration for the following Guideline Studies: OPPTS 830.6320 (Corrosion Characteristics) and OPPTS 830.6317 (Storage Stability).
3. Make the following label change before you release the product for shipment: Revise the EPA Registration Number to read, "EPA Reg. No. 86381-1."
4. Submit two (2) copies of the revised final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of the final printed label.

A stamped copy of the label is enclosed for your record.

Signature of Approving Official:

Date:

OCT 07 2010

W. Michael McDavit, Acting Director  
Biopesticides and Pollution Prevention Division

2096

# SpudDefender™

Post-Harvest Potato Sprout Control

ACTIVE INGREDIENT:

Hydrogen Dioxide.....	6.00%
OTHER INGREDIENTS.....	94.00%
TOTAL.....	100.00%

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER – PELIGRO**

*Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.*  
(If you do not understand this label, find someone to explain it to you in detail.)

FIRST AID	
If in eyes	<ol style="list-style-type: none"> <li>1. Hold eye open and rinse gently with water for 15-20 minutes.</li> <li>2. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.</li> <li>3. Call a poison control center or doctor for treatment advice.</li> </ol>
If on skin or clothing	<ol style="list-style-type: none"> <li>1. Take off contaminated clothing.</li> <li>2. Rinse skin immediately with plenty of water for 15-20 minutes</li> <li>3. Call a poison control center or doctor for treatment advice.</li> </ol>
If swallowed	<ol style="list-style-type: none"> <li>1. Call a poison control center or doctor immediately for treatment advice.</li> <li>2. Have person sip a glass of water if able to swallow.</li> <li>3. Do not induce vomiting unless told to do so by the poison control center.</li> <li>4. Do not give anything by mouth to an unconscious person.</li> </ol>
If inhaled	<ol style="list-style-type: none"> <li>1. Move person to fresh air.</li> <li>2. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>3. Call a poison control center or doctor for further treatment advice.</li> </ol>
Have the product container of label with you when calling a poison control center or doctor, or going for treatment. National Poison Control Center Hotline 1-800-222-1222	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

Manufactured for:  
**PIMI AGRO CLEANTECH, INC.**  
269 South Beverly Drive suite 1091  
Beverly Hills California 90212 USA  
Phone (310) 435-7988

Net Contents 264 U.S. Gallons (Bulk)(1,000 Liters)(20 liters)

**ACCEPTED**  
OCT 07 2010

Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended, for  
the pesticide registered under  
EPA Reg. No. 86381-1

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Danger. Corrosive: causes irreversible eye damage. May be fatal if inhaled. Do not breathe vapor or spray mist. Wear the respiratory protection required in the "Personal Protective Equipment" section below. Remove and wash contaminated clothing before reuse. Harmful if swallowed, or absorbed through the skin. Do not get in eyes on skin or on clothing. Wear goggles, face shield, or safety glasses when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators, handlers and other workers that are in an enclosed area where applications are being made, for example in a potato storage room being fogged or next to a sprayer of a sorting/packing line, must wear:

- coveralls over long-sleeved shirt, long pants
- chemical resistant footwear plus socks.
- goggles or face shield
- rubber gloves
- For handling activities in an enclosed areas, use either a supplied-air respirator with NIOSH approval number prefix TC-19C, OR a self-contained breathing apparatus (SCBA) with NIOSH approval number TC-13F.

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. If no such instructions exist for washables, use detergent and hot water. Follow manufacturer's instructions for cleaning/maintaining PPE

### USER SAFETY RECOMMENDATIONS

Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### ENVIRONMENTAL HAZARDS

FOR TERRESTRIAL USES. Keep out of lakes, ponds and streams. This pesticide is toxic to birds and fish. Do not apply directly to water, or to areas where surface water is present or to inter-tidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wash waters. This product is highly toxic to bees and other beneficial insects exposed to direct contact on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. Do not apply this product or allow it to drift to crops where beneficials are part of an Integrated Pest Management strategy.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

### PHYSICAL AND CHEMICAL HAZARDS

Corrosive. Strong oxidizing agent. Do not use in concentrated form. Mix only with air in accordance with label instructions. Never bring concentrate in contact with other pesticides; cleaners or oxidative agents.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### Entry Restrictions

Do not enter or allow any person, other than a person equipped with the appropriate handler personal protective equipment including appropriate respirator, to enter the treated area until the area has been ventilated. Ventilation may be for either a total of (2) hours with fans or other mechanical ventilation or four (4) hours with windows, vents, or other passive ventilation, or until such time that there have been 10 complete air exchanges. The ventilation may be interrupted, i.e., the time may be accumulated at sporadic intervals, such as 15 minutes of ventilation followed by a period of no ventilation, until the total required ventilation time has accumulated.

### Application Instructions

SpuDefender™ can be applied after dilution with water when potatoes enter storage or anytime after potatoes are placed in storage using Pimi fogging equipment or on the packing line after SpuDefender is diluted with water.

CROP	DILUTION RATE	APPLICATION DIRECTIONS	TIMING
Newly harvested potatoes	SpudDefender is concentrated product; it has to be diluted with water at rate of 1 part SpuDefender to 5 parts water.	Apply 6 pints of a 1:5 dilution of SpudDefender per ton evenly onto potatoes through spray nozzles placed across the rollers on which the potatoes are being moved into storage.	Apply onto newly harvested potatoes entering storage.
Potatoes in storage	SpudDefender is concentrated product; it is to be applied as a fog via the Pimi ultrasonic fogger only. Electrical Pimi fogging system: Automatic mixer will dilute 21 pints /hour of SpuDefender concentrate with 7000 cubic foot of air.	Use the Pimi Electrical Ultrasonic fogging unit. Use up to 7 fl. oz. of concentrated SpuDefender per ton of potato to create a fog. The electrical fogger will dilute SpuDefender to a ratio of 1:20,000. At the maximum rate of 7 fl. oz. the dilution ratio is equivalent to 0.25% hydrogen peroxide in the storage bin atmosphere.	Apply solution every 2-6 weeks as needed to control sprouting.
Postharvest potatoes after storage and in sorting/packing line	SpudDefender is concentrated product; it has to be diluted with water at rate of 1 part SpuDefender to 5 parts water.	Apply 6 pints of a 1:5 dilution of SpudDefender per ton evenly onto potatoes through spray nozzles placed across the rollers on which the potatoes are being moved.	Apply onto potatoes as they move along sorting/packing line.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**Storage:** Store SpuDefender™ in a cool, dry place away from food, drink, and animal feeding stuffs.

**Container Disposal:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

---

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

---

**Notice: Read the entire Directions for Use and Conditions for Sale and Limitation of Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.**

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of this product, which are beyond the control of **PIMI AGRO CLEANTECH, INC.**, or Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer and User, and Buyer and User agree to hold **PIMI AGRO CLEANTECH, INC.** and Seller harmless for any claims to such factors.

**PIMI AGRO CLEANTECH, INC.** warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of the product contrary to proper instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or **PIMI AGRO CLEANTECH, INC.**, and Buyer and User assume the risk of any such use. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, PIMI AGRO CLEANTECH, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, PIMI AGRO CLEANTECH INC OR SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF PIMI AGRO CLEANTECH INC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF PIMI AGRO CLEANTECH INC OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Pimi Agro CleanTech Inc and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sales and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of Pimi Agro CleanTech Inc.