	EDA Deg Number	Date of Issuance:
U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA Reg. Number:	Date of issuance.
Registration Division (7505P)	0,000 0	000 0 101A
Range PROTECTOR Ariel Rios Building	86828-3	SEP - 8 2010
1200 Pennsylvania Ave., NW Washington, D.C. 20460		
	Term of Issuance: Lin	
NOTICE OF PESTICIDE: _X_ Registration	Term of Issuance: Unconditional	
Reregistration	Name of Pesticide Product:	
(under FIFRA, as amended)	Consus Glyphosate 62% MUP	
Jame and Address of Registrant (include ZIP Code):	•	
Consus Chemicals, LLC c/o Pyxis Regulatory Consultin	ng, Inc.	
11 Hubble         4110 136 <sup>th</sup> Street, NW	•	
rvine, CA 92018 Gig Harbor, WA 98332		
lote: Changes in labeling differing in substance from that accepted in connection with this registrati		
ivision prior to use of the label in commerce. In any correspondence on this product always refer to	o the above EPA registratio	n number.
n the basis of information furnished by the registrant, the above named pesticide is hereby registere odenticide Act. Registration is in no way to be construed as an endorsement or recommendation of		
nvironment, the Administrator, on his motion, may at any time suspend or cancel the registration of	a pesticide in accordance v	with the Act. The acceptance of any
ame in connection with the registration of a product under this Act is not to be construed as giving t as been covered by others.	he registrant a right to exclu	usive use of the name or to its use if it
,	•	
This product is unconditionally registered in accordance with FIFF	RA provided that y	/ou:
This product is unconditionally registered in accordance with this	I - J	
. Submit and/or cite all data required for registration review/rere	gistration of your	product when the
	gistration of your	product when the
. Submit and/or cite all data required for registration review/rere Agency requires all registrants of similar products to submit da	gistration of your	product when the
. Submit and/or cite all data required for registration review/rere Agency requires all registrants of similar products to submit da	gistration of your	product when the
. Submit and/or cite all data required for registration review/rere Agency requires all registrants of similar products to submit da	gistration of your	product when the
<ul> <li>Submit and/or cite all data required for registration review/rere Agency requires all registrants of similar products to submit data.</li> <li>Make the following label changes:</li> <li>a. Change the EPA Reg. No. to "86828-3".</li> </ul>	gistration of your ata.	
<ul> <li>Submit and/or cite all data required for registration review/rereadgency requires all registrants of similar products to submit data.</li> <li>Make the following label changes: <ul> <li>a. Change the EPA Reg. No. to "86828-3".</li> <li>b. Change the ACTIVE INGREDIENT statement to read "GI</li> </ul> </li> </ul>	gistration of your ata.	
<ul> <li>Submit and/or cite all data required for registration review/rere Agency requires all registrants of similar products to submit data.</li> <li>Make the following label changes:</li> <li>a. Change the EPA Reg. No. to "86828-3".</li> </ul>	gistration of your ata.	
<ul> <li>Submit and/or cite all data required for registration review/rereadgency requires all registrants of similar products to submit data. Make the following label changes: <ul> <li>a. Change the EPA Reg. No. to "86828-3".</li> </ul> </li> <li>b. Change the ACTIVE INGREDIENT statement to read "Glin the form of its isopropylamine salt".</li> </ul>	gistration of your ata. <b>yphosate, N-(ph</b> o	osphonomethyl)glycine,
<ul> <li>Submit and/or cite all data required for registration review/rereadgency requires all registrants of similar products to submit data. Make the following label changes: <ul> <li>a. Change the EPA Reg. No. to "86828-3".</li> </ul> </li> <li>b. Change the ACTIVE INGREDIENT statement to read "Glinin the form of its isopropylamine salt".</li> </ul>	gistration of your ata. <b>yphosate, N-(pho</b> which reads " <b>Cont</b>	osphonomethyl)glycine, tains 62.0% or 6.4
<ul> <li>Submit and/or cite all data required for registration review/rere Agency requires all registrants of similar products to submit data. Make the following label changes: <ul> <li>a. Change the EPA Reg. No. to "86828-3".</li> <li>b. Change the ACTIVE INGREDIENT statement to read "GI in the form of its isopropylamine salt".</li> <li>c. Add a footnote to the bottom of the ingredients statement v</li> </ul></li></ul>	gistration of your ata. yphosate, N-(pho which reads "Cont n the form of its i	osphonomethyl)glycine, tains 62.0% or 6.4
<ul> <li>Submit and/or cite all data required for registration review/rereadgency requires all registrants of similar products to submit data. Make the following label changes: <ul> <li>a. Change the EPA Reg. No. to "86828-3".</li> </ul> </li> <li>b. Change the ACTIVE INGREDIENT statement to read "Glin the form of its isopropylamine salt".</li> <li>c. Add a footnote to the bottom of the ingredients statement vipounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active statement of the active statement is a statement of the active statement is a statement in the statement in the form of the active ingredient glyphosate.</li> </ul>	gistration of your ata. yphosate, N-(pho which reads "Cont n the form of its i id, glyphosate."	osphonomethyl)glycine, tains 62.0% or 6.4 isopropylamine salt.
<ul> <li>Submit and/or cite all data required for registration review/rereadgency requires all registrants of similar products to submit data. Make the following label changes: <ul> <li>a. Change the EPA Reg. No. to "86828-3".</li> </ul> </li> <li>b. Change the ACTIVE INGREDIENT statement to read "Glin the form of its isopropylamine salt".</li> <li>c. Add a footnote to the bottom of the ingredients statement vipounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active data for the statement of the active ingredient glyphosate.</li> </ul>	gistration of your ata. yphosate, N-(pho which reads "Cont n the form of its i id, glyphosate." aal Word, First Aid	osphonomethyl)glycine, tains 62.0% or 6.4 isopropylamine salt.
<ul> <li>Submit and/or cite all data required for registration review/rereadgency requires all registrants of similar products to submit data. Make the following label changes: <ul> <li>a. Change the EPA Reg. No. to "86828-3".</li> </ul> </li> <li>b. Change the ACTIVE INGREDIENT statement to read "Glin the form of its isopropylamine salt".</li> <li>c. Add a footnote to the bottom of the ingredients statement vipounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active statement of the active statement is a statement of the active statement is a statement in the statement in the form of the active ingredient glyphosate.</li> </ul>	gistration of your ata. yphosate, N-(pho which reads "Cont n the form of its i id, glyphosate." aal Word, First Aid	osphonomethyl)glycine, tains 62.0% or 6.4 isopropylamine salt.
<ul> <li>Submit and/or cite all data required for registration review/rereadgency requires all registrants of similar products to submit data. Make the following label changes: <ul> <li>a. Change the EPA Reg. No. to "86828-3".</li> </ul> </li> <li>b. Change the ACTIVE INGREDIENT statement to read "Glin the form of its isopropylamine salt".</li> <li>c. Add a footnote to the bottom of the ingredients statement via pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active form of the active ingredient glyphosate in Hazards to Humans and Domestic Animals statement are compared by the statement and the statement are compared by the statement are compared by the statement and the statement are compared by the statement are compared by</li></ul>	gistration of your ata. yphosate, N-(pho which reads "Cont n the form of its i id, glyphosate." al Word, First Aid optional.	<b>Sphonomethyl)glycine,</b> tains 62.0% or 6.4 <b>Sopropylamine salt</b> . d, Note to Physician, and
<ul> <li>Submit and/or cite all data required for registration review/rereadgency requires all registrants of similar products to submit data. Make the following label changes: <ol> <li>a. Change the EPA Reg. No. to "86828-3".</li> </ol> </li> <li>b. Change the ACTIVE INGREDIENT statement to read "Glin the form of its isopropylamine salt".</li> <li>c. Add a footnote to the bottom of the ingredients statement vipounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active form and the statement are constrained. Based on the acute toxicity profile of this product, the Sign Hazards to Humans and Domestic Animals statement are constrained.</li> </ul>	gistration of your ata. yphosate, N-(pho which reads "Cont n the form of its i id, glyphosate." al Word, First Aid optional.	<b>Sphonomethyl)glycine,</b> tains 62.0% or 6.4 <b>Sopropylamine salt</b> . d, Note to Physician, and
<ul> <li>Submit and/or cite all data required for registration review/rereadgency requires all registrants of similar products to submit data. Make the following label changes: <ul> <li>a. Change the EPA Reg. No. to "86828-3".</li> </ul> </li> <li>b. Change the ACTIVE INGREDIENT statement to read "Glin the form of its isopropylamine salt".</li> <li>c. Add a footnote to the bottom of the ingredients statement via pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active form of the active ingredient glyphosate in Hazards to Humans and Domestic Animals statement are compared by the statement and the statement are compared by the statement are compared by the statement and the statement are compared by the statement are compared by</li></ul>	gistration of your ata. yphosate, N-(pho which reads "Cont n the form of its i id, glyphosate." al Word, First Aid optional.	<b>Sphonomethyl)glycine,</b> tains 62.0% or 6.4 <b>Sopropylamine salt</b> . d, Note to Physician, and
<ul> <li>Submit and/or cite all data required for registration review/rereadgency requires all registrants of similar products to submit data. Make the following label changes: <ul> <li>a. Change the EPA Reg. No. to "86828-3".</li> <li>b. Change the ACTIVE INGREDIENT statement to read "Glin the form of its isopropylamine salt".</li> </ul> </li> <li>c. Add a footnote to the bottom of the ingredients statement view pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active for the statement are cited.</li> <li>d. Based on the acute toxicity profile of this product, the Sign Hazards to Humans and Domestic Animals statement are cited.</li> <li>e. Under DIRECTIONS FOR USE, remove both instances of clearly stated on the label.</li> </ul>	gistration of your ata. yphosate, N-(pho which reads "Cont n the form of its i id, glyphosate." al Word, First Aid optional.	<b>Sphonomethyl)glycine,</b> tains 62.0% or 6.4 isopropylamine salt. d, Note to Physician, and ll use sites must be
<ul> <li>Submit and/or cite all data required for registration review/rereadgency requires all registrants of similar products to submit data. Make the following label changes: <ul> <li>a. Change the EPA Reg. No. to "86828-3".</li> <li>b. Change the ACTIVE INGREDIENT statement to read "Glin the form of its isopropylamine salt".</li> <li>c. Add a footnote to the bottom of the ingredients statement v pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the acti</li> <li>d. Based on the acute toxicity profile of this product, the Sign Hazards to Humans and Domestic Animals statement are conclearly stated on the label.</li> </ul> </li> </ul>	gistration of your ata. yphosate, N-(pho which reads "Cont n the form of its i id, glyphosate." al Word, First Aid optional.	<b>Sphonomethyl)glycine,</b> tains 62.0% or 6.4 isopropylamine salt. d, Note to Physician, and ll use sites must be
<ul> <li>Submit and/or cite all data required for registration review/rereadgency requires all registrants of similar products to submit date.</li> <li>Make the following label changes: <ul> <li>a. Change the EPA Reg. No. to "86828-3".</li> </ul> </li> <li>b. Change the ACTIVE INGREDIENT statement to read "Glin the form of its isopropylamine salt".</li> <li>c. Add a footnote to the bottom of the ingredients statement vision pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active ingredient glyphosate.</li> </ul>	gistration of your ata. yphosate, N-(pho which reads "Cont n the form of its i id, glyphosate." al Word, First Aid optional. ?"including:", as a	<b>Sphonomethyl)glycine,</b> tains 62.0% or 6.4 isopropylamine salt. d, Note to Physician, and ll use sites must be
<ul> <li>Submit and/or cite all data required for registration review/rereadgency requires all registrants of similar products to submit date.</li> <li>Make the following label changes: <ul> <li>a. Change the EPA Reg. No. to "86828-3".</li> </ul> </li> <li>b. Change the ACTIVE INGREDIENT statement to read "Glin the form of its isopropylamine salt".</li> <li>c. Add a footnote to the bottom of the ingredients statement vision pounds per gallon of the active ingredient glyphosate, in Equivalent to 46.0% or 4.8 pounds per gallon of the active date.</li> <li>d. Based on the acute toxicity profile of this product, the Sign Hazards to Humans and Domestic Animals statement are constrained.</li> </ul>	gistration of your ata. yphosate, N-(pho which reads "Cont n the form of its i id, glyphosate." al Word, First Aid optional. ?"including:", as a	osphonomethyl)glycine, tains 62.0% or 6.4 isopropylamine salt. d, Note to Physician, and ill use sites must be <u>Continued on Page 2</u>

f. Change the Pesticide Disposal phrase to "must be disposed of".

The basic confidential statement of formula (CSF) dated July 16, 2010 is acceptable.

A stamped copy of the label is enclosed for your records. Submit one (1) copy of the revised final printed label before you release the product for shipment. Products shipped after eighteen (18) months from the date of this notice or the next printing of the label, whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Enclosure

# Consus Glyphosate 62% MUP For Manufacturing Use Only

ACTIVE INGREDIENT:	
N-(phosphonomethyl)glycine isopropylamine salt	62.0%
OTHER INGREDIENTS:	
TOTAL:	100.0%

# KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
If inhaled:	Move person to fresh air.
	<ul> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> </ul>
	Call a poison control center or doctor for treatment advice.
lf swallowed:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> </ul>
	Have person sip a glass of water if able to swallow.
	• Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
NOTE TO PH	YSICIAN: Probable mucosal damage may contraindicate the use of
gastric lavage	· · · ·
	HOT LINE NUMBER
	luct container or label with you when calling a poison control center or
doctor, or goir	ng for treatment. You may also contact the National Pesticide Information
Center at 1-80	00-858-7378 for emergency medical treatment information.

EPA Reg. No 86828-EPA Est. No: xxxx

ACCEPTED with COMMENTS In EPA Letter Dated: SEP - 8 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

86828-3

Net Contents: XXXX gal.



Manufactured for:

Consus Glyphosate 62% MUP label

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution. Causes moderate eye irritation. Harmful if inhaled or swallowed. Avoid breathing dust. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

#### ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting of authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### PHYSICAL OR CHEMICAL HAZARDS

Solutions of this product should be mixed, stored and used only in stainless steel, aluminum, fiberglass plastic and plastic-lined containers.

DO NOT MIX, STORE OR UTILIZE THIS PRODUCT OR SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR TANKS. This product or solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use this product to formulate into herbicide products for use in residential areas including gardens, ornamentals or other outdoor residential areas. Only for use in the manufacture of herbicides for the following uses:

1. **Non-food crop uses including:** fallow ground, sod, and noncrop areas: rights of way, industrial, recreational and public areas, eucalyptus and hybrid poplar production, farmsteads, forestry site preparation and release programs, site preparation or directed sprays to the floor of ornamental nurseries, and Christmas tree farms; rights of way (ROW), Conservation Reserve Program (CRP), turfgrasses (excluding residential) and grasses for seed production;

#### 2. Aquatic, pastures, and rangelands

#### 3. Food crop uses including:

- **Tree and Vine Crops:** general weed control, middles (between rows of trees), strips (in row of trees), selective equipment (except kiwi), perennial grass suppression
- **Row Crops:** corn, cotton, peanuts, sorghum, soybeans, sugarcane, barley, buckwheat, millet, oats, rice, rye, teosinte, triticale, wheat, and wild rice
- Citrus Fruits: calamondin, chironja, citrus citron, citrus hybrids (*Citrus* spp.), grapefruit, kumquat, lemon, lime, mandarin tangerine, orange (sour, sweet), pummelo
- Tree Nuts: almond, beech nut, Brazil nut, butternut, cashew, chestnut, chinquapin, filbert (hazelnut), hickory nut, macadamia nut, pecan, pistachio, walnut

- Vine Crops: grapes and kiwi fruit
- Herbs: mint (peppermint and spearmint)
- o Pome Fruits: apple, crabapple, loquat, mayhaw, pear, oriental pear, and quince
- **Stone Fruits:** apricots, cherry (sweet, tart), nectarine, peach, plum (*Prunus* spp.), plumcot, and prune
- Small Fruits and Berries: blackberry (*Rubus* spp. and varieties and/or hybrids of these), blueberry, currant, elderberry, gooseberry, huckleberry, loganberry, raspberry (black and red)
- **Fruiting Vegetables:** eggplant, groundcherry, pepino, pepper (*Capsicum* spp.), tomatillo and tomato
- Cucurbit Vegetables: chayote, Chinese waxgourd, citron melon, cucumber, gherkin, edible gourds, *Momordica* spp., muskmelon (hybrids and/or cultivars of *Cucumis melo*), pumpkin, squash (summer & winter), watermelon
- Root and Tuber Vegetables: arracacha, arrowroot, artichoke (Jerusalem), beets (garden, sugar), burdock, (edible), canna ((edible), carrot, cassava, celeriac, chayote, chervil, chicory, chufa, dasheen, ginger, ginseng, horseradish, leren, parsley (turniprooted), oriental radish, parsnips, potato, radish, rutabagas, salsify (oyster plant, black, Spanish), skirret, sweet potato, tanier, turmeric, turnip and yam (ban, true)
- **Bulb Vegetables:** chive, daylily, elegans hosta, fritillaria, garlic, kurrat, leek, lily, onion, shallot, and clutivars, v arieties, and/or hybrids of these
- Leafy Vegetables: amaranth, arugula, cardoon, celery, celery (Chinese), celtuce, chard (Swiss), chervil, chrysanthemum, corn salad, cress, dandelion, dock (sorrel), endive, fennel (Florence), lettuce (head and leaf), orach, parsley, purslane, radicchio,, rhubarb and spinach,
- Brassica Leafy Vegetables: broccoli (Brassica spp.), Brussels sprouts, cabbage (Brassica spp.), cauliflower, cavalo broccoli, collards, kale, kohlrabi, mizuna, mustard greens, mustard spinach, and rape greens
- Legume Vegetables: beans (Lupinus spp., Phaseolus spp., Vigna spp.), broad bean, lentil, chickpea, peas (Pisum spp.), guar, jackbean, lablab bean, pigeon pea, soybean, sword bean
- **Other Crops:** asparagus, canola, cranberry, litchi nut, olives, okra, sunflower and watercress
- Forage Crops: alfalfa, bean (velvet), clover, , kudzu, lespedeza, lupin, sainfoin, trefoil, vetch
- Tropical Crops: acerola, atemoya, avocado, banana (plantain), breadfruit, canistel, carambola, cherimoya, cocoa beans, coconut, coffee, dates, durian, figs, genip, guava, jaboticaba, jackfruit, longan, lychee, mango, mangosteen, papaya, passion fruit, persimmons, pineapple, pomegranate, rambutan, sapodilla, sapote (black, mamey, white), soursop, sugar apple, tamarind and tea

4. Uses for which EPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration.

5. Uses for experimental purposes that are in compliance with EPA registration for the formulated products.

Each formulator is responsible for obtaining EPA registration for their end-use product(s).

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment.

**Pesticide Storage:** Store in original container. Store above 32° F (0°C) to keep from crystallizing. Crystals will settle to the bottom. If allowed to crystallize, warm to 68°F (20°C) and mix well or recirculate to redissolve before using. Keep container closed to prevent spills and contamination.

**Pesticide Disposal:** Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) after emptying.

**For product containers greater than 5 gallons:** Triple rinse as follows. Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. An empty container retains vapor and product residue. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed. Completely empty contents into formulation equipment. Then offer for recycling or reconditioning or, dispose of container in a manner approved by state and local authorities.

### CONDITIONS OF SALE AND LIMITATION OF WARRANTY

Seller warrants that this product conforms within its specifications and is reasonably fit for the purposes stated on the label when used in accordance with its directions under normal conditions of use. To the extent consistent with applicable law, buyer assumes the risk of any use contrary to such directions. To the extent consistent with applicable law, seller makes no other express or implied warranty of fitness or merchantability and no agent or reseller is authorized to do so except by Seller in writing with a specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material on which claim is made.