



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

87093-13

Date of Issuance:

8/18/2023

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

LN3 SLUG & SNAIL KILLER

Name and Address of Registrant (include ZIP Code):

LNouvel, Inc.
4657 Courtyard Trail
Plano, TX 75024-2114

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA Registration Number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA or the Act).

Registration is in no way to be construed as an endorsement or recommendation of this product by the U.S. Environmental Protection Agency (EPA). In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration or registration review of your product when the EPA requires all registrants of similar products to submit such data.
2. Submit storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) data as these data requirements are not satisfied. A one-year study is required to satisfy these data requirements. You have 18 months from the date of this registration to provide these data to the EPA.

Signature of Approving Official:

Andrew Bryceland, Team Leader
Biochemical Pesticides Branch
Biopesticides and Pollution Prevention Division (7511M)
Office of Pesticide Programs

Date:

8/18/2023

3. Make the following labeling change before you release this product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 87093-13."
4. Submit one (1) copy of the final printed labeling for the record before you release this product for shipment.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6. A stamped copy of the labeling is enclosed for your records. Please also note that the record for this product currently contains the following acceptable Confidential Statement of Formula (CSF):

- Basic CSF dated 05/13/2022

If you have any questions, please contact Sydnie Hetzel by phone at (202) 566-1606 or via email at hetzel.sydney@epa.gov.

Sincerely,

A handwritten signature in blue ink, reading "Andrew C. Bryceland".

Andrew Bryceland, Team Leader
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511M)
Office of Pesticide Programs

Enclosure

LN3 SLUG & SNAIL KILLER

ACTIVE INGREDIENT:	BY WT.
Sodium Ferric EDTA.....	6.00%
OTHER INGREDIENTS:.....	94.00%
TOTAL:.....	100.00%

KEEP OUT OF REACH OF CHILDREN
WARNING

ACCEPTED

Aug 18, 2023

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 87093-13

[See back (side) panel for additional precautionary statements & first aid]

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear safety glasses. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID	
If in eyes:	<ul style="list-style-type: none">- Hold eye open and rinse slowly and gently with water for 15-20 minutes.- Remove contact lenses, if present, after first five minutes, then continue rinsing eye.- Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. Contact the nearest poison control center or 1-800-265-0761 for emergency medical treatment advice.	

Net Weight: XX LB(S)
(1.75, 3.5, 4, 6, 7, 8, 10LB)

EPA Reg. No: 87093-new

Batch/Lot No.:_____

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

GENERAL INFORMATION: LN3 Slug & Snail Killer kills slugs and snails. Slugs and snails quickly find and ingest the bait. This product has a non-toxic mode of action and can be used in areas where pet and wildlife protection is a concern. The active ingredient in this product inhibits the transport of oxygen in slugs and snails. When snails & slugs ingest the bait, they stop feeding and crawl back to their shelter where they eventually die. Paralyzed or dead snails will rarely be seen in the open. This product will not degrade under damp & humid conditions when snails and slugs are most active. It remains effective under varying weather and environmental extremes. LN3 Slug & Snail Killer can be used effectively around seedlings, potted plants, vegetables, perennials and annuals. 1 lb of product will treat approximately 1700 square feet.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WHEN TO APPLY: Apply bait early morning or evening since slugs and snails travel and feed in the night or early morning. Reapply as the bait is consumed or at 14 day intervals. In areas of severe infestation, apply bait more heavily.

WHERE TO APPLY: On Lawns, Perimeter of Home, Around Ornamental Plants (flowers, shrubs & trees) and in Home Gardens. All likely areas of infestation should be treated, especially around the perimeter of garden plots because slugs and snails travel into plant areas from daytime hiding places. Apply bait around the base of plantings that show visible damage. Slugs and snails favor damp places around vegetable plants such as beans, tomatoes, lettuce, cabbage, celery and squash. Slugs and snails often seek shelter inside large leafy plantings like hosta & dahlia. Other favorite areas are flower gardens, rock gardens, hedges, dichondra lawns, citrus groves, ivy patches, and other ground cover where they obtain shelter by day.

AMOUNT TO APPLY : (tsp=Teaspoon)

Spot Treatment-1 tsp per square yard.

Area Treatment-2 to 3 cups per 850 square feet. 1 lb. per 1700 square feet.

HOW TO APPLY: Do not use kitchen utensils for measuring. LN3 Slug & Snail Killer should be applied evenly to the soil around or near plants and areas to be protected. Apply while the ground is moist, in early morning, late evening, or after rainfall. If the ground is dry, wet it before applying the bait. The soil should be moist, but with little or no standing water. For row applications, place prescribed amount of product around base of plant by hand. Avoid placing product on plants. Apply product by band or by dispensing directly from container to smaller areas as spot treatment. Avoid creating piles of the bait.

Keep measuring utensils with pest control products out of reach of children. Immediately clean up any spilled bait.

APPLICATION RATES

Crop/Use	Rate	Directions
Vegetables including (but not limited to): asparagus, artichokes, beans, beets, black-eyed peas, broccoli, Brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, com, cucumbers, eggplants, garlic, lettuce, onions, peas, peppers, potatoes, radishes, rudabagas, spinach, squash, Swiss chard, tomatoes, turnips	0.5 – 1 lb product per 1,700 square feet for area treatment	Scatter the bait around the perimeter of the vegetable plot to provide a protective barrier from slugs and snails entering the plot. If slugs or snails are inside the plot, scatter the bait on the soil around the base of the plants and between the rows. Do not broadcast treat entire area. Apply at lower rate if infestation is low and pellets can be applied near localized infestation. For heavier infestations, apply at higher rate. Reapply every 14 days while slugs or snails persist.
Berries including (but not limited to): strawberries, blackberries, blueberries, boysenberries, loganberries, and raspberries.	OR 1 tsp product per square yard	Scatter the bait around the perimeter of the berry plot to provide a protective barrier from slugs and snails entering the plot. If slugs or snails are inside the plot, scatter the bait between the furrows near the base of the plants. Do not broadcast treat entire area. For small plots, treat around the base of the plants to be protected. For heavier infestations, apply at higher rate. Reapply every 14 days while slugs or snails persist.

Crop/Use	Rate	Directions
Grape Vines	0.5-1 lb product per 1,700 square feet	Scatter bait evenly at the base of vines and between rows. Use higher rates for heavy infestations. Reapply every 14 days while slugs or snails persist.
Fruit Trees including (but not Limited to): apples, avocados, apricots, cherries, grapes, melons, peaches, plums, nectarines, citrus, and pears	OR 1 tsp product per square yard	Scatter bait evenly around the base of the trees. Use higher rates for heavy infestations. Reapply every 14 days while slugs or snails persist
Outdoor Ornamentals	1 lb. per 1700 square feet	Use a teaspoon to evenly scatter bait in a 6-inch wide circular band around the base of the plants to be protected. Reapply every 14 days while slugs or snails persist.
Outdoor Containers	1 tsp per container	Scatter bait evenly on the soil surface of containers or scatter evenly around the soil near containers. Reapply every 14 days while slugs or snails persist.
Lawns	1 lb..per 1700 square feet	Scatter bait evenly in area where slugs or snails are observed . Reapply every 14 days while slugs or snails persist.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place, out of reach of children and domestic animals. Store in original container only.

DISPOSAL: If Empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Distributed by:
LNouvel's, Inc.
4657 Courtyard Trail
Plano, TX 75024

Company Website
Email address for product inquiries

[Additional-Optional Marketing/Advertising Claims]

- For control of snails and slugs.
- Protects plants from snails & slugs.
- Stops snails & slugs from feeding [on plants]
- Stops plant damage from feeding slugs and snails
- Lures slugs & snails from plants and biding places
- Protects plants from snail & slug damage
- [Kills] [Controls] Snails & Slugs
- 1 lb treats up to 1700 square feet.
- Remains effective after rain or watering
- Effective under wet & dry conditions
- Convenient. Easy to Use. Requires no mixing, spraying or special [tools][applicators]
- Easily applied from convenient re-sealable package
- No mixing required
- For home and garden use
- For use around ornamentals, lawns, and landscaped areas.
- Can be used in vegetable gardens.
- For use around gardens, flowers, shrubs, trees, and lawns.
- May be used in areas where there are dogs, cats, & birds.
- Can be used around pets and wildlife
- For use on [insert listed site]
- [Treats][Covers][up to] XXXX [sq. ft.][square feet]
- Trusted brand for over XX years
- Attracts and kills slugs [and][&] snails
- Slug & Snail Killer