W Co	U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA Reg. Number:	Date of Issuance:
A AGENCI.	Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W.	87243-1	MAR 1 1 2013
N	Washington, D.C. 20460 OTICE OF PESTICIDE: <u>X</u> Registration Reregistration	Term of Issuance: Conditional	
(under FIFRA, as amended)		Name of Pesticide Prod	luct:
х Х		Apivar	
Name and Address of Regist			
VETO-PHARMA S Arysta Lifescience A 1450 Broadway, 7 <sup>th</sup> New York, New Yo	America Inc Floor		· .
On the basis of information fur	mished by the registrant, the above named pesticide is hereby re	gistered under the Federal Insecti	cide, Fungicide and
Rodenticide Act. Registration is in no way to be environment, the Administrato of any name in connection with	construed as an endorsement or recommendation of this produc or, on his motion, may at any time suspend or cancel the registrat h the registration of a product under this Act is not to be constru	ct by the Agency. In order to protition of a pesticide in accordance v	ect health and the vith the Act. The acceptance
Rodenticide Act. Registration is in no way to be environment, the Administrato of any name in connection with or to its use if it has been cover	construed as an endorsement or recommendation of this produc or, on his motion, may at any time suspend or cancel the registrat h the registration of a product under this Act is not to be constru- red by others.	et by the Agency. In order to prot tion of a pesticide in accordance v and as giving the registrant a right	ect health and the with the Act. The acceptanc to exclusive use of the name
Rodenticide Act. Registration is in no way to be environment, the Administrato of any name in connection with or to its use if it has been cover This product is cond 1. Submit and/c the Agency r	construed as an endorsement or recommendation of this produc or, on his motion, may at any time suspend or cancel the registrat h the registration of a product under this Act is not to be constru	to by the Agency. In order to prote tion of a pesticide in accordance w and as giving the registrant a right TRA section 3(c)(7)(B) gistration review of you	ect health and the with the Act. The acceptanc to exclusive use of the name . You must: ur product when
Rodenticide Act. Registration is in no way to be environment, the Administrato of any name in connection with or to its use if it has been cove This product is cond 1. Submit and/c the Agency r undergoing re	construed as an endorsement or recommendation of this produc or, on his motion, may at any time suspend or cancel the registration h the registration of a product under this Act is not to be constru- red by others. itionally registered in accordance with FIF or cite all data required for registration//reg equires all registrants of similar products to	to by the Agency. In order to prote tion of a pesticide in accordance we had as giving the registrant a right TRA section $3(c)(7)(B)$ gistration review of you o submit such data. At	ect health and the with the Act. The acceptanc to exclusive use of the name . You must: ur product when mitraz is currently
Rodenticide Act. Registration is in no way to be environment, the Administrato of any name in connection with or to its use if it has been cover This product is cond 1. Submit and/c the Agency r undergoing re 2. Make the foll	construed as an endorsement or recommendation of this produc or, on his motion, may at any time suspend or cancel the registration the registration of a product under this Act is not to be constru- red by others. itionally registered in accordance with FIF or cite all data required for registration//reg equires all registrants of similar products to egistration review.	et by the Agency. In order to prot tion of a pesticide in accordance v red as giving the registrant a right TRA section 3(c)(7)(B) gistration review of you o submit such data. An e product for shipment	ect health and the with the Act. The acceptanc to exclusive use of the name . You must: ur product when mitraz is currently
Rodenticide Act. Registration is in no way to be environment, the Administrato of any name in connection with or to its use if it has been cover This product is cond 1. Submit and/c the Agency r undergoing re 2. Make the foll	construed as an endorsement or recommendation of this product or, on his motion, may at any time suspend or cancel the registration the registration of a product under this Act is not to be constru- red by others. itionally registered in accordance with FIF or cite all data required for registration//reg equires all registrants of similar products to egistration review. lowing label changes before you release th evise the EPA Registration Number to reac	et by the Agency. In order to prot tion of a pesticide in accordance v red as giving the registrant a right TRA section 3(c)(7)(B) gistration review of you o submit such data. An e product for shipment	ect health and the with the Act. The acceptanc to exclusive use of the name . You must: ur product when mitraz is currently

Page 2 EPA Reg. No. 87243-1

- 3. Within 18 months from the date of this letter, submit the following data: storage stability (830.6317) and corrosion characteristics (830.6320).
- 4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following Confidential Statement of Formula:

• Basic CSF, dated 2/22/09

If you have any questions, please contact me at 703-308-6249 or Meredith Laws at 703-308-7038.

John Hebert, Product Manager 07 Insecticide-Rodenticide Branch Registration Division (7505P)

Enclosure

# Apivar™

## Strips for the in-hive control of mites (varroatosis) on honey bees

ACTIVE INGREDIENT:	
Amitraz: N'-(2,4-dimethylphenyl)-N-[[(2,4-dimethylphenyl)imino]methyl]-N-methylmethanimidamide	3.33%
OTHER INGREDIENTS:	96.67%
TOTAL:	100.00%

### KEEP OUT OF REACH OF CHILDREN WARNING

FIRST AID		
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice.	
	• Have person sip a glass of water if able to swallow.	
· .	• Do not induce vomiting unless told to by a poison control center or doctor.	
	• Do not give anything by mouth to an unconscious person.	
IF ON SKIN OR	Take off contaminated clothing.	
CLOTHING:	• Rinse skin immediately with plenty of water for 15-20 minutes.	
	• Call a poison control center or doctor for treatment advice.	
ÎF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>	
	<ul> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> </ul>	
	• Call a poison control center or doctor for treatment advice.	
IF INHALED:	Move person to fresh air.	
· · · ·	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.	
	• Call a poison control center or doctor for further treatment advice.	
treatment. For TRANSPO	r or label with you when calling a poison control center or doctor or going for ORTATION EMERGENCIES, call 24 hours a day CHEMTREC 1-800-424-	
9300. For MEDICAL EMERGENCY, call 24 hours a day PROSAR 1-866-257-2596. For PRODUCT		
USE Information Call 1-212-930-5101.		

EPA EUP No. 87243-EPA Est. No. 87242-FRA-001

Manufactured for: Véto-pharma S.A.

14 avenue du Québec 91140 Villebon-sur-Yvette FRANCE

# U.S. Agent:

Arysta LifeScience America Inc. 1450 Broadway – New York NY 10018 Tel: 212-930 5101 www.apivar.net

1

36

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as assended, for the pesticide

MAR 1 1 2013

Begistered under EPA Beg. No. 6

### PRECAUTIONARY STATEMENTS

### HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

**WARNING:** May be fatal if absorbed through the skin. Harmful if swallowed or inhaled. Do not get in eyes, on skin, or on clothing. Avoid inhalation of product vapor when opening the sealed packet of strips. Avoid contact with skin and eyes and wear chemical-resistant gloves when handling the strips. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear coveralls worn over short-sleeved shirt and short pants, socks and footwear and chemical-resistant gloves. Remove and wash contaminated clothing before reuse.

California Warning: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

### ENVIRONMENTAL HAZARDS

For terrestrial uses: This product is toxic to fish, Do not contaminate water when disposing of used strips or packaging.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apivar<sup>TM</sup> is a sustained-release plastic strip designed for use in behives to control the parasitic mite (*Varroa destructor*) on honey bees.

For varroa treatment - Remove honey supers before application of Apivar<sup>TM</sup>. Use 2 Apivar<sup>TM</sup> strips per brood chamber (*i.e.*, one strip per 5 Frames of Bees (FoB).

# FoB	5	6 - 10	11 - 15	≥16
# strips	1	2	3	4

Separate the double strip and hang each strip between two comb frames inside the brood area or the bee cluster, with a minimum distance of 2 frames between strips. Suspend Apivar<sup>TM</sup> strips in the brood chamber in such a way that the bees can walk on both sides of the strips. Leave strips inside the hive for 42 days, and then remove. In case of movement inside the beehive far from the strips, reposition the strips into the bee cluster, and leave the strips in place for 14 more days. Strips must be removed after a maximum of 56 days. DO NOT re-use the strips.

#### **Timing:**

Hang Apivar<sup>™</sup> strips in the hives in the spring and/or the fall if varroa mite infestations have reached treatment threshold. Remove all Apivar<sup>™</sup> strips 2 weeks before the honey flow starts.

### DO NOT USE APIVAR<sup>™</sup> STRIPS WHEN HONEY SUPERS ARE PRESENT.

If mite infestation reaches treatment thresholds in fall, remove surplus honey supers before using Apivar<sup>™</sup>.

### Withholding period for honey collection:

DO NOT USE WHEN HONEY SUPERS ARE PRESENT. Wait 14 days after removing strips before placing honey supers on hive.

### **Resistance-management:**

Any mite population may contain individuals naturally resistant to Apivar<sup>™</sup> and other similar miticides. The resistant individuals may dominate the mite population if this group of miticides is used repeatedly in the same location. Other resistance mechanisms that are not linked to site of action but are specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To delay miticide resistance:

- Where possible, rotate the use of Apivar<sup>™</sup> or other similar miticides with different groups that control the same pests.
- Miticide use should be based on an Integrated Pest Management (IPM) program that includes scouting, record keeping, and considers cultural, biological and other chemical control practices.
- Correctly identify the pest and ensure economic and agronomic thresholds are met before treatment.
- Monitor treated pest populations for resistance development.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact your local extension specialist.
- Do not leave strips in colonies for greater than the designated 56 day maximum.

#### **RESTRICTIONS:**

- For in-hive use only.
- Do not use Apivar<sup>™</sup> strips when honey supers are present.
- Maximum rate = 2 strips per brood chamber per application (*i.e.*, one strip per 5 Frames of Bees (FoB).
- Remove honey supers before application of Apivar<sup>™</sup>
- Remove Apivar<sup>™</sup> strips 14 days before placing honey supers.
- Strips must be removed after a maximum of 56 days.
- Do not re-use strips.
- Do not use Apivar<sup>™</sup> more than 2 times a year, *i.e.*, no more than once in Spring and once in Fall.

STORAGE AND DISPOSAL		
Do not contaminate water, food or feed by storage or disposal.		
PESTICIDE STORAGE:	Store in a cool, dry area, out of direct sunlight, and away from other pesticides that may contaminate the strips. To prevent contamination, store unused product in the original container and away from food or feed.	
PESTICIDE DISPOSAL:	To avoid waste, use all strips in this container by application according to label directions. Wrap used strips in newspaper and place in the trash.	
CONTAINER DISPOSAL:	Nonrefillable container. Do not reuse or refill this container. Dispose of in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances.	

**Warranty and Disclaimer:** This product is to be used only in accordance with the directions on the label. The user assumes the risk to persons or property that arises from any use of the product in a way that is inconsistent with the label.

NET CONTENTS: oz. (g.) Contains XX strips Expiration date: 24 months Batch number/Date of manufacture: See edge of pack

۰,