

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

FEB 1 0 2014

Robert Rosenwasser Compass Chemical International, LLC. 5544 Oakdale Road, S.E. Smyrna, Georgia 30082

Subject:

Addition of "Not for Use in California" qualifier to COMPASS THPS

EPA Reg. No. 87262-4

Notification Letter Dated January 14, 2014

This letter acknowledges receipt of the Notification identified above submitted under the provisions of section 3(c)(9) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended and PR Notice 98-10. This Notification requests:

• Adding the qualifier "Not for Use in California" to certain use sites

Based on a review of the submitted information, this notification is acceptable. This information has been made a part of your file. Please note that if you would like a stamped label, you must submit an amendment request.

Should you have any questions concerning this letter, please contact Elizabeth Watkins at (703) 347-0241.

Sincerely,

Marshall Swindell Product Manager (33)

Regulatory Management Branch 1 Antimicrobials Division (7510P)

Elizaleth Wathing for

2/4

SEPA	United States Environmental Protection Agenc Washington, DC 20460			Form Approve	Registration Amendment Other		O. Approval expires 2-28-9 OPP Identifier Number
		Application	n for Pestici	de - Section	I		<u> </u>
1. Company/Product Number 87262-4			EPA Product Manager Elizabeth Watkins			3. Proposed Classification None Restricted	
4. Company/Product (Name) COMPASS THPS			PM#				, nostricted
5. Name and Address of Applicant (Include ZIP Code) Compass Chemical International, LLC 5544 Oakdale Road Symrna, GA 30082 Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name				
			Section -				
Explanation: Use add "NOTIFICATION TO AD "This notice is consister or the Confidential State further understand that	plain below. ditional page(s) if necessar D "NOT FOR USE IN CALIF at with the provisions of PR N ement of Formula of this proc if this notification is not consi cement action and penalties	y. (For section FORNIA" NOTA Notice 98-10 and duct. I understatistent with the to	n I and Section II.) TIONS TO CERTA d EPA regulations a nd that it is a violatio erms of PR Notice 9	t 40 CFR 152.46, a on of 18 U.S.C. Sec 8-10 and 40 CFR	EL PER PR-NOT and no other cha	nges have y make ar	e been made to the labeling ny false statement to EPA. I
			Section - I	11			
1. Material This Produc	t Will Be Packaged In:			<u>, , , , , , , , , , , , , , , , , , , </u>			
		No. per container	Yes No lf "Yes" No. per		2. Type of C	of Container Metal Plastic Glass Paper Other (Specify)	
3. Location of Net Conto	ents Information	4. Size(s) Ret	ail Container	5. L	ocation of Labe	l Directio	ns
6. Manner in Which Lab		Lithog Paper Stenci	raph glued led	Other _			
· · · · · · · · · · · · · · · · · · ·			Section - I	V			
1. Contact Point (Comp	plete items directly below t	for identification	n of individual to b	e contacted, if ne	cessary, to pro	cess this	application.)
Name Robert Rosenwasser			Title Agent for Compass	de Telephone No. (Incuide A gent for Compass Chemical International, LLC			s Nn. (Incuide Area Code)
	statements I have made on at any knowlinglly false or able law.		all attachments th				6. Date Application Received (Stamped)
2. Signatur			3. Title Agent for Compass Chemical International, LLC				
Typed Name Robert Rosenwasser			5. Date January 14, 2014				



Compass Chemical International LLC

5544 Oakdale Road, SE Smyrna, GA Toll Free: 888.962.6896 Phone: 404.696.6711 Fax: 404.505.0671

January 14, 2014

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attn: Elizabeth Watkins, Risk Manager & Chemical Review Manager

RE: NOTIFICATION TO ADD "NOT FOR USE IN CALIFORNIA" NOTATIONS TO CERTAIN USES ON LABEL FOR COMPASS THPS, EPA REG. NO. 87262-4 PER PR-NOTICE 98-10.

Compass Chemical International, LLC, 5544 Oakdale Road, Smyrna, GA 30082 is filing this notification to **add "NOT FOR USE IN CALIFORNIA"** notations to certain uses on the label for Compass THPS, EPA Reg. No. 87262-4.

Specifically, these notations are being added to "Service Water and Auxiliary Systems" and "Heat Transfer Systems".

Please find enclosed:

- · Completed application form and;
- Six copies of the label (PDF's for 11"x 17" format).

"This notice is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

If there are any questions or if need additional information, please feel free to contact me at 215-715-6419 or email me at rrosenwasser@verizon.net.

Sincerely.

Robert Rosenwasser

Agent for Compass Chemical International, LLC.

ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN DANGER

d eye open and three slowly and gently with water for 15-20 minutes. A bobe contact lends, if present, affect the first 5 minutes, then continue thisting eye. A boben contact tenter or doctor for treatment advice.

Critis to begin control tentrol, in person, where the tent is immutes, then continue freshing eye.

Critis to begin control tenter or dictor for treatment advice.

The of to instrument decides.

The of to instrument decides.

Critis and control center for function treatment solvice.

Critis pulsan control center for function treatment solvice.

If in himber, all posters not to the stability of an ambulance, then give artificial respiration, preferrably mouth. To-mouth, if possible.

If was present to the stability of a stability for treatment solvice.

If was present or entries or active to the control remediately for treatment solvice.

If was present of a past of water of about immediately for treatment solvice.

There present ages or water of about immediately for treatment solvice.

There present ages or water of about the way the way.

On not take a workfling by mouth its an unconstitute person.

HOT IME NUMBER. The translater of their with you with realing a poinon control tenter or doctus, or going for treatment. For emergency from the real the National Perilides Information Center at 1-800-638-7378, 6:30 AM to 4:30 (fine [97], seven days a week, in verse of a syplicement service, call Chemise at 1-800-638-7300, 5:30 AM to 4:30 (fine [97], seven days a week, in

NOTE TO PHYSICIAN

Probable muscal damage may contraindrate the use of sastir lawage. Mantain adequate ventilation and congernation of the partient to specific antidote. Institutel of supposition should be directed at the control of symptoms and the clinical condition of the pattern.

HAZARO TO HUMAKSI AND DOMESTE, MAHANIS DAMGER: Combin. Cause streensible eye damage. May be fatal if swallowed. Karndul if tahabod. Humld if absorbed through sith. Don part for year, on sato are or shalling. Probuged of trequently responsed ship moral may take affectly terations in some individuals. Avoid threating expost or spay. When the boardered siths and passes or constails, grappes or face shield and chamical treatons gives when handling. Which thereoughly with scap and waits after handling and before easing, drawing, cheving gum, wing tobacco or take the tolest. Remove and wash contaminated disting before respe-PRECAUTIONARY STATEMENTS

Upen most work hand before eithe, drinklab, sheving gum or soing the toller. Users must remore eithing immediately ill percision get intende hear with knowingly and got of clear chairs must remove PPE framediately after handling his product. Note that the stranger of the handling his product. Note a bors the removing. As you as possible, west his transcriper of the handling his continued and host wash PPE separately from other transfer.

This product is not for this Do not actorage effloant containing this product into lakes, streams, points, astuaries, overus or other waters noted in accordance which the requirements of a histoan Political Robustee (anteniaries system (1969E) parties and the service authority fast deen notified in writing pinet to discharge. Do not discharge efficient containing this product to sear it system without previously notifying the treat rewage treatment plant authority. For guidance, contact your state Water Geard on Regional CITICs of the Egy.

DIRECTIONS FOR USE

If it a violation of Federal Law to use this product in a manner incompatens with its labeling. Not for use in paint.

or field and petrochemical operations

Couloss 1195, at effective in controlling solding reducing bacteria, general aerobic bacteria, including microgramhers share including microgramhers share including microgramhers share including and supporting systems such solding reservances such as discretion was supporting and supporting systems and potential and substantial such such as a service of the supporting systems and potential and supporting systems and potential controlling substantial supporting systems, and potential COMPIOS STEMS supporting systems, and potential COMPIOS STEMS substantial substantial supporting substantial supporting supporti

Where Roods (Nr-Toruss in -III-y-1)

Monthal Research of the Section of the Secti

EPA Est. No. 008576-GA-003 EPA Reg. No. 87262-4 OTHER INGREDIENTS:...

Hydrade Festuate (blot for use in California) COMPASS THIS showly be added to the frac water storage tanks or directly into the welt head injection pipeline as the water is being pumped down hole. Add 66-350 pens of COMPASS THIS, debending on the degree of basterial toulng in the source water.

COMPASS THIS should be added at a polic in the pipeline where uniform will potter. The application should be conducted to ensure maximum distribution of COMPASS This should, be entire internal surface of the pipeline by adding an amount of becase which eventually comes out the other ends of the openine. Caterial for success of the treatment will be reduction in batterial strong.

Sing Dosing, Follow instructions for waterflood treatment. Confinuous Dosing: CDMFASS TNFS can be dosed continuously at a level of 14-100 ppm

Drilling Much, Parker Fluids, Completion and Worksove Fluids COMPASS THIS should be added to three fluids at a point where imiliarin mining will occur, Add 33-1400 pcm of COMPASS THIS to a Iteship prepared fluid depending an severity of contamination.

Das Storago Wall and Systems (Not for Use in Cultions); inforbidal index with such as the same manner as destribed index wide such extensive with Company of the same manner as destribed wider (Water Spoods, index to the states with Company and the same manner as destribed wider (Water Spoods, indextal about a researce as needed to middless or another and with a same with a sufficient quantity of COMMASS FIPS to produce a concentration of \$3.33.33 and COMMASS FIPS when diluted by the water present in the displacitions should be reposted as needed to maintain contrai.

WAR Remediation Dynashbra (Not lor Use in California) incliditial profession of injection with may be buildeded with CORFASS THES to central baseries and simultaneously disonle into rather deposits. The CAMMASS THES will be pumped into the vest as a softens in writer constaining from 13.33 to 45% COMPASS THES (10%-20% THES). The well is that to for a period of time lets less is shows) then pubble thin preparation.

Medicaring Water used to hydroses pipelines or vesseb should contain 66.6-665.5 poin COMPASS THPS, depending on water quality and length of time the equiliment wat remain lide.

Pipeline Pigging and Astrabing Operation
Add COMPASS THYS to a stdg of water immediately following the scraper (ideally tits water volume can be kept to a nahimum and
contained between the scraper and a realing pigl. Sufficient COMPASS THYS should be added to produce a concentration of 70-700
spon THYS in the water at the distriage point or pig trap, depending on the length of the pipeline and the severity of the biologing.

MDUSTRUL AND/OR COMMERCIAL RECRECIJATIVO COCUNG WATER SYSTEMS (the control of bacteria, fungl and algua)
Males: for cooling wester systems of equal to or greater than 4000 galons, do not apply by open poundy of lacufe to cooling waster.
Systems; a newford group definerly system is required from the sor and apply to profine method.
Infuls/Stag loss edge 3,350 pene of COAPASS THIS for 2-6 hours based on total waster volume.
Repeat until control is obtained. Thereafter, and athler intermittently 5-1.40 pen on COAPASS THIS (16-105 ppm THIS) or
conflavourby 18.6-65.3 ppm of COAPASS THIS per day. Dirty systems must be cleaned pribr to treatment.

ROUSTALL PRESH WATEL STATEMS [bot for one in California] to not be in clear and superboard society that may romant food.

OMMAAS THIS is effective in controlling a gate and superboard society that may romant food.

OMMAAS THIS is effective in controlling a gate and superboard society that the controlling superboard society and superboard society superboard society superboard superboard society superboard superboard superboard superboard society superboard superboar

INDISTRAL WASTEWATER SYSTEMS (Wastewater Spriams, Wasinwater Rader and Westewater Holding Tanks) (Not for use m California)

Calenna) COMPASS THPS though be added to a wastewater system or Huge at a convenient point of uniform mining such as a digester. Add 333.33 (868.56) span of COMPASS THPS to wastewater or storge.

MACLOFOULNA CONTROX (Not for use in CATIONLA)
COMPASS (Hist, should the added continuously to maintain a level of 30 ppm active ingredient (1919s) in the system has a poince of at least 86 hour.
It least 86 hours.
Initial Done, When macrotouling is present to the system, apply 26.66 ppm of COMPASS THPS based on total water volume.
Continue to add COMPASS THPS as needed to maintain the 20 ppm active fugicelent (1918s) level for a period of at least 96 hours.

SERVCE WATER AND KUKULARY SYSTEMS (Hot for Use in Californie)

COMPASS THIS should be added to service water and acciding restems at the same application sates and in the same manner as described abover, it should be added to the system at a point of uniform minding such as a basin area, sump area, or other reserved or collecting area from which the treated water will be circulated uniform thoughout the system.

HEAT TRANSER SYSTEMS (Emporative Condenser, Dairy Sweamoter Spriams, Hydrotatic Statilizers and Ratoris, Resery and Other Festandaris, and Wurman) (Notice (see in California) and COMPASS THS at the state application state, and it the same manner as described above. It should be added to the system as a point of Judform mibible such as a basin area somp area, or other reservoir or collecting area from which the treated water will be

AIR WARRER SYSTEMS (for control of batter) and fruigh Host for use in California)
The product may be used only in all warker systems which have nice telimonating components. Fre-clear the system with detergent and skiew was in worth to an onfor their broun. Flash and other housing, telening as necessary.

Add 35-93. 5 ppm of COMPASS THPs at a point where uniform mixing and even distribution will occur.

Report is needed to maintain control.

PAPER AND PAPERGOARD MANUFALTIBING for control of battaris, frugt and algest
18 of the stass shimledge in the manufacture of paper and paperdosard products and softeners that do not contact food.
Doings, defouring should be made as a short on the system where mining action is good, e.g., taw shock chest beater or mibing unit.
Additionalizative or continuously depending an mill conditions.
Intermittent besing, Add 32,7,1333.3 ppm of COMPASS THPS based on road water volume or an equivalent based on dry weight of

International costs and activities and permanent continued and continued or an equivalent costs on any weight of poster produced.

The forthcome beings, and \$3.3.18.7 from of COMPASS 1975 based on total water volume or an equivalent based on dry weight of \$1.5 from of COMPASS 1975 based on total water volume or an equivalent based on dry weight of \$1.5 from the costs of the costs

EMULLION AND SOLUTION PRESENTATION WITH STATEMENT AND ADDRESS AND SOLUTION PRESENTATION OF THE THROUGH AND SOLUTION PROSECULAR AND ADDRESS AND SOLUTION OF SOLUTION OF SOLUTION AND SOLUTION OF SOLUTION OF SOLUTION AND SOLUTION OF SOLUT

COMPAST HER SETEMS
COMPAST HER SETMS
COMPAST HER SETEMS
COMPAST HER SETMS
COMPAST HER

STORAGE AND DISPOSAL

Streams now surverses.

To this continuate water, lood of test by storage or disposal.

STORAGES Store this product is a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of a spill, (lood the water streams while groundines at water.)

PESTICOTE DISPOSAL, Perford waters are stately haardoon, improper disposal of excess preciside, spray making, or rinsate is a violation of research taw. If these waster cannot be disposed of by use according to label featureling, contact your State Pesticide or Environmental Control Agency, or the haardook Weste inpresentable at the nearest EPA Regional Office for guidance.

CONTANTER HAMBLING AND DISPOSAL: Noureflabbe container, Do not rease or retill that container. Other for recycling or secondations, they lives or pressure has container to application the activation of application the secondation of the container and the state and the substances. The container of the state and the state an

Note. To the extent consistent with applicable law, seller maken ne warranty, expressed on implied, toncenning the use of this product other ban indexers on the label. To the extent consistent with applicable law, buyer assumes all list of use and/or handling is convisent to thost direction.

NET CONTENTS: 275 GAL

Compass Chemical International, LLC 5544 Oakdale Road Symma, GA 30082

Manufactured for: