		((
87276-33	09 03 20	°13	/ {	
UNITED STARTS DURING	U.S. ENVIRONMENTAL PROT AGENCY Office of Pesticide Program	87276-33	Date of Issuance: SEP - 3 2013	
ATTINAL PROTECTION	Registration Division (7505 1200 Pennsylvania Avenue, N	N.W. Uncondition	al	
	Washington, D.C. 20460 NOTICE OF PESTICIDE: <u>X</u> Registration		sticide Product: m-X UL 3-15	
(under the Federal Inse Fungicide, and Rodent amended)	icide Act, as			
Name and Address of Envincio LLC 2155 West Croft Circl Spartanburg, SC 29302			• • • • •	
Note: Changes in labe must be submitted to a In any correspondence On the basis of inform	ling differing in substance from tha nd accepted by the Registration Div on this product always refer to the ation furnished by the registrant, the under the Federal Insecticide, Fung	ision prior to use of the bove EPA registration above named pesticide	label: in commerce: number: is hereby	
Agency. In order to pr time suspend or cancel name in connection wi registrant a right to exe This action is taken un Rodenticide Act, as an	ay to be construed as an endorsement rotect health and the environment, the the registration of a pesticide in account the registration of a product under clusive use of the name or to its use der the authority of section $3(c)(5)$ of mended. Registration under this sect ides. EPA may require submission of	e Administrator, on his cordance with the Act. r this Act is not to be co if it has been covered by of the Federal Insecticid ion does not eliminate t	motion, may at any The acceptance of any onstrued as giving the y others. e, Fungicide, and he need for continual	
	Terms of Registr ered the product listed above provid lease the product for shipment:		ange is made to the	
a. Revise	e the EPA Registration Number to re	ad "EPA Registration N	Jumber 87276- 33".	
Signature of Approvir	ng Official:	Date:		
Refer to page #2.		SEP	- 3 2013	
Richard Gebken, Prod	uct Manager (10)			
	1			

Page 2

EPA Registration No. 87276-33

2. You must submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data, and submit acceptable responses required for registration review of your product under FIFRA.

3. Two copies of the finished labeling must be submitted prior to releasing the product for shipment. If you fail to comply with all of the **Terms of Registration** stated above, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e) and/or automatically expire. Your release for shipment of the product constitutes your acceptance of these conditions.

A copy of your label stamped "Accepted " is enclosed for your records. If you have any questions concerning this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

Sincerely yours, LAR.

Richard Gebken
 Product Manager (10)
 Insecticide Branch
 Registration Division (7505P)

Note to reviewer: Brackets [] denote optional language. The final label may include some or all of the optional text.

Prentox Perm-X UL 3-15

For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

For Use Outdoors as an Ultra-Low Volume (ULV) Application to Control Adult Mosquitoes in Residential and Recreational Areas. Also For Use Against Biting and Non-Biting Midges and Blackflies.

Prentox Perm-X UL 3-15 is an oil-based, ready-to-use formulation.

[For Aerial or Ground Application] [For the control of adult mosquitoes within or adjacent to listed growing crops and range grasses]

ACTIVE INGREDIENTS:

Permethrin (3-Phenoxyphenyl) methyl (+/-) cis.

OTHER INGREDIENTS*** 82.0% TOTAL 100/0%

Contains 0.222 pounds of Permethrin and 1.113 pounds of Piperonyl Butoxide [PBO] per gallon. *cis/trans ratio: Max. 40% (±) cis and min. 60% (±) trans **(butyl carbityl) (6-propylipiperonyl) ether and related compounds Under the Federal Insecticide,

***Contains petroleum distillate

KEEP OUT OF REACH OF CHILDRE	N
CAUTION	

FIRST AID					
IF SWALLOWED:	Immediately call a poison control center or doctor.				
	Do not induce vomiting unless told to by a poison control center or doctor.				
	Do not give any liquid to the person.				
	Do not give anything by mouth to an unconscious person.				
IF ON SKIN OR	Take off contaminated clothing.				
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.				
	Call a poison control center or doctor for treatment advice.				
IF INHALED:	Move person to fresh air.				
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration,				
	preferably mouth-to-mouth, if possible.				
	Call a poison control center or doctor for further treatment advice.				
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 				
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing				
	eye.				
	Call a poison control center or doctor for treatment advice.				
	HOT LINE NUMBER				
	ner or label with you when calling a poison control center or doctor, or going for treatment.				
	866-257-4118 for emergency medical treatment information.				
NOTE TO PHYSICIAN:	May pose an aspiration pneumonia hazard. Contains petroleum distillate.				

See label booklet for First Aid, Precautionary Statements and Directions or Use including Storage and **Disposal instructions.**

For Chemical Spill, Leak, Fire, or Exposure, Call: CHEMTREC 1-800-424-9300 For Medical Emergencies Only, Call: 866-257-4118

ΤED

- 3 2013

Fungicide, and Rodenticide Act, as amended, for the pesticide registered under

EPA Reg No. 8

Manufactured for: Envincio LLC 2155 West Croft Circle Spartanburg, SC 29302

Net Contents:

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist or vapor. Wear long sleeved shirt, long pants, shoes, socks, and chemical resistant gloves (barrier laminate, nitrile rubber, neoprene rubber, or viton, selection category E).

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are: barrier laminate, nitrile rubber, neoprene rubber or Viton. Mixers, loaders, applicators, and other handlers must wear long-sleeve shirt and long pants, shoes plus socks. In addition, all handlers except for applicators using motorized ground equipment, pilots, and flaggers, must wear chemical-resistant gloves. In addition, mixers/loaders, persons cleaning equipment, and other persons exposed to the concentrate must wear a chemical-resistant apron. See engineering controls for additional requirements.

<u>User Safety Requirements:</u> Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

Engineering Controls: Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)]. Human flagging is prohibited. Flagging to support aerial application is limited to use of the Global Positioning System (GPS) or mechanical flaggers.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and invertebrates. Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or wash waters

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes, or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- Not for use in metered release systems.
- Not for use in outdoor residential misting systems.
- Do not contaminate crop land (other than crops listed), or potable water supplies with spray drift.
- Do not make applications during rain.

USE INFORMATION

Prentox Perm-X UL 3-15 is approved for application as an ultra low volume (ULV) non-thermal aerosol (cold fog) to control adult mosquitoes in residential and recreational areas and other areas where these insects occur, such as but not limited to parks, campsites, woodlands, athletic fields, golf courses, residential areas and municipalities, gardens, playgrounds, and overgrown waste areas.

Prentox Perm-X UL 3-15 can be applied over specific growing crops and range grasses prior to harvest for the control of adult mosquitoes within or adjacent to these areas. Application can be made where the following crops are present:

Alfalfa	Corn, grain	Onion, bulb	
Almond	Corn, stover	Peach	
Apple	Corn, sweet, kernel + cob with husks removed	Pepper, bell	
Artichoke	Eggplant	Pistachio	
Asparagus	Fruit, pome, group 11	Potato	
Avocado	Garlic	Soybean, seed	
Broccoli	Range grasses	Spinach	
Brussels sprouts	Horseradish	Tomato	
Cabbage	Leaf petioles subgroup 4B	Vegetable, cucurbit, group 9*	
Cauliflower	Leafy greens subgroup 4A	Walnut	
Celery	Lettuce, head	Watercress	
Cherry	Mushroom		
Corn, forage			

*40 CFR 180.41 Crop Group 9: Cucurbit Vegetables, includes Crop Subgroup 9A (melon) and Crop Subgroup 9B (squash/cucumber)

In the treatment of corrals, feedlots, swine lots, poultry ranges and zoos cover any exposed drinking water, drinking fountains and animal feed before application.

For best results, treat when mosquitoes are most active and weather conditions are conducive to keeping the spray cloud close to the ground. An inversion of air temperatures and a light breeze is preferable. Application in calm air conditions is to be avoided. Apply only when wind speed is greater than 1 mph. Air temperatures should be greater than 50°F when conducting all types of applications.

Do not treat site with more than 0.007 lb. of permethrin and 0.035 lb. of [piperonyl butoxide][PBO] per acre in a 3day period. Retreatments within a 3-day period shall not exceed 0.007 total lb. permethrin or 0.035 total lb. [piperonyl butoxide][PBO] in any site. Do not exceed 25 applications at maximum labeled rate (0.005 lb. permethrin/0.025 lb. piperonyl butoxide [PBO] per acre) at any site in one year. When targeting *Aedes taeniorhyncus* and other difficult species, applications may be made up to 0.007 lb. permethrin and 0.035 lb. piperonyl butoxide [PBO] (4.0 fl. oz. Prentox Perm-X UL 3-15) per acre. Do not exceed 0.18 lb. of permethrin or 0.90 lb. piperonyl butoxide] [PBO] per acre per site per year. When rotating this product with other insecticides containing [piperonyl butoxide] [PBO], do not exceed 2 lbs. [piperonyl butoxide] [PBO] per acre per site per year. More frequent applications may be made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

SPRAY DROPLET SIZE DETERMINATION

Ground-Based Application: Spray equipment must be adjusted so that the volume median diameter (VMD) is less than 30 microns (Dv 0.5 < 30 um) and that 90% of the spray is contained in droplets smaller than 50 microns (Dv 0.9 < 50 um). Directions from the equipment manufacturer or vendor, pesticide registrant, or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Application made at or below 200 feet above ground elevation: Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns (Dv 0.5 < 60 um) and that 90% of the spray is contained in droplets smaller than 100 microns (Dv 0.9 < 100 um). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant, or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Application made at greater than 200 feet above ground elevation: Spray equipment must be adjusted so that the volume median diameter produced is less than 70 microns (Dv 0.5 < 70 um) and that 90% of the spray is contained in droplets smaller than 145 microns (Dv 0.9 < 145 um). The effects of flight speed, and for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant, or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

GROUND APPLICATION

Apply Prentox Perm-X UL 3-15 through standard ULV cold aerosol or non-thermal aerosol (Cold Fog) generators undiluted at a flow rate of 3.1 to 17.4 fluid ounces per minute at an average vehicle speed of 10 mph. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.00088 to 0.005 pounds of Permethrin and 0.0044 to 0.0264 pounds of Piperonyl Butoxide [PBO] per acre. An accurate flow meter must be used to ensure the proper flow rate.

Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or when populations are high.

Permethrin/PBO Pounds per acre	Application Rates FI. oz./Min.			Fl. oz. Prentox Perm-X	
	5 MPH	10 MPH	15 MPH	20 MPH	UL 3-15 per Acre
0.005/0.025	8.7	17.4	26.1	34.9	2.88
0.0025/0.0125	4.4	8.7	13.1	17.4	1.44
0.00088/0.0044	1.5	3.1	4.6	6.1	0.51

Failure to follow the above directions may result in reduced effectiveness.

AERIAL APPLICATION

Prentox Perm-X UL 3-15 may be applied undiluted at rates of 0.0025 to 0.005 pounds Permethrin (1.44 to 2.88 fl. oz. Prentox Perm-X UL 3-15) per acre by fixed wing or rotary aircraft equipped with suitable ULV application equipment. Do not apply by fixed wing aircraft at a height less than 100 feet, or by helicopter at a height less than 75 feet, unless specifically approved by the state or tribe based on public health needs. Aerial applications should only be made when recommended by public health officials and trained personnel of mosquito abatement districts and other mosquito control programs.

IN FLORIDA: Do not apply by aircraft unless approved by the Florida Department of Agriculture & Consumer Services.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: [Nonrefillable Container (5 gallons or less)] Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[Nonrefillable Container (greater than 5 gallons)] Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Direction for Use of this Product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Envincio LLC or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Envincio LLC and Seller harmless for any claims relating to such factors.

Envincio LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Envincio LLC, and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, ENVINCIO LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law Envincio LLC or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ENVINCIO LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ENVINCIO LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Envincio LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Envincio LLC.

[EPA approval date]