2910-3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

4/12/2011

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

APR 1 2 2011

Michael Kellogg, Agent Willowood, LLC c/o Pyxis Regulatory Consulting, Inc. 4110 136th Street, NW Gig Harbor, WA 98332

Subject: Notification per PR Notice 98-10 (add Arizona to supplemental label for aerial application in head lettuce) Willowood Pronamide 50 WSP EPA Reg. No. 87290-3 Application Dated February 18, 2011

Dear Mr. Kellogg:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product. The Registration Division (RD) has conducted a review of this request finds that the action falls within the scope of PRN 98-10. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Mindy Ondish at (703)605-0723 or at ondish.mindy@epa.gov.

Sincerely,

Kable Bo Davis Product Manager 25 Herbicide Branch Registration Division (7505P)

· · · · ·	Ċ		C	208
	united States United States tal Protection Agence shington, DC 20460	Form Approve	Registration Amendment Other	
	Application for Pe	sticide - Sectior	n I	
1. Company/Product Number 87290-3		. EPA Product Manager 3. Davis	3.	Proposed Classification
4. Company/Product (Name) Willowood, LLC / Willowood Pronamide 50 WSP	PI	M#- 25	·	
5. Name and Address of Applicant (Include ZIP Willowood, LLC c/o Pyxis Regulatory Consulting, Inc. 4110 136th St. NW Gig Harbor, WA 98332	(b to E	. Expedited Reveiw)(i), my product is since EPA Reg. No	nilar or identical in	ith FIFRA Section 3(c)(3) composition and labeling
Check if this is a new address		Product Name		
	Sectio	<u>()</u>		
Amendment - Explain below. Resubmission in response to Agency lett Notification - Explain below.	ter dated	Final printed lab Agency letter da "Me Too" Appli Other - Explain t	cation.	APR 1 2 2011
penalties under sections 12 and 14 of FIFRA.	Section	n - III		
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging	Water Sol	uble Packaging	2. Type of Contail	
Yes ✓ No * Certification must	No. per If "Yes"	S	Meta V Glass Pape	l ic a r
be submitted	gt. container Package w 1 lb.	vgt container 1 3	Othe	r (Specify)
Location of Net Contents Information	4. Size(s) Retail Container 3 x 1 lb.		ocation of Label Direct	
6. Manner in Which Label is Affixed to Product	Lithograph	Other		
	Paper glued			
	Section			
. Contact Point <i>(Complete items directly below</i> lame Michael Kellogg	Title	N TO DE CONTACTEO, IT NE	Toleph	one No. (Include Area Code)
I certify that the statements I have made		nts thereto are true, acc	creccional complete.	853-7369, 2 6. Date Application Received (Stamped)
both under applicable law.	or misleading statement may t			
	3. Title Agent	· · · · · · · · · · · · · · · · · · ·		

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

PYXIS ... EGULATORY CONSULTING,

4110 136th St. NW Gig Harbor, WA 98332

February 18, 2011

COURIER DELIVERY

Bo Davis (PM 25) Document Processing Desk (**NOTIF**) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202-4501

RE: Willowood, LLC – Willowood Pronamide 50 WSP (EPA Reg. No. 87290-3) Notification of Minor Label Revision per PRN 98-10 to Agency Approved Supplemental Label to Facilitate Registration in the State of Arizona

Dear Mr. Davis,

On behalf of Willowood, LLC please find the enclosed notification of a minor label revision to the Willowood Pronamide 50 WSP (EPA Reg. No. 87290-3) Agency approved supplemental label entitled "For Grass and Weed Control in Head Lettuce – Aerial Application (For Use in California). Arizona specific language is being added to facilitate registration in this state. The following statement has been revised on the label:

"For Use in Arizona and California."

In support of this notification, we submit the following documents:

- 1. Application for Registration (EPA Form 8570-1)
- 2. One (1) copy of the Willowood Pronamide 50 WSP supplemental labeling with changes tracked
- 3. One (1) copy of the Willowood Pronamide 50 WSP supplemental labeling with changes incorporated
- 4. Certification With Respect to Label Integrity
- 5. One (1) copy of the Willowood Pronamide 50 WSP supplemental label on CD
- 6. Letter of Authorization

Please feel free to call me if you have any questions or need any additional information.

Sincerely.



Michael Kellogg

Enclosures cc: B. Heinze; Willowood, LLC

RESTRICTED USE PESTICIDE

Because Pronamide has produced tumors in laboratory animals, this product is for retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

GROUP	3	HERBICIDE

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR WILLOWOOD PRONAMIDE 50 WSP BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for Willowood Pronamide 50 WSP and this supplement.

APR 1 2 2011

Willowood Pronamide 50 WSP

EPA Reg. No. 87290-3

For Grass and Weed Control in Head Lettuce – Aerial Application (For Use in Arizona and California)

KEEP OUT OF REACH OF CHILDREN

CAUTION

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Willowood Pronamide 50 WSP may be applied by aircraft for preemergence control of susceptible grasses and broadleaf weeds in head lettuce. Willowood Pronamide 50 WSP must be applied at the dosage rate of 2.0 to 4.0 pounds of product (1.0 to 2.0 pounds active ingredient) per treated acre depending on soil type (refer to comments under Dosage below). Mix the specified amount of Willowood Pronamide 50 WSP in 10 to 20 gallons of water per acre for aerial application. For aerial applications of Willowood Pronamide 50 WSP on head lettuce, consult the section below for Rotation Crop Planting Information for plantback information. Avoid drift to all other crops and non-target areas

Dosage

Willowood Pronamide 50 WSP may be applied at the rate of 2 to 4 lbs. of product (1 to 2 lbs/ active ingredient) per acre broadcast application. The dosage rate required is dependent on soil texture and method of irrigation. At rates specified on this label, Willowood Pronamide 50 WSP may not be applied for weed control on highly organic (peat and muck) soils.

Follow the dosage instructions listed in chart below:

Lbs. of Willowood Pronamide 50 WSP Per Broadcast Acre ¹				
	Dependable Rainfall	Less Dependable		

.

ιιιιι

Weeds	Or Overhead Irrigation	Rainfall or Furrow Irrigation	Soil Texture Group ²
susceptible annual gasses	2 - 3 (surface application)	3 – 4 (soil incorporation)	Coarse and medium Textured soils
broadleaf weeds	3 -4 (surface application)	4 (soil incorporation)	Fine textured soils

¹Reduce dosage rate accordingly for banded applications.

² Soil Texture Group

Coarse: sand, loamy sand, sandy loam Medium: loam, silt loam, silt, sandy clay loam Fine: silty clay loam, clay loam, sandy clay, silty clay, clay

Rotation Crop Planting Information

Follow the directions given below when rotation crops will be planted to areas previously treated with Willowood Pronamide 50 WSP:

Amount of Willowood Pronamide 50 WSP Applied per Planted Acre	Root and Tuber Vegetables	Leafy Vegetables (except Brassica Vegetables), Crop Group 4 (2)	Barley, Buckwheat, Field Corn, Millet, Oats, Popcorn, Rice, Rye, Sorghum (milo), Teosinte, Triticale, Wheat, and Wild Rice
1.0 lb	90	30	180
2.0 lb	90	30	180
3.0 lb	90	30	180
4.0 lb	90	30	180

Waiting Period in Days Before Planting the Crops Indicated (1):

- (1) There are no plant back restrictions for Willowood Pronamide 50 WSP when rotating to artichokes, grapes, berry fruits, pome fruits or stone fruits.
- (2) Crop Group 4 as defined under 40CFR 180.41.

Whether Willowood Pronamide 50 WSP is bed-topped, banded, or broadcast, the beds must be knocked down and the field cross-disced before rotation crops other than artichokes, head lettuce, endive, radicchio or escarole are planted.

Where the Willowood Pronamide 50 WSP treatment is to be followed by a rotation crop within 180 days of application, bed-topped or banded applications are suggested.

Read the "CONDITION OF SALE AND LIMITATION OF WARRANTY AND booklet for Willowood Pronamide 50 WSP before using.	LIABILITY"	in the label
Willowood, LLC 1600 NW Garden Valley Blvd. #130 Roseburg, OR 97471	((((() ((((((((((((((((((((, , (, , , , , , , , , , , , , ,
EPA 20101123 20110218		ί (, , , , , , , , , , , , , , , , , , ,