

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

April 3, 2013

Corvus Repellent Inc. P.O. Box 336277 Greeley, Colorado 80634

Attn: Scott Baker

Subject: Notification to add alternate brand name for Corvus MA Bird Repellent per PR

Notice 98-10.

Product Name: Corvus MA Bird Repellent.
Alternate Brand Name: R-Avex Bird Repellent.

EPA Reg. No: 87304-1.

Your Submission dated, February 20, 2013.

Dear Mr. Baker:

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under Pesticide Registration Notice (PRN) 98-10 dated above. A screen of this request has been conducted for its applicability under PRN 98-10, and it has been determined that the action requested falls within the scope of this Notice. Our records have been duly noted, and the label submitted with this application has been stamped "Notification Accepted" and will be placed accordingly in our records.

Three (3) copies of final printed labeling must be submitted to the Agency before your product as modified, may be sold or distributed [PR Notice 82-2 and 40 CFR 156.10(a) (6)].

If you have any questions regarding this action, you may contact Mr. Sylvester George at (703) 603-0688 or via e-mail at george.sylvester@epa.gov.

Sincerely,

Linda A. Hollis

Linda A. Hollis, Chief Biochemical Pesticide Branch Biopesticides and Pollution Prevention Division (7511P)

= 	instructions	on reverse	before co.	eting form.
0 FF			-	United State

OMB No. 2070-0060.

Registration
Amendment
Other

OPP Identifier Number

Environmental Protection Agency Washington, DC 20460					:	}	Amer Other		ent			
		Application	on for F	estici	de - Sect	ion						
1. Company/Product Number 87304-1					Product Mana w Bryceland	_			3. Pi	oposed C		ation Restricted
4. Company/Product (Name) CORVUS MA BIRD REPELLENT				PM#								
5. Name and Address of App Corvus Repellent Inc. P.O. Box 336277 Greeley, Colorado 80		ode)		(b)(i), m to: EPA F	edited Rev ny product i Reg. No ct Name	s simi	lar or id	entica	ał in co	mpositio	n and l	
			Sect	tion - I	1							
Amendment - Explain Resubmission in resp Notification - Explain Explanation: Use addition This is a notification to add the	onse to Agency letter below. al page(s) if necessar	ry. (For sectio			Final printed Agency lett "Me Too" A Other - Expl	er date opplica	d tion.	onse t	0			
This notification is consistent labeling or the confidential state EPA. I further understand the FIFRA and I may be subject to	atement of formula of ti at if this notification is r	his product. Tu not consistent w	nderstand t rith the term nder section	that it is a ns of PR N ns 12 and	violation of 18 lotice 98-10 a 14 of FIFRA.	U.S.C	. Sec. 10	01 to v	villfully	make any t	false sta	atement to
			Sect	ion - II	1							
1. Material This Product Will	T		T				r <u></u>			_ 		
Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per . container			No. per container		2. Type		Metal Plastic Glass Paper	د د د د د د د Spezify)		DPE
		A Cincle Bar	ail Ca-i-			<u> </u>	ation of	0000		c		
3. Location of Net Contents L	ntormation ontainer	4. Size(s) Ret	1qt, 1			5. LOC	'T		်ငင်္ကnta	e e		
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stenc	raph glued iled		✓ Other	Sel	f adhes	iv <u>e</u> ς c α	-(ه د		
			Secti	on - I\	/							
1. Contact Point Complete	items directly below i	for identificatio	n of individ	dual to be	contacted,	if nece	ssary, to	proc	ess this	application	n.)	
Name Scott Baker		Title Regulatory Agent		Те	Telephone No. (Include Area Code)							
I certify that the stater I acknowledge that an both under applicable I	y knowlinglly false or		all attachr					•		6. Date Recei		
2. Signature			3. Title Regulator	Fitle egulatory Agent								
4. Typed Name Scott Baker		5. Date	February 20, 2013									



Regulatory and Supply Chain Consulting

February 20, 2013

Office of Pesticide Programs (7504P-NOTIF)
U. S. Environmental Protection Agency
One Potomac Yard, 4th Floor, Room S-4900
2777 South Crystal Drive
Arlington, VA 22202

RE: CORVUS MA BIRD REPELLENT EPA Reg. No. 87304-1

Please find the following enclosed as a notification for an alternate brand name for the subject product. This is being submitted on behalf of the basic registrant Corvus Repellent Inc.

If there are any questions or concerns about this submission please feel free to contact me at 970-685-4846 or by e-mail at sbaker@lhpsonline.com

Sincerely,

Scott Baker

Regulatory Agent for Corvus Repellent Inc.

Master Label-Alternate Brand Name

FRONT PANEL

R-AVEX BIRD REPELLENT

For Use as a Bird Repellent

Sub-label A:

Commercial: For Use on Turf and Ornamentals around Commercial Buildings and Public Parks, Commercial Building Structures, and Non Fish Bearing Temporary Pools, Non Fish Bearing Ponds and Dams, Standing Water in Fields, Water Impoundments and Non Fish Bearing fountains Agricultural: For use on Berries, Cherries, Apricots, Peaches, Plums, Apples, Grapes, Pome and Stone Fruits, Cereal Grains, Sunflowers, Turf Farms and Outdoor Ornamental Nurseries

Sub-label B:

Residential: For Use on Turf and Ornamentals, Outdoor Residential Structures and Decorative Non fish Bearing Fountains, Temporary Pools,

For Use on Residentially Grown Berries Cherries, Apricots, Peaches, Plums, Apples, Grapes, Pome and Stone Fruits, and Sunflowers.

KEEP OUT OF REACH OF CHILDREN WARNING

First Aid		
If In Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing. Call a Poison Control Center or doctor for treatment advice.	
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.	
If On Skin	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.	
If Inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center for further treatment advice.	
	HOT LINE NUMBER	
For informati	on on this pesticide product (including health concerns, medical emergencies, or pesticide	

SEE REAR PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

incidents), call the 24-hour National Pesticide Telecommunications Network at 1-800-858-73789

Active IngredientBy WingredientMethyl Anthranilate26.4%Other ingredients73.6%Total100.0%

This product contains 2.29 lbs. of active ingredient per gallon.

This product has been formulated from food grade ingredients.

EPA EST. No. 87304-CO-662

Corvus Repellent Inc.
P.O. Box 336277
Greeley CO 80634

EPA REG. No. 87304-1

Net contents: 1 Quart (946mL) 32 fl. oz. [Residential size] 1 Gallon (3.78 liters) 128 fl. oz. [Residential size] or

2.5 Gallons (9.46 liters) 320 fl. oz. [Commercial and Agriculture Use Size]

110711-021913

970-356-5374

Sub-label A: Agricultural and Commercial Use

FRONT PANEL R-AVEX BIRD REPELLENT

For Use as a Bird Repellent

For use on Turf and Ornamentals around Commercial Buildings and Public Parks, Commercial Building Structures, Temporary Pools, Non fish Bearing Ponds and Dams, Standing Water in Fields, Water Impoundments at Commercial and Public Facilities and Airports.

For use on Commercially Grown Berries, Cherries, Apricots, Peaches, Plums, Apples, Grapes, Pome and Stone Fruits, Cereal Grains, Sunflowers, Turf Farms, Outdoor Ornamental Nurseries, Outdoor Structures and Decorative Non fish Bearing Fountains.

KEEP OUT OF REACH OF CHILDREN WARNING

	First Aid				
If In Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact				
·	lenses, if present, after the first 5 minutes then continue rinsing. Call a Poison Control				
	Center or doctor for treatment advice.				
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the				
	poison control center or doctor. Do not give anything by mouth to an unconscious person.				
If On Skin	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.				
If Inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center for further treatment advice.				
HOT LINE NUMBER					

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the 24-hour National Pesticide Telecommunications Network at 1-800-858-7378.

SEE REAR PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Active Ingredient

Methyl Anthranilate

Other ingredients

Total

Dy Wt. 26.66.6

26.4% 26.66.6

100.0% 26.66.6

100.0% 26.66.6

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.66

26.66.6

This product contains 2.29 lbs. of active ingredient per gallon.

This product has been formulated from food grade ingredients.

Corvus Repellent Inc. EPA
P.O. Box 336277 EPA
Greeley CO 80634

EPA EST. No. 87304-CC-062 EPA REG. No. 87304-1

Net contents 2.5 Gallons (9.46 liters) 320 fl. oz.

970-356-5374

REAR AND SIDE PANELS

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals WARNING

Causes skin irritation. Causes moderate eye injury. Do not get on skin or in eyes or on clothing. Wear appropriate protective gloves and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INSTRUCTIONS AND INFORMATION

Do not apply this product in any way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe consult the state or tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

The Re-Entry Interval (REI) for this product is 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is:

Protective eyewear such as goggles, face shield or safety glasses.

User Safety Recommendations

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others or pets to enter the treated area until sprays have dried.

This product is used to discourage birds from feeding on Berries, pome and stone fruits, cereal grains and sunflowers. It discourages birds from settling on turf and ornamentals, drinking and bathing in non-fish bearing bodies of water such as water impoundments and fountains and controls roosting in and on structures.

Preparation and Mixing Instructions. If the formulation is frozen or solidified, warm, in the sun or a water bath, to 40°F. Stir product thoroughly, add water and stir until all ingredients are evenly distributed.

Equipment

Mixing instructions

Agricultural Sprayer	Mix one part repellent with 99 parts of water to produce a 1% solution. Apply at a rate of 1 pint to 2.5 gallons of finished mixture (0.28 to 5.73 lbs. a.i.) per acre depending on vegetation density (i.e. due to increased surface area more product may be required).
Hand Sprayers.	Mix one part of repellent with 99 parts of water (1% solution). Use 16 ounces (1 pt.) to 2.5 gallons of finished mixture (0.28 to 5.73 lbs. a.i.)-per acre depending on vegetation density (i.e. due to increased surface area more product may be required).
Aerial Application.	Mix one part of repellent with 39 parts of water (1 pint per 5 gallons). Apply 5 gallons of tank mix/acre. (0.28 lbs. a.i.) unless a different rate is specified for crop type

Application Instructions –

<u>Timing</u>: Begin applications when crop begins to ripen or birds begin feeding. Reapply every 5 to 8 days if birds reappear. Harvest crop 5 to 8 days after last treatment or after all odor and taste of the product has dissipated.

For California Only - Mixer/handlers and air blast applicators must wear coveralls over normal work clothes and not prepare spray solutions using more than 50 gallons of repellent per day. Harvesters must wear gloves and long sleeved shirts. Berries: Apply at a rate of 0.5 to 1.0 gallon (1.15 to 2.29 lbs. a.i.) per acre. Table grapes: Apply at a rate of 0.5 to 1 gallon (1.15 to 2.29 lbs. a.i.) per acre.

For New York Only - Aerial application is prohibited. This product is not to be used on grapes within Suffolk County, NY]

Cereal Grains - [rice (including white and wild), corn, (including sweet corn & popcorn), millet, oats, and sorghum]. Begin application 30 days before harvest when crop begins to ripencer birds begin feeding.

Rice seed treatment - Spray seed with a 25% solution of repellent. Do not soak seed in the repellent. Apply to flooded fields. Do not apply to bare soil. Keep water in fields until seed is fully germinated.

<u>Sweet Corn</u> - Begin application 10 days before harvest when crop begins to ripen or birds begin feeding. Reapply at 5-day intervals until harvest.

<u>Sunflowers</u> - Follow Agricultural, or Hand Spray Application Instructions Above. [For California Only. Mixer/handlers and air blast applicators must wear coveralls over normal work clothes and not prepare spray solutions using more than 50 gallons of repellent concentrate-per day.

Harvesters must wear gloves and long sleeved shirts.] Replant 22 days after application.

<u>Pome Fruit [Apples]</u>. Follow Agricultural or Hand Spray Application Instructions Above [For California Only - Mixer/handlers and air blast applicators must wear coveralls over normal work clothes and not prepare spray solutions using more than 50 gallons of repellent product per day. Harvesters must wear gloves and long sleeved shirts.]

Non-fish bearing bodies of water, temporary pools associated with airports and decorative fountains. Add 1 to 2 parts of repellent product per 500 parts of water in the body of water 2 gal (4.58 lbs. a.i.)/65 cubic feet (500 gallons) of water]. Mix repellent with water before adding to pool. Reapply at 3 to 4 week intervals if necessary to maintain repellency. [New York only - This product may only be used on non-fish-bearing bodies of water and temporary pools of standing water on paved areas or construction sites at or near airports.]

<u>Turf.</u> Mix 1-2 gallons gallon of repellent product (2.29 lbs. ai.) per acre (0.105 lbs. ai./1000 square feet). See <u>Agricultural and hand sprayers</u> application instructions. Reapply product at intervals of 7 to 14 days, or after each mowing, if necessary to maintain repellency. Postpone irrigation for at least one hour after application. Feeding geese on or near areas where birds are to be excluded may reduce the effectiveness of this product.

<u>Ornamentals.</u> Mix 1 gallon of repellent product (2.29 lbs. ai.) with 40 gallons of water and apply to foliage in the morning or late afternoon. See <u>Agricultural and hand sprayers</u> application instructions. Allow to dry before watering.

Agricultural and Commercial Structures, Commercial buildings and complexes, Industrial buildings, building/construction sites and installations, statutes, fences. Mix 1 part repellent product with 1 part water and apply to structure with hand sprayer.

Animal feed facilities (barns): Remove all barn animals before application. Cover all feed before application. Mix 1 part repellent product with 1 part water and apply to structure with a quiet hand sprayer. Apply the repellent with a quiet power sprayer after the birds have roosted or nested after dark for three consecutive nights. May be applied to cloth and placed in rafters to repel birds from returning.

Swallows and woodpeckers: Apply to nests before eggs or young are present. Do not apply to eggs or breeding birds.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container apart from pesticides, fertilizers, food or feed that may cause cross-contamination from odor; and inaccessible to children. Avoid freezing or placing containers in direct sunlight. If frozen thaw and remix contents. Keep tightly closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of by exposing to direct sunlight until all odor is gone or the product has dissipated or at a waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable Container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions tor Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of CORVUS REPELLENT INC. or Seller, To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold CORVUS REPELLENT INC. and Seller harmless for any claims relating to such factors.

CORVUS REPELLENT INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or CORVUS REPELLENT INC., and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAWS CORVUS REPELLENT INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS. FOR. A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither CORVUS REPELLENT INC. no selfier shall be isable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CORVUS REPELLENT INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON EXECT OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CORVUS REPELLENT INC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

CORVUS REPELLENT INC. and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of Sale and Limitation of Warranty and Liability which may not be modified except by written agreement signed by a duly authorized representative of CORVUS REPELLENT INC.

Sub-label B: Residential Use

FRONT PANEL

R-AVEX BIRD REPELLENT

For Use as a Bird Repellent

Sub label B: Residential - For Use on Residentially Grown Turf and Ornamentals, Outdoor Residential Structures and Decorative Non fish Bearing Fountains, and Residential Non fish Bearing Temporary Pools.

For Use on Residentially Grown Berries, Cherries, Apricots, Peaches, Plums, Apples, Grapes, Pome and Stone Fruits, and Sunflowers.

KEEP OUT OF REACH OF CHILDREN WARNING

First Aid					
If In Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing. Call a Poison Control Center or doctor for treatment advice.				
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.				
If On Skin	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.				
If Inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center for further treatment advice.				
HOT LINE NUMBER					
	ion on this pesticide product (including health concerns, medical emergencies, or pesticide , call the 24-hour National Pesticide Telecommunications Network at 1-800-858-7378.				

SEE REAR PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Active IngredientBy Wt.Compared to the superior of the supe

This product contains 2.29 lbs. of active ingredient per gallent c.c. This product has been formulated from food grade ingredients.

Net contents: 1 Quart (946mL) 32 fl. oz. OR 1 U.S. Gallon (3.78 liters) 128 fl. oz.

REAR AND SIDE PANELS

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals WARNING

Causes skin irritation. Causes moderate eye injury. Do not get on skin or in eyes or on clothing. Wear appropriate protective gloves and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INSTRUCTIONS AND INFORMATION

Do not apply this product in any way that will contact other persons either directly or through drift. For any requirements specific to your state or tribe consult the state or tribal agency responsible for pesticide regulation.

User Safety Recommendations

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others or pets to enter the treated area until sprays have dried.

This product is used to discourage birds from feeding on Berries, pome and stone fruits, and surflowers. It discourages birds from settling on turf and ornamentals, drinking and bathing in non-fish bearing bodies of water such as fountains and controls roosting in and on structures.

Preparation and Mixing Instructions. Warm in the sun or a warm water bath, to 40°F, if the conformulation has frozen or solidified. Stir product until well mixed before adding to water.

Application Instructions -

<u>Hand Sprayers</u>. Mix one part of repellent product with 99 parts of water (1% solution). Use 1.3 oz to 7.7 oz in 1 to 6 gallons of water per 1000 sq. ft. Apply directly to plants.

<u>Timing</u>. Begin applications when fruit begins to ripen or birds begin feeding. Reapply every 5 to 8 days if birds reappear.

Stone Fruit [such as cherry, apricot¹, peach¹, plum¹] and Berries. Follow Application Instructions.

1 Not registered for use in California

Berries²: Apply at a rate of 1.3oz to 2.6 oz (0.026 to 0.052 lbs a.i) in 1 to 2 gallons of water per 1000 sq. ft. (0.5 to 1.0 gallon). Harvest Berries 5 to 8 days after last treatment or after all odor and taste of the product has dissipated.

² Blueberries only in California

<u>Grapes³</u>: Apply at a rate of 1.3 oz repellent product in 1 gallon of water per 1000 sq. ft. (0.5 gallons per acre). Harvest grapes 5 to 8 days after last treatment or after all odor and taste of the product has dissipated. This product is not to be used on grapes within Suffolk County, NY.

3 Table Grapes only in California

Sunflowers. Follow hand sprayer application instructions above.

<u>Pome Fruit [apples]</u>. Follow hand sprayer application instructions above.

Decorative Non fish Bearing Fountains, Temporary Pools⁴,

Add 1 to 2 parts of repellent product per 500 parts of water in the body of water (0.5 to 1 gal per 62.5 gallons of water or 1pt to 1qt per 15.625 gallons of water). Mix repellent product with water before adding to fountain or pool. Reapply at 3 to 4 week intervals to maintain repellency.

⁴ Not registered for use in California

For New York Only - This product may only be used on temporary pools of standing water on paved areas or construction sites at or near airports.

<u>Turf.</u> Apply 6 to 12 oz of repellent product in 0.5 to 1 gallon of water per 1000 square feet (1 to 2 gallons of repellent product per acre). Reapply product at intervals of 7 to 14 days, or after each mowing, if necessary to maintain repellency. Postpone irrigation for at least one hour after application.

Ornamentals. Mix 13 oz of repellent product with 4 gallons of water and apply to foliage in the morning or late afternoon. Allow to dry before watering.

Structures, Residential buildings and complexes, and construction sites. Mix 1 part repellent product with 1 part water and apply with hand sprayer. Swallows and woodpeckers: Apply to nests before eggs or young are present. Do not apply to eggs or nesting birds.

13/13

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container apart from pesticides, fertilizers, food or feed that may cause cross-contamination from odor; and inaccessible to children. Avoid freezing or placing containers in direct sunlight. If frozen thaw and remix contents. Keep tightly closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of by exposing to direct sunlight until all odor is gone or the product has dissipated or at a waste disposal facility.

CONTAINER HANDLING: Nonrefillable Container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions tor Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of CORVUS REPELLENT INC. or Seller, To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold CORVUS REPELLENT INC. and Seller harmless for any claims relating to such factors.

CORVUS REPELLENT INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or CORVUS REPELLENT INC., and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, CORVUS REPELLENT INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither CORVUS REPELLENT INC. nor Seller shall be leable for any incidental, consequential or special damages resulting from the use or handling of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer, and the exclusive liability of corvus repellent inc. And seller on breach of any and all claims, losses, injuries or damages (including claims based on breach of warranty, contract, negligence, tort, strict liability or otherwise) resulting from the use or handling of this product, shall be the return of the purchase price of the product or, at the election of corvus repellent inc or seller, the replacement of the product.

CORVUS REPELLENT INC. and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of Sale and Limitation of Warranty and Liability which may not be modified except by written agreement signed by a duly authorized representative of CORVUS REPELLENT INC.