510-1

71312013



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

#### July 3, 2013

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. Henry Dao, President and Chief Executive Officer HSP USA, LLC 3111 Route 38, Suite 11, No. 310 Mount Laurel, NJ 08054

SUBJECT:FQPA Code 332 Minor Label Changes<br/>PRODUCT NAMES: Hsp20 and SoRite™<br/>EPA REGISTRATION NUMBER: 87518-1<br/>APPLICATION DATE:<br/>May 2, 2013<br/>APPLICATION RECEIVED DATE:<br/>May 6, 2013

Dear Ms. Schaner:

This acknowledges receipt of your Notification application, submitted under the provisions of FIFRA section 3(c) 7(A).

#### Pesticide Application:

In response to the Agency's Letter, dated April 1, 2013, HSP USA, LLC is notifying the Agency of the removal of those references to Fogging for the registered Products, Hsp20 and SoRite.

#### On Page Six (SoRite):

Deleted the word, Fog, from "Spray/Fog Method;"

On Page Seven:

Deleted the word, Fog, from "Spray/Fog Method" in Porous Food Contact Surfaces subsection; Deleted the word "Fog, from "Spray Fog Method" in Nonporous Non-Food Contact Surfaces subsection;

<u>On Page Eight:</u>

Deleted the word, Fog, from "Spray/Fog Method" in Porous Non-Food Contact Surfaces subsection;

There is no longer any reference to fogging and/or misting on the "SoRite" Product Label.

#### On Page Three (Hsp20):

Deleted the word, fog, from "fog or course spray" phrase in Hard, Non-porous Surface Disinfection subsection.

There is no longer any reference to fogging and/or misting on the "Hsp20" Product Label.

General Comments:

Based on the review of the submitted material, the following comments apply. The Notification application is **Acceptable**. A copy of the **accepted** Notification is attached in **Regulatory File** Jacket 87518-1.

If you have questions or comments with regard to this Agency Letter, the please contact Killian Swift via email at <u>Swift.Killian@epa.gov</u> or by telephone at **703-308-6346**. When you are submitting information or data in response to this Agency Letter, please send a copy of this Agency Letter with your response in order to facilitate processing.

Sincerely yours,

Demson Fuller,

Acting EPA Product Manager 32 Regulatory Management Branch II Antimicrobials Division 7510P 13

Please read instructions of	n reverse before complet	<u>)(m.</u>		Form Approved,	( <u>No. 2070-</u>	0080 FUNCEOUD B
€EPA	United States			×	Registratio Amendmei Other	
	/	Application for	or Pestici	de - Section	J	····
1. Company/Product Number HSP USA LLC / 87518-1			Monisha Harris		3. Proposed Classification	
4. Company/Product (Name) HSP USA LLC / (Hsp2O)			PM# 32 X None Restricted			
5. Name and Address of Applicant <i>(Include ZIP Code)</i> 3111 Route 38, Suite 11, #310, Mount Laurel, NJ 08054			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No			
Check if t	his is a new address		Product Name			
		Ę	Section -	]]		
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.			[	Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.		
	tional page(s) if necessar			<b>.</b>		· · · · · · · · · · · · · · · · · · ·
1. Material This Product Child-Resistant Packaging	Unit Packaging		ection -		2. Type of Cor	
Certification must	Ves No If "Yes" Unit Packaging wgt,		Yes No "Yes" ackage wgt	No. per container	Metal Plastic Glass Paper Other (Specify)	
be submitted	oner accaying wgt.	Contanto	secays myt	I		
3. Location of Net Conter	nts Information Container	4. Size(s) Retail C	ontainer	5. La	Ocation of Label I On Label On Labeling	Directions accompanying product
6. Manner in Which Labe	l is Affixed to Product	Lithograph Paper gluer Stenciled	d	Other		
		S	iection -	IV.		
1. Contact Point (Compl	ete items directly below f	or identification of	individual to	be contacted, if neo	cessary, to proče	šī this appličation.)
Name Henry Dao		<b>Title</b> Pre	sident / CEC	)		2.5-437-0633
	atements I have made on any knowingly felse or n ble law.		ittachments t			6. Dete Application Recgived (Stamped)
2. Signature	m	3. Ti Pre	itle sident / CEO			
<b>4. Typed Name</b> Henry Dao		5. D Ma	ate ay 2, 2013			



Hygienic, Safe, Powerful.

Page 1 of 1

4/13

Date: May 02, 2013

U. S. Environmental Protection Agency Document Processing Desk (NOTIF) Attn: Antimicrobial Division Office of Pesticide Programs (7504P) 1200 Pennsylvania Avenue, N.W. Washington DC 20460-0001

Ladies and Gentlemen:

Subject: In response to Agency's Letter Dated 4/1/13 – removal of fog related references

EPA Reg. No.: 87518 HSP USA LLC 3111 Route 38, Suite 11, #310 Mount Laurel, NJ 08054

In response to Agency's letter (attached), HSP USA, LLC would like to notify the Agency the removal of those references to Fogging for registered products (Hsp<sub>2</sub>O) and SoRite.

Here are what is included in the notification package in response to Agency initiated changes:

- Cover letter
- Copy of Agency's letter dated on 4/1/13
- Form 8570-1 (Hsp<sub>2</sub>O)
  - Marked up (Hsp<sub>2</sub>O) label showing fogging related language stricken out
  - o Clean updated (Hsp<sub>2</sub>O) label
- Form 9570-1 SoRite
  - o Marked up SoRite label showing fogging related language stricken out
  - o Clean updated SoRite label

Sincerely,

Henry Dao President / CEO HSP USA LLC 3111 Route 28, Suite 11, #310 Mount Laurel, NJ 08054 Broad Spectrum and Multi-purpose Disinfectant

Kills drug resistant MRSA and VRE | Destroys fungus Eliminates odors and kills odor-causing bacteria

(Hsp<sub>2</sub>O)<sup>®</sup>

# **Formulated Water-Based Disinfectant**

# **Ready to Use**

Active Ingredient:	
Hypochlorous Acid	0.018%
Other Ingredients	
Total	100.000%

## KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements

Manufactured by: HSP USA, LLC 3111 Route 38, Suite 11, #310 Mount Laurel, NJ 08054

EPA Registration Number: EPA Establishment Number: 87518-1 87518-NJ-002 5/13

# OVERVIEW

#### Description:

(Hsp<sub>2</sub>O) is a disinfectant for use on hard non-porous inanimate surfaces. (Hsp<sub>2</sub>O) is a super-oxidized, pH-neutral water based solution. It is a broad-spectrum, ready-to-use product that is especially useful in hospital patient care areas, dental offices, households, institutions, commercial facilities including childcare facilities, health clubs, laboratories, veterinary and pet care facilities, food processing, agricultural facilities, transportation and hospitality facilities, industrial areas.

When used according to the direction for use, this product disinfects hard non-porous surfaces including: stainless steel, chrome, glass, vinyl, glazed porcelain, non-porous plastics, baked enamel and glazed tile in the above application areas.

### General Claims:

- Broad spectrum, pH neutral, water based disinfectant
- Alcohol and bleach free
- Kills germs
- Multi-purpose cleaner or disinfectant
- Multi-surface cleaner or disinfectant
- Non-corrosive or Non-staining of surfaces including stainless steel, chrome, glass, vinyl, glazed porcelain, non-porous plastics, baked enamel and glazed tile
- Non-flammable
- Kills drug resistant MRSA and VRE
- Contains non-VOC-emitting ingredients
- Destroys fungus
- Cleans, disinfects, deodorizes
- Colorless and odorless
- Durable and stable solution
- No special handling or disposal requirements
- No Personal Protective Equipment (PPE) required
- Effective under ambient conditions
- Easy and or convenient way to disinfect
- Ready to use hospital cleaner or disinfectant
- Instrument presoak disinfectant
- Bactericide or Bactericidal
- Fungicide or Fungicidal
- Disinfects and deodorizes by killing odor causing bacteria while chemically neutralizing their odor
- Eliminates or Reduces odor caused by bacteria
- Fight(s) and/or Kill (s) and / or Effective against (see pathogens list below)
- Kills a wide range of pathogens (see pathogens list below)
- This product meets EPA standards for hospital disinfection

### Microbiocidal Activity:

(Hsp<sub>2</sub>O) disinfectant solution kills the following germs:

### Pathogen

Staphylococcus aureus Pseudomonas aeruginosa Salmonella enterica Methicillin-resistant Staphylococcus aureus (MRSA) *E.coli* O157:H7 Vancomycin resistant Enterococcus faecalis (VRE) Acinetobacter baumannii Trichophyton mentagrophyte Contact Time 10 minutes 10 minutes

# DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

## **DISINFECTION APPLICATIONS**

(Hsp<sub>2</sub>O) is a disinfectant for use on hard non-porous inanimate surfaces. It is a broadspectrum, ready-to-use product that is especially useful in hospital patient care areas, dental offices, households, institutions, commercial facilities including childcare facilities, health clubs, laboratories, veterinary and pet care facilities, food processing, agricultural facilities, transportation and hospitality facilities, industrial areas.

When used according to the directions for use, this product disinfects hard non-porous surfaces including: stainless steel, chrome, glass, vinyl, glazed porcelain, non-porous plastics, baked enamel and glazed tile in the above application areas.

## Hard, Non-porous Indoor Surface Disinfection :

To [clean and] disinfect [and deodorize] Hard, Non-Porous Surfaces. For heavily soiled areas, a preliminary cleaning is required. Apply [wipe or dip] (Hsp<sub>2</sub>O) at 250ppm FAC-to hard, non-porous surface with a cloth, wipe, mop, sponge, or coarse spray. Treated surface must remain wet for 10 minutes. Allow surfaces to air dry. Food contact surfaces such as counters and tables must be rinsed with potable water. Do not use on utensils, glasses or dishes. Small non-porous objects can be soaked in (Hsp<sub>2</sub>O) without dilution. Allow objects to soak for 10 minutes.

### Other Claims:

- Disinfectant cleaner designed for general cleaning and disinfecting hard, non-perous surfaces at different sites (see sites and surfaces list below)
- Use where hazards of cross-contamination between treated surfaces is of primary importance at different sites (see sites and surfaces list below)

• Cleans and disinfects hard non-porous surfaces at different sites (see sites and surfaces list below)

For Use on Hard, Non-Porous Surface at the Following Sites (including but not limited to):

Healthcare:	Hospitality & Household		
<ul> <li>Hospitals including emergency rooms, critical and intense care units, neonatal units, isolation areas and quarantine rooms etc.</li> <li>Health clinics</li> <li>Doctor's offices</li> <li>Dental clinics and offices</li> <li>Ophthalmic and optometric facilities, and eye surgical centers</li> </ul>	<ul> <li>Hotels</li> <li>Motels</li> <li>Bed and Breakfasts</li> <li>Hostels</li> <li>Mobile homes</li> <li>Homes</li> <li>Condos</li> <li>Apartments</li> <li>Nursing homes</li> <li>Retirement homes</li> </ul>		
<ul> <li>Food Processing &amp; Service:</li> <li>Food processing facilities (food contact surfaces must be rinsed with potable water after treatment)</li> <li>Commercial and institutional kitchens, food service facilities (food contact surfaces must be rinsed with potable water after treatment)</li> <li>Restaurant and bars (food contact surfaces must be rinsed with potable water after treatment)</li> <li>Cafeterias, deli, fast food restaurants (food contact surfaces must be rinsed with potable water after treatment)</li> <li>Cafeterias, deli, fast food restaurants (food contact surfaces must be rinsed with potable water after treatment)</li> </ul>	<ul> <li>Commercial Facilities</li> <li>Supermarkets, convenience stores, and liquor stores (food contact surfaces must be rinsed with potable water after treatment)</li> <li>Office buildings</li> <li>Fitness centers, gymnasiums, and locker rooms</li> <li>Public recreational facilities – movie theatres, bowling alleys, indoor playgrounds, camp grounds, and clubs</li> <li>Barber shops, hair and nail salons, tanning salons, and spas</li> <li>Public restrooms, and dressing rooms</li> <li>Veterinarian clinics and offices, animal hospitals, animal housing and grooming facilities, pet shops, and zoos</li> </ul>		

Industrial Applications	Institutions & Government:			
<ul> <li>Pharmaceutical and medical device producing establishments</li> <li>Manufacturing facilities</li> <li>Industrial facilities</li> <li>Beverage and breweries (beer, wine, liquor production)</li> <li>Warehouses and distribution centers</li> <li>Paper manufacturing facilities</li> </ul>	<ul> <li>Schools (Pre-, elementary, grade, high)</li> <li>College and University</li> <li>Day care centers</li> <li>Government office buildings</li> <li>Prisons and correctional facilities</li> <li>Police stations</li> <li>Fire stations</li> <li>Barracks and other military accommodations</li> <li>Post offices</li> </ul>			
Dublic Trepoportation.	Customs and immigration facilities			
Public Transportation:         • Cruise ships         • Ships and boats         • Planes, trains, and buses         • Trucks and cars         • Taxis and limo         • Trailers and campers	Agriculture: • Live stock facilities • Live poultry facilities • Dairy farms • Arboretum • Green houses and gardens			

This product is not for outdoor residential consumer use.

For Use on Hard, Non-Porous Indoor Surface at the Following Sites (includes but not limited to):

<ul> <li>Appliances</li> <li>Anesthesia Machines</li> <li>Animal Cages</li> <li>Automobile interiors</li> <li>Bathroom fixtures</li> <li>Bathrubs</li> <li>Bed railings</li> <li>Bidets</li> <li>Cabinets</li> <li>Chairs (sealed wood and metal)</li> <li>Computers</li> <li>Counters</li> <li>Cribs</li> <li>Dental irrigation equipment surfaces</li> <li>Desks</li> <li>Diaper changing tables</li> <li>Door knobs</li> <li>Drinking fountains</li> </ul>	<ul> <li>Eyeglasses</li> <li>Fax machines</li> <li>Faucets</li> <li>Floors</li> <li>Garbage cans</li> <li>Gardening tools</li> <li>Glazed tile</li> <li>Gymnasium / fitness equipment</li> <li>Haircutter blades</li> <li>Hair dryers</li> <li>Hand rails</li> <li>Headsets</li> <li>High Chairs</li> <li>Keyboards</li> <li>Litter boxes</li> <li>Metal</li> <li>Manicure table</li> <li>Microwave oven exteriors</li> <li>Mail files</li> <li>Non-critical medical equipment and devices</li> </ul>	<ul> <li>Oxygen hood surface</li> <li>Physical therapy equipment</li> <li>Railings</li> <li>Razors</li> <li>Refrigerator exteriors</li> <li>Respiratory equipment</li> <li>Salon surfaces</li> <li>Saunas</li> <li>Scissors</li> <li>Seats</li> <li>Shampoo bowls</li> <li>Showers</li> <li>Sinks</li> <li>Stainless steel</li> <li>Steam rooms</li> <li>Stoves</li> <li>Stovetops</li> <li>Stretchers</li> <li>Surgical beds / tables</li> </ul>	<ul> <li>Tabletops</li> <li>Telephones</li> <li>Toilet exteriors</li> <li>Trashcans</li> <li>Tubs</li> <li>Tweezers</li> <li>Urinal exteriors</li> <li>Walls</li> <li>Workstations</li> </ul>
---	---	---	---

### **MEDICAL APPLICATIONS**

**For Pre-cleaning Instruments, Equipment and Surfaces Prior to Disinfection:** Apply (Hsp<sub>2</sub>O) directly to the surface. Allow to remain wet for 30 seconds. Wipe surface using a paper or cloth towel to dry. Discard towel.

For Disinfecting Non-critical Instruments and Equipment Surfaces: Thoroughly preclean surfaces prior to disinfection with (Hsp<sub>2</sub>O). Apply (Hsp<sub>2</sub>O) directly to pre-cleaned surfaces, thoroughly wetting area to be disinfected. Allow the surface to be wet for 10 minutes at room temperature (69°F / 20°C). Wipe surface using a paper or cleth towel to dry. Discard towel.

For Use As a Pre-cleaning Immersion Solution: Fill appropriate size container with a sufficient amount of  $(Hsp_2O)$  as to allow for complete submersion of instruments. Place instruments into  $(Hsp_2O)$  disinfectant solution, cover and allow to soak for 10 minutes at room temperature (69°F / 20°C). Remove and rinse the instruments. Follow with appropriate disinfection process by following directions for that product. When the solution becomes diluted or visibly soiled, change solution.

9/13

For Use As a Pre-cleaning Spray: Place instruments into suitable container. Spray (Hsp<sub>2</sub>O) disinfectant solution onto instruments so as to thoroughly wet all surfaces. Allow to remain wet for 30 seconds. Remove the instruments. Follow with appropriate cleaning and disinfection process by following directions for that product. When the solution becomes diluted or visibly soiled, change solution.

For Use As an Ultrasonic Cleaning Solution: Thoroughly pre-rinse instruments under  $(Hsp_2O)$  or running water to remove visible gross debris. Fill ultrasonic unit with  $(Hsp_2O)$  to a level which allows complete submersion of instrument. Immerse instruments into solution and activate ultrasonic unit for 10 minutes. Remove instruments. Follow with appropriate disinfection process by following directions for that product. When the solution becomes diluted or visibly soiled, change solution.

For Use As a Manual Cleaner: Thoroughly pre-rinse instruments under  $(Hsp_2O)$  or running water to remove visible gross debris. Fill container with  $(Hsp_2O)$  to a level which allows complete submersion of instrument. Immerse instruments into solution and scrub for 30 seconds. Allow the instruments to remain submerged for 10 minutes. Remove instruments. Follow with appropriate disinfection process by following directions for that product. When the solution becomes diluted or visibly soiled, change solution.

**For Disinfecting Non-critical, Pre-cleaned Medical Instruments:** Instruments must be thoroughly pre-cleaned to remove excess organic debris, rinsed and thoroughly dried. (Clean and rinse lumens of hollow instruments before filling with solution or before immersion.) Using either a soaking tray or an ultrasonic unit, immerse instruments into (Hsp<sub>2</sub>O) solution and scrub for 10 minutes. Remove instruments. Wipe surface using a paper or cloth towel to dry prior to use. Discard towel. The solution must be discarded after each use.

Note: Critical and semi-critical devices must be followed by an appropriate terminal sterilization / high level disinfection process.

The product is not to be used as a terminal sterilant / high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical devices prior to sterilization of high <code>kevel</code> disinfection.

### **VETERINARY / ANIMAL FACILITIES APPLICATIONS**

(Hsp<sub>2</sub>O) is a disinfectant that is especially useful in veterinary practices, arimal care, animal laboratory, zoos, and pet shops.

To clean and disinfect hard nonporous surface, remove all animals and feeds from premises. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with (Hsp<sub>2</sub>O) for a period of 10 minutes. Immerse handling and restraining equipment such as leashes, muzzles, halters,

or ropes. Allow equipment and housing to completely dry after use and before returning animals.

### AGRICULTURAL APPLICATIONS

For live stock or poultry facilities or dairy farms, remove all the animals and feeds from the premises, vehicles, coops, crates, and enclosures. Remove all the litter, manure and droppings from the floors, walls and surfaces of barns, pens chutes and other facilities occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances. Remove gross filth. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with (Hsp<sub>2</sub>O) for a period of 10 minutes. Immerse all halters, ropes and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Rinse with potable water before reuse.

For cut flowers or plants, dilute (Hsp<sub>2</sub>O) (250ppm FAC) with water by 1:10 ratio to spray on the flowers or plants, and put in the vase to mitigate and retard the growth of nonpublic health micro-organisms affecting the health and longevity of the flowers or plants. Repeat and change water if it gets murky.

### **OIL AND GAS APPLICATIONS**

**Frac Water**: For typical water treatment, mix 10 US gallons of (Hsp<sub>2</sub>O) (250ppm FAC) with 990 US gallons of frac water to 2.5ppm FAC to mitigate and retard the growth of non-public health micro-organisms such as anaerobic bacteria, aerobic bacteria and sulfate reducing bacteria to protect fracturing fluids, polymers and gels.

**Sour Wells**: For typical water treatment, slug dose 336 US gallons of (Hsp<sub>2</sub>O) (250ppm FAC) into the well bore on a daily or weekly basis to control unwanted non-public health microorganisms, reduce hydrogen sulfide gas and restore well integrity.

**Produced Waters**: For typical produced water treatment, mix 42 gallons of  $(Hsp_2O)$  (250ppm FAC) with 958 US gallons of produced water to 10.5ppm FAC to retard the growth of non-public health microorganisms.

Heater Treaters: Hydrocarbon Storage Facilities & Gas Storage Wells: For typical storage facility treatment, mix 252 gallons of (Hsp<sub>2</sub>O) (250ppm FAC) into the water phase of the mixed hydrocarbon / water system to retard the growth of non-public health microorganisms, control the formation of hydrogen sulfide and reduce corrosion of the storage tanks.

Water Flood Injection Water: For typical water flood injection water treatiment, mix-42 US gallons of (Hsp<sub>2</sub>O) (250ppm FAC) with 958 US gallons of injection water to 10.5pcm-FAC to retard the growth of non-public health microorganisms and -control slime in pipelines.

**Oil and Gas Transmission Lines**: For typical transmission line treatment, slug dose 840 gallons of (Hsp<sub>2</sub>O) (250ppm FAC) into the transmission line on a daily or weekly basis to control unwanted non-public health microorganisms, such as SRBs, reduce microbiologically influenced corrosion (MIC).

EPA 87518-1 (Hsp<sub>2</sub>O) Master Label

# PRECAUTIONARY STATEMENTS

### ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms.

[For containers  $\geq$  5 gallons] Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

## PHYSICAL OR CHEMICAL HAZARDS

Do not use this product with other household or industrial chemicals such as toilet bowl cleaners, rust removers, acids, or products containing ammonia. Prolonged contact with metal may cause pitting or discoloration.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store (Hsp<sub>2</sub>O) in its original sealed container at room temperature, away from direct sunlight and heat to avoid deterioration. If the product leaks or spills from the container, rinse the area with water and let it air dry.

**Pesticide Disposal:** If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program.

#### Container Disposal:


[For containers < 5 gallons] Non-refillable Container. Do not refill or reuse container. Triple rinse then offer for recycling or reconditioning. If not available; puncture and dispose in a sanitary landfill.

[For containers ≥ 5 gallons] Non-refillable Container. Do not refill or treuse container. Triple rinse as follows: Empty the remaining content into application equipment or a mix tank. Fill container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat the procedure two more times. Then offer for recycling or reconditioning. If not available, puncture and dispose in a sanitary landfill.

# **OPTIONAL TEXT**

# WARRANTY

HSP USA LLC warrants that this product conforms to the product specification on this label and is reasonable fit for the purposes set forth in the Directions of Use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE.









INSTITUTIONS & GOVERNMENT

FOOD PROCESSING & SERVICE



COMMERCIAL FACILITIES







[~~~]

INDUSTRIAL APPLICATIONS



13/13

EPA 87518-1 (Hsp<sub>2</sub>O) Master Label