

87538-1

07/16/2010

1/6



U.S. ENVIRONMENTAL PROTECTION  
AGENCY

Office of Pesticide Programs  
Antimicrobials Division (7510C)  
1200 Pennsylvania Avenue NW  
Washington, D.C. 20460

NOTICE OF PESTICIDE:

Registration  
 Reregistration

(under FIFRA, as amended)

EPA Reg.

Number:

87538-1

Date of Issuance:

JUL 16 2010

Term of Issuance:

Unconditional

Name of Pesticide Product:

MonoFoil

Name and Address of Registrant (include ZIP Code):

Coeus Technology, Inc  
2701 Enterprise Drive, Ste 230  
Anderson, IN 46013

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product (OPP Decision No. D-431232) is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.

2. Make the labeling changes listed below before you release the product for shipment:

a. Revise the "EPA Registration Symbol to read, "EPA Reg. No. 87538-1".

b. Revise the 21<sup>st</sup> - 37<sup>th</sup> bullets in the left column on page 4 by adding the phrase, "on treated surfaces" at the end of each statement.

Signature of Approving Official:

Velma Noble  
Product Manager Team-31  
Regulatory Management Branch  
Antimicrobials Division (7510P)

Date:


JUL 16 2010

3. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Should you have any questions regarding this letter, please contact Drusilla Copeland at (703) 308-6224.

Sincerely,



*for* Velma Noble  
Product Manager (31)  
Regulatory Management Branch  
Antimicrobials Division (7510P)

Enclosure: Stamped Label

CONCURRENCES

SYMBOL							
SURNAME							
DATE							



# MonoFoil™

MF-05

ACTIVE INGREDIENT: 3-(trihydroxysilyl) propyldimethyloctadecyl ammonium chloride...3.6%  
INERT INGREDIENTS:.....96.4%  
TOTAL:.....100%

KEEP OUT OF REACH OF CHILDREN

### CAUTION

#### FIRST AID

Have product container or label with you when calling Poison Control Center or doctor, or going for treatment.

If in eyes:	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after first 5 minutes, then continue rinsing. -Call a Poison Control Center or doctor for treatment advice.
-------------	--

87538-1

EPA Reg. No. ~~33999C~~

EPA Est. No.087250-IN-002

### PRODUCT FEATURES AND BENEFITS

MonoFoil™ Technology imparts durable biostatic activity to the surface of a wide variety of substrates.

MonoFoil™ Technology is effective against mold, mildew and algae as a static agent. Increased efficiency - through proper application, durable bacteriostatic, fungistatic and algistatic surfaces can be attained with a minimum amount of MonoFoil™ Antimicrobial. Provides freshness and combats deterioration and discoloration caused by odor causing bacteria, fungi and algae.

NET CONTENTS: 1, 16, 32 fluid oz.; 1, 5.55, 250, 275 gal

COEUS TECHNOLOGY, INC  
2701 ENTERPRISE DRIVE STE.230, ANDERSON, IN 46013 U.S.A  
1-765-203-2304 © 2009 COEUS TECHNOLOGY

The Coeus and MonoFoil logos are registered trademarks of Coeus Technology.

MADE IN U.S.A.

## INDUSTIAL USE PRODUCTS

### PRECAUTIONARY STATEMENTS

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS.

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge effluents containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. De-activation may be required during clean up if a spill occurs. De-activation of MonoFoil™ can be achieved by the addition of an anionic surfactant or detergent (such as soap, sulfones, or sulfates) in quantity equivalent to that of the active ingredient.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

**FOR INDUSTRIAL USE:** This product is registered for formulation into Antimicrobial Products or as a microbiostatic agent for material preservation.

-Antimicrobial product formulations containing MonoFoil MF-05 require approval by the US EPA for antimicrobial claims made. Formulators are responsible for satisfying registration requirements for their formulated products.

-This product is registered as a microbiostatic agent for material preservation; neither this product nor the articles treated with this product may state or imply any public health claims. Articles or substances treated with this product will be exempt from FIFRA regulation pursuant to 40 CFR 152.25(a) if the intended use for incorporating this material into a treated article or substance is for the protection of the article or substance itself.

**APPROVED USES: MonoFoil™ MF-05 may be applied to or incorporated into manufactured products listed below for use in industrial, institutional, commercial or residential locations for non-food contact uses.**

Plastics, fiberglass, metals, glass, wood, ceramics, stone, natural material, composites: Including air filters for furnaces, air conditioners, air purification devices, automobiles, and reticulating air handling systems; aquarium filter; automotive and vehicular parts; roofing materials (tiles, shakes, shingles, granules, stone, membranes, felt, underlayment and synthetic overcoats); building materials and components (including siding, wallboard, wood composites, insulation and non-food contact cabinetry); ceiling tiles; concrete products; dry concrete and grout mixes; non-food contact conveyor and humidifier belts; non-food contact countertops; fiberglass duct board for air handling systems; floor covering; flooring; general purpose (non-food contact) containers; furniture; bathroom and non-food contact kitchen hardware; mats; plumbing supplies and fixtures; sheet and formed glass, mops; vacuum cleaner bags and filters; foam for packaging and cushioning in non-food contact applications.

Fibers, fabrics (natural and synthetic, woven and non-woven), lea and household materials (natural and synthetic): Including buffer (abrasive and polishing); mattress cover pads, filling and ticking; covers; sheets; blankets; bedspreads; fiberfill for upholstery, app recreational gear, quilts and pillows; curtains; draperies; carpet a carpet underlay; rugs; upholstery; towels; shower curtains; toilet and seat covers; wall covering fabrics and wallpaper (including vi for non-food contact surfaces; umbrellas; fire hose fabric; non-wc disposable diapers; wiping cloths; pre-moistened towelettes and ti wipes (these do not impart pesticidal properties); apparel includi outerwear, sportswear, sleepwear, socks, hosiery, undergarment gloves and uniforms; footwear (boots, shoes and components); sj equipment and athletic gear; cloth for sails, ropes, tents and oth outdoor equipment; sand bags; tarps; awnings; book covers; pict

Miscellaneous Manufactured Products: Paints and Coatings; disposable foam cus for Lapidus Airfloat Systems; foam used as a growth medium for non-food crops and p MonoFoil MF-05 Antimicrobial provides residual self-sanitizing activity against athlete's fungus (Trichophyton mentagrophytes) on treated socks. Durable for up to 10 repeate washings; prevents 99.9% of the growth of athlete's foot fungus on the sock.

#### HOW TO USE:

**MSDS INFORMATION:** BEFORE HANDLING, READ PRODUCT AND MATERIA SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL ANI HEALTH HAZARD INFORMATION. THE MATERIAL SAFETY DATA SHEET CAN E OBTAINED BY WRITING TO COEUS TECHNOLOGY OR BY CALLING (765) 203-

Wear protective eyewear (goggles or face shield) and rubber gloves when this product. Dry treated areas and articles such as clothing before use. R children and pets from treated area until completely dry. Clean surfaces p application.

MonoFoil™ MF-05 Antimicrobial can be applied to organic and inorganic surfaces as a dilute aqueous solution to give 0.1 to 1.0 percent by weight c active ingredients. Aqueous solutions can be prepared by simply adding th antimicrobial to water with stirring. NOTICE: Poor agitation when adding silane to water can result in locally high concentration, which may form ge particles. Surfaces can be treated with the aqueous solution by brushing, d padding, soaking, spraying until adequately wet or applying by foaming techniques.

After applying treatment, the surface should be allowed to dry at tempera from ambient to a maximum of 160°C (320°F) to effect complete condens of silanol groups and to remove water, solvents and/or traces of methanol hydrolysis. Curing of polymer may be accelerated or enhanced with heat catalysis. For each application, determine optimum application and drying conditions, such as time and temperature before use. If desired, reapply MonoFoil™ MF-05 Antimicrobial if odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Incorporate MonoFoil™ MF-05 Antimicrobial directly into formulations u make end-use products, or dilute with water and then apply it to the orga inorganic surfaces to give 0.1 to 1.0 percent by weight of active ingredient.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JUL 16 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 87538-1

3/16

## COMMERCIAL USE PRODUCTS

### PRECAUTIONARY STATEMENTS

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS.

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge effluents containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. De-activation may be required during clean up if a spill occurs. De-activation of MonoFoil™ can be achieved by the addition of an anionic surfactant or detergent (such as soap, sulfones, or sulfates) in quantity equivalent to that of the active ingredient.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

**FOR COMMERCIAL APPLICATIONS (IN HOMES, OFFICES, AUTOMOBILES AND INSTITUTIONS):** This product is registered as a microbistatic agent for material preservation; neither this product nor the articles treated with this product may state or imply any public health claims. Articles or substances treated with this product will be exempt from FIFRA regulation pursuant to 40 CFR 152.25(a) if the intended use for incorporating this material into a treated article or substance is for the protection of the article or substance itself.

**APPROVED USES:** MonoFoil™ MF-05 Antimicrobial is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. It can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/ fungistatic (mold and mildew) activity.

- **Carpet, Draperies and Upholstery, Furniture, bedding and linens, shoes and apparel, Book Covers, and Pictures.**
- **Plastics, fiberglass, metals, glass, wood, ceramics, stone, natural material, composites;** Including air filters for furnaces, air conditioners, air purification devices, automobiles, and reticulating air handling systems; aquarium filter; automotive and vehicular parts; roofing materials (tiles, shakes, shingles, granules, stone, membranes, felt, underlayment and synthetic overcoats); building materials and components (including siding, wallboard, wood composites, insulation and non-food contact cabinetry); ceiling tiles; concrete products; dry concrete and grout mixes; non-food contact conveyor and humidifier belts; non-food contact countertops; concrete, chrome, stainless steel, fiberglass, vinyl, porcelain, fabric and paper wall covering; wood and glass fixtures, marble, aluminum, and non-food contact cabinetry.

#### HOW TO USE:

**MSDS INFORMATION:** BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE MATERIAL SAFETY DATA SHEET CAN BE OBTAINED BY WRITING TO COEUS TECHNOLOGY OR BY CALLING (765) 203-2304.

Wear protective eyewear (goggles or face shield) and rubber gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

MonoFoil™ MF-05 Antimicrobial can be applied to organic and inorganic surfaces as a dilute aqueous solution to give 0.1 to 1.0 percent by weight of active ingredients. Aqueous solutions can be prepared by simply adding the antimicrobial to water with stirring. NOTICE: Poor agitation when adding this silane to water can result in locally high concentration, which may form gel particles. Surfaces can be treated with the aqueous solution by brushing, dipping, padding, soaking, spraying until adequately wet or applying by foaming techniques.

After applying treatment, the surface should be allowed to dry at temperatures from ambient to a maximum of 160°C (320°F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. If necessary, reapply MonoFoil™ MF-05 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

For Commercial Spray Equipment and Pump Spray Application: Dilute 1 part of MonoFoil™ MF-05 Antimicrobial to three parts water. Apply (with pump sprayer, spray 4-6 inches from the surface) entire area making sure the surface is completely covered, then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and colorfastness of fabrics and carpets by treating and drying a small, concealed area prior to application. When treating coarser substrates, more MonoFoil™ MF-05 Antimicrobial may be required due to absorption.

For Dipping/Soaking Application: Use appropriate sized washbasin or tub for dipping/soaking the item you are treating. Use enough MonoFoil™ antimicrobial solution to completely submerge item. Dilute 1 part of MonoFoil™ MF-05 Antimicrobial to three parts of water; mix well. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking. The substrate can be dried at room temperatures or at temperatures to a maximum of 160°C (320°F).

For each application, determine optimum application and drying conditions, such as time and temperature, before use. If desired, reapply MonoFoil™ MF-05 if odor, staining and discoloration due to bacteria, mold or mildew occur.

## CONSUMER USE PRODUCTS

### PRECAUTIONARY STATEMENTS

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS.

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

Wear safety glasses and rubber gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

#### WASHABLE LINENS, DRAPERIES, FABRIC, BEDDING AND APPAREL:

**Dipping/ Soaking:** Use a wash tub or machine for soaking the items you are treating. Always treat only clean items and use only fresh rinse water.

**Wash Tub:** Use washbasin or tub big enough to completely soak the item you are treating. Add 1 ounce of MonoFoil™ MF-05 Antimicrobial to sufficient water to soak 4 lbs of fabric, 2 ounces for Bibs. Completely submerge items in solution for 3 minutes. Remove items and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping / soaking. The substrate can be dried at room temperature or in clothes dryer at the appropriate setting for the items.

**Washing Machine:** Clean items first. Then run only rinse cycle. Add 2 ounces of MonoFoil™ MF-05 Antimicrobial for small, 3 ounces for medium or 4 ounces for large load settings on the machine. Run the full rinse cycle to treat the fabrics, then allow to dry overnight or use a dryer under the appropriate heat setting for the fabrics being treated. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application.

**Spray:** Clean items prior to application. Dilute one part of MonoFoil™ MF-05 Antimicrobial to three parts water and mix or shake well. Using trigger pump sprayer or pressure sprayer, spray entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or dry under the appropriate heat setting for the fabrics being treated. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

#### CARPET AND UPHOLSTREY / FURNITURE:

**Spray:** Always apply only to clean surfaces. Dilute one part of MonoFoil™ MF-05 Antimicrobial to three parts of water and mix or shake well. Apply to carpet and furniture using a trigger pump sprayer or pressure sprayer, spray entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or dry under the appropriate heat setting for the fabrics being treated. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply every three months or when odor, staining, and discoloration due to bacteria, mold stains, or mildew stains return.

#### FOR BATHROOM AND NON-FOOD CONTACT BUILDING SURFACES

(including tubs and showers, tiles, vanity tops, shower curtains, grout, sinks, washable walls, wall paper, floors, window sills, concrete or stone surfaces and garbage cans).

**Spray:** Clean items prior to application. Dilute one part of MonoFoil™ MF-05 Antimicrobial to three parts water and mix or shake well. Using trigger pump sprayer or pressure sprayer, spray entire surface area 4"-6" from the surface making sure the surface is completely covered. Allow to dry thoroughly before use. If spotting occurs, wipe with moist cloth or sponge.

#### GROUT AND CEMENT MIX ADDITIVE:

For use as a grout or cement additive, add MonoFoil™ MF-05 Antimicrobial directly to the dry mix during the grout or cement preparation. Use 25 fluid ounces of MonoFoil™ MF-05 per 5 pounds of dry grout mixture. Follow directions for grout or cement, using MonoFoil™ MF-05 Antimicrobial as part of the added water. Addition of MonoFoil™ MF-05 inhibits the

growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae on the surface of the cured grout.

#### FILTERS AND FILTER MATERIAL (Aquarium filters, vacuum cleaner filters and air):

Clean items prior to application. Dilute one part of MonoFoil™ MF-05 Antimicrobial to three parts water and mix or shake well. Using trigger pump sprayer or pressure sprayer, spray entire surface area 4"-6" from the surface making sure the surface is completely covered. Allow to dry thoroughly before use.

OPTIONAL MARKETING LANGUAGE

MonoFoil™ MF-05 is a fast, easy, and affordable solution for treating surfaces against staining and discoloration caused by mold and mildew. It helps in the fight to clean and prevent mold and mildew on treated surface inside and outside your home.

- For use in Bathrooms
- For use in Non-Food Contact Kitchen Surfaces
- For use on Linens
- For use on Draperies
- For use on Fabrics
- For use on Apparel
- For use on Carpets
- For use on Bedding
- For use on Upholstery / Furniture
- For use on Roofs
- For use on Air Filter materials
- Imparts microbiostatic properties
- Water-Based & Odor Free
- Prevents Mold and Mildew Stains and Odors on Treated Surfaces
- Creates an invisible barrier that inhibits the growth of mold and mildew on Treated Surfaces
- Creates an invisible barrier that inhibits the growth of odor-causing bacteria on Treated Surfaces
- Protects indoors and out!
- Spray on installed glazed tiles and wall paper, tubs, shower curtains, shower stalls, sinks, window sills, cabinets, garbage cans, appliances, and vanity tops weekly to replenish barrier.
- Use on clothing, bedding, upholstery, and drapes.
- Great for roofs. Re-apply every 3 months, if needed.
- Inhibits deterioration caused by bacteria
- Resists development of microbial odors.
- Resists development of stains and discoloration due to bacteria.
- Resists development of stains due to fungi (mold and mildew) which cause staining and discoloration.
- Resists stains due to algae.
- Resists development of microbial odors due to bacteria and fungi (mold and mildew), bacteria and fungi (mold and mildew) which cause staining and discoloration and algae.
- Inhibits the growth of odor causing bacteria between cleanings.
- Inhibits the growth of bacteria which cause staining and discoloration between cleanings.
- Inhibits the growth of fungi (mold and mildew) which cause staining and discoloration between cleanings.
- Inhibits the growth of algae between cleanings.
- Inhibits the growth of odor causing bacteria and fungi (mold and mildew), bacteria and fungi (mold and mildew) which cause staining and discoloration and algae between cleanings.
- mold, mildew, odor protector and inhibitor.
- MonoFoil™ MF-05 is an antimicrobial agent effective against odor causing bacteria.
- MonoFoil™ MF-05 is an antimicrobial agent effective against bacteria which cause staining and discoloration.
- MonoFoil™ MF-05 is an antimicrobial agent effective against fungi (mold and mildew) which cause staining and discoloration.
- MonoFoil™ MF-05 is an antimicrobial agent effective against algae.
- MonoFoil™ MF-05 is an antimicrobial agent controls the source of odors on surfaces in the home, in the bathroom, in the kitchen.
- Bacteriostatic, fungistatic (mold and mildew), algastatic.
- Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home.

-Effective on modern hard non-porous washable surfaces like fiberglass, glazed porcelain, stainless steel, synthetic marble, Formica®.

**STORAGE AND DISPOSAL:**

Do not contaminate water, food, or feed by storage and disposal.

**For household / residential use packages:**

Use by: \_\_\_\_\_

**Storage and Disposal:** Store in original, tightly closed container in an area inaccessible to children or persons unfamiliar with its use. Keep tightly closed until ready to use. Reclose tightly after each use. When stored in original, unopened containers at or below 25°C (77°F). Non-refillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

**For Industrial and commercial use packages:**

**Small packages: (1 gal or less)**

**Storage:** Store in original, tightly closed container in an area inaccessible to children or persons unfamiliar with its use and away from food or feed. Keep tightly closed until ready to use. Reclose tightly after each use. When stored in original, unopened containers at or below 25°C (77°F), MonoFoil MF-05 has a minimum shelf life of 12 months from date of shipment.

**Pesticide Disposal:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**Container Handling:** Non-refillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**Pails, Drums and Intermediate Bulk Containers (IBCs):**

**Storage:** Store in original, tightly closed container in an area inaccessible to children or persons unfamiliar with its use and away from food or feed. Keep tightly closed until ready to use. Reclose tightly after each use. When stored in original, unopened containers at or below 25°C (77°F), MonoFoil MF-05 has a minimum shelf life of 12 months from date of shipment.

**Pesticide Disposal:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**Container Handling:** REFILLABLE CONTAINER. Refill this container with 3-(trihydroxysilyl) propyldimethyl octadecyl ammonium chloride only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for

recycling, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**NOTICE:** Coeus Technology warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in the label when used in accordance with directions under normal conditions of use; this warranty of fitness for a particular purpose does not extend to the use of this product contrary to written instructions, or under abnormal conditions under conditions not reasonably foreseeable to seller, and buyer assumes risk of any such use. **COEUS TECHNOLOGY SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY INCLUDING THE WARRANTY OF MERCHANTABILITY.**