

87583-2

9/7/2010

1/16

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Antimicrobials Division (7510P)  
1200 Pennsylvania Avenue NW  
Washington, D.C. 20460

EPA Reg. Number: 87583-2  
Date of Issuance: SEP - 7 2010

Term of Issuance: Conditional

Name of Pesticide Product: Bio-Protect AM 500

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):  
PureShield Inc.  
1445 Jupiter Park, Suite 1,  
Jupiter, Fl. 33458

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(a) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
2. Make the labeling change listed below before you release the product for shipment:
  - (a) Revise the EPA Registration Number to read, "EPA Reg. No. 87583-2"

Signature of Approving Official:  
*Tracy Terrell for*  
Velma Noble  
Product Manager Team-31  
Regulatory Management Branch I  
Antimicrobials Division (7510P)

Date: SEP - 7 2010

EPA Form 8570-6

CONCURRENCES

SYMBOL	SURNAME	DATE					

- (b) Your label does not agree with the cited label. Please delete bullets number 8 and 9 on page 5 which reads:

“Concrete additive for sewer pipes, manhole and concrete sewer structures not to be used in treatment of storm drains”.

“Concrete additive for repair and renewal of sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains.

- (c) Your label does not agree with the cited label. Please delete bullet number 6 on page 6 which reads:

“Am500 can be used in paints and coating as an in can preservative for protection of paint film and coating film. Types of paints and coating include: latex indoor/outdoor paints and stains, wood stains, architectural paint, lacquer and maintenance coatings, films, laminates and finishes including alkyd, urethane, enamel, epoxy, siloxaline, amino resins, textile coating, architectural coating overlays, anti-corrosion coating, fire-resistant coating aliphatic coatings, vinylester and polyester coatings, gel coating, amino resins, resins used as additive mixes for cement, epoxy laminating resin, blends and copolymers thereof”.

- (d) Your label does not agree with the cited label. Please delete bullet number 11 on page 6 which reads:

Premoistened towelettes and tissue wipes (these do not impact pesticidedial properties)  
Roofing material-defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats.

- (e) Your label does not agree with the cited label. Please delete bullet number 8 on page 6 which reads:

Non-woven disposable diapers.

- (f) Please revise the storage and disposal language on page 13 to read as following:


“Container Handling: (containers intended for residential users)  
Nonrefillable\container. Do not reuse or refill this container. Securely wrap original container in several layers of newspaper and discard in trash or offer for recycling if available.”

“Container Handling: (containers intended for nonresidential users, larger than 5 gallons) “Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Dispose of rinsate as pesticide waste. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.”

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Submit one (1) copy of your final printed labeling prior to release of this product for shipment. If you have any questions concerning this letter, please contact Velma Nobel at (703) 308-308-6233.

Sincerely,




for

Velma Noble  
Product Manager 31  
Regulatory Branch I  
Antimicrobials Division (7510P)

Enclosures: Stamped Label

u  
16



ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

SEP -7 2010

under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 87583-2

**MICROBIOSTATIC AGENT \***  
A Silicone Quaternary Ammonium Salt

**Active Ingredient: 3-(trimethoxysilyl) propyldimethyloctadecyl ammonium chloride.....5.0%**  
**Other Ingredients: .....95.0%**  
**TOTAL INGREDIENTS: ..... 100.0%**

**KEEP OUT OF REACH OF CHILDREN**  
**WARNING**

EPA Reg. No. 87583-

EPA EST. XXXXX-XX-XXXX

NET CONTENTS: 2, 4, 8, 16, 20, 22, or 36 fluid oz.; 1, 5, 55, 150, or 300 gal.

<b>FIRST AID</b>	
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>• Call poison control center or doctor for treatment advice.</li> </ul>
<b>IF INHALED:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>IF ON SKIN:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>

\*A microbiostatic agent is an agent that inhibits the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.  
This product does not protect users or others against food-borne or disease-causing bacteria.

PURESHIELD INC , 1445 Jupiter Park Drive # 11, Jupiter, Florida 33458

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING:** Causes substantial but temporary eye injury. Harmful if absorbed through skin or inhaled. Do not get in eyes. Avoid contact with skin and avoid breathing vapor. Wear protective eyewear (goggles or face shield). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARDS**

**Commercial and industrial uses:** This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge

Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a spill occurs. De-activation of AM500 can be achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfates) in quantity equivalent to that of AM500.

**Homeowner use:** This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

**DIRECTIONS FOR USE**

**Approved commercial and Industrial Applications**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.

Prepare solution by simply adding AM500 to solvent and stirring. AM500 can also be diluted by adding 0.2 to 2 fluid ounces of AM500 per cup (3.2 to 32 fluid ounces of AM500 per gallon) of water or other solvents (for example, alcohol and ketones) and then applied to organic or inorganic substrates by brushing, dipping, padding, soaking, spraying, fogging or by using foam finishing techniques to give a final treatment of 0.1 to 1.0 percent by weight active ingredient.

Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply AM500 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

AM500 when used as a concrete additive is added directly concrete preparation. Use 6 fluid ounces AM500 per cubic feet of concrete. Add to water before addition of concrete. Addition of AM500 reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

AM500 when used as an additive for paints and coatings is added directly during preparation of the paint or coating. Use 5 pounds of AM500 per 100 pounds of paint or coating (or 1 pound AM500 per 20 pounds paint/coating). The addition of the antimicrobial agent (AM500) to paints at the point of manufacture preserves the paint in the can as well as the dried paint film. AM500 inhibits the growth of odor causing bacteria, bacteria which causes staining and discoloration, fungi (mold and mildew), and algae on the surface of dried films and coatings.

**Approved commercial and industrial applications**

The active ingredient in AM500 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. AM500 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Cellulose sponges
- Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains
- Concrete additive for repair and renewal of sewer pipes and manholes and concrete sewers structures; not to be used in treatment of storm drains
- Exterior walls (such as stone, concrete, brick)
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- AM500 can be used in paints and coatings as an in-can preservative for protection of paint film and coating film. Types of paints and coatings include: latex indoor/outdoor paints and stains, woodstains, architectural paints, lacquer and maintenance coatings,

- films, laminates and finishes including alkyd, urethane, enamel, epoxy, siloxaline, amino resins, textile coatings, extrusion, coatings, architectural coatings and overlays, anti-corrosion coatings, fire-resistant coatings, aliphatic coatings, vinylester and polyester coatings, gel coating, amino resins, resins used as additive mixes for cement, epoxy laminating resins, and blends and copolymers thereof;
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wood/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet Tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethyiene, polyolefins, polyptopylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Woman’s hosiery
- Woman’s intimate apparel

**DIRECTIONS FOR USE**

**Approved commercial appliances used in homes, offices, automobiles and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles and face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

**For Pump Spray Application:** Dilute 8 ounces of AM500 per gallon of water (2 oz. per quart; 1oz. per pint). Using pump sprayer, spray entire area 4”-6”s from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe

dry with cloth of sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. AM500 treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more AM500 may be required due to absorption. A fan may be used to assist in drying carpet.

**For Commercial Spray Application:** For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaners, and pressure sprayers) dilute 8 ounces of AM500 per gallon of water (2oz. per quart; 1oz. per pint); mix well. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. . AM500 treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more AM500 may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpet.

**For Dipping/Soaking Application:** Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough AM500 solution to completely submerge item. Dilute 8 ounces of AM500 per gallon of water (2oz. per quart; 1oz. per pint); mix well. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperature or at temperatures to a maximum of 160°C (320°F), for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply AM500 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

**Approved commercial applications in homes, offices, automobiles, and institutions e.g., schools, hospitals, day care centers, banks, churches, correctional facilities**

The active ingredient in AM500 is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. AM500 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Cellulose sponges
- ~~Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains~~
- ~~Concrete additive for repair and renewal of sewer pipes and manholes and concrete sewers structures; not to be used in treatment of storm drains~~



- Exterior walls (such as stone, concrete, brick)
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- ~~Non-woven disposable diapers~~
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- AM500 can be used in paints and coatings as an in can preservative for protection of paint film and coating film. Types of paints and coatings include: latex indoor/outdoor paints and stains, woodstains, architectural paints, lacquer and maintenance coatings, films, laminates and finishes including alkyd, urethane, enamel, epoxy, siloxane, amino resins, textile coatings, extrusion, coatings, architectural coatings and overlays, anti-corrosion coatings, fire-resistant coatings, aliphatic coatings, vinyl ester and polyester coatings, gel coating, amino resins, resins used as additive mixes for cement, epoxy laminating resins, and blends and copolymers thereof;
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- ~~Roofing materials - defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats~~
- Sand bags, tents, tarpaulins, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet Tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Women's hosiery

- Women's intimate apparel

**DIRECTIONS FOR USE**



**For homeowner applications**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

**Approved homeowner uses**

The active ingredient in AM500 is effective against odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae as a static agent. AM500 can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity.



	<b>Pest controlled</b>	<b>Dilution Rate</b>	<b>Method of Application</b>
Bedsheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos). AM500 can be applied to fabrics made of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon,	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	8 oz / gallon 2 oz / quart 1 oz / pint	<b>DIP/SOAK:</b> Dilute AM500 in water; mix well. Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough AM500 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid from treated item. For larger items (e.g. bedspreads, curtains, draperies), place in washing machine on spin cycle to aid in the removal of excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). If necessary, reapply AM500 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

<p>orlon, polyester, polyethylene, polyolefins, polypropylene, rayon, silk, spandex, vinyl, and wool.</p>			<p><b>SPRAY:</b> Dilute AM500 in water; mix well. Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply AM500 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	<p><b>Pest controlled</b></p>	<p><b>Dilution Rate</b></p>	<p><b>Method of Application</b></p>
<p>Air filters and air filter material for:</p> <ul style="list-style-type: none"> <li>• Furnaces, air conditioners</li> <li>• Air purification systems</li> <li>• Automobiles</li> <li>• Recirculating air handling systems</li> <li>• Vacuum cleaner filters</li> <li>• Aquariums</li> </ul>	<p>Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae</p>	<p>8 oz / gallon 2 oz / quart 1 oz / pint</p>	<p><b>SPRAY:</b> Dilute AM500 in water; mix well. When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry. If necessary, reapply AM500 every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
	<p><b>Pest controlled</b></p>	<p><b>Dilution Rate</b></p>	<p><b>Method of Application</b></p>

<p>Carpeting</p>	<p>Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)</p>	<p>8 oz / gallon 2 oz / quart 1 oz / pint</p>	<p><b>SPRAY:</b> Dilute AM500 in water; mix well. Apply to clean carpet surface. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add the diluted AM500 solution directly to the cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. Test staining and color-fastness of carpets by treating and drying a small concealed area prior to application. AM500 treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates (e.g., wool carpeting), more AM500 may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply AM500 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
------------------	--	---	--

	<p><b>Pest controlled</b></p>	<p><b>Dilution Rate</b></p>	<p><b>Method of Application</b></p>
<p>Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery, sleeping bags,</p>	<p>Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)</p>	<p>8 oz / gallon 2 oz / quart 1 oz / pint</p>	<p><b>SPRAY:</b> Dilute AM500 in water; mix well. Clean surfaces prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not seal. Remove children and pets from treated area until completely dried. If necessary, reapply</p>

apparel, where the fiber is cotton, natural down, nylon, rayon, or wool			AM500 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	<b>Pest controlled</b>	<b>Dilution Rate</b>	<b>Method of Application</b>
Tents, tarpaulins, sails, ropes.	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	8 oz / gallon 2 oz / quart 1 oz / pint	<p><b>SPRAY:</b> Dilute AM500 in water; mix well. Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply AM500 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p> <p><b>DIP/SOAK:</b> Dilute AM500 in water; mix well. Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough AM500 solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). If necessary, reapply AM500 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	<b>Pest controlled</b>	<b>Dilution Rate</b>	<b>Method of Application</b>
Roofing materials	Odor-causing	8 oz / gallon	<b>SPRAY:</b> Dilute AM500 in water; mix

<p>(such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats) Exterior walls (such as stone, concrete, brick)</p>	<p>bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae</p>	<p>2 oz / quart 1 oz / pint</p>	<p>well. Make sure the roof or wall is clean prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying the diluted solution of AM500, let stand until dry. AM500 treats approximately 200 square feet of roofing or wall per diluted gallon of water. If necessary, reapply AM500 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	<p><b>Pest controlled</b></p>	<p><b>Dilution Rate</b></p>	<p><b>Method of Application</b></p>
<p>Buffer pads (polishing and abrasive), polyurethane for household sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes</p>	<p>Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)</p>	<p>8 oz / gallon 2 oz / quart 1 oz / pint</p>	<p><b>SPRAY:</b> Dilute AM500 in water; mix well. Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply AM500 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	<p><b>Pest controlled</b></p>	<p><b>Dilution Rate</b></p>	<p><b>Method of Application</b></p>
<p>Tubs, glazed tile, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wall paper for non-food contact, floors, window sills, cabinets, garbage cans, appliances, refrigerators (exterior), fiberglass, formica, glazed</p>	<p>Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)</p>	<p>8 oz / gallon 2 oz / quart 1 oz / pint</p>	<p><b>SPRAY:</b> Dilute AM500 in water; mix well. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply AM500 every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>

tiles, glazed porcelain, synthetic marble, plastic, vinyl			
--	--	--	--

MOLD, MILDEW, ODOR PROTECTOR AND INHIBITOR AM500 is an antimicrobial agent effective against odor-causing bacteria.

AM500 is an antimicrobial agent effective against bacteria which cause staining and discoloration.

AM500 is an antimicrobial agent effective against fungi (mold and mildew).

AM500 is an antimicrobial agent effective against algae.

AM500, and antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in the kitchen. (Bacteriostatic, fungistatic (mold and mildew), algaestatic.

AM500, and antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow even in the cleanest of homes.

AM500, and antimicrobial agent, inhibits the growth of odor causing bacteria.

Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home.

Effective on modern hard non-porous washable surfaces like fiberglass, glazed porcelain, Formica®, stainless steel, synthetic marble.

Imparts microbiostatic properties.

Use on carpet and upholstery to inhibit odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Unscented.

Use on carpet and upholstery to inhibit the growth of odor-causing bacteria.

Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration.

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew).

Use on carpet and upholstery to inhibit the growth of odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Provides and invisible microbiostatic coating to inhibit the growth of odor-causing bacteria.

Provides and invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.

Provides and invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew).

Provides and invisible microbiostatic coating to inhibit the growth of algae.

Provides and invisible microbiostatic coating to inhibit the growth of odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Prevents deterioration caused by bacteria and fungi (mold and mildew).

Inhibits deterioration caused by bacteria.

Resists development of microbial odors.

Resists development of stains and discoloration due to bacteria.

Resists development of stains due to fungi (mold and mildew).

Resists stains due to algae.

Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.

- Provides/creates an invisible barrier to inhibit the growth of odor-causing bacteria.
- Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration.
- Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew).
- Provides/creates an invisible barrier to inhibit the growth of algae.
- Provides/creates an invisible barrier to inhibit the growth of odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**Pesticide Storage:** Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **[For homeowner use the statement will read: "Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site."]**

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, dispose of by burning. If burned, stay out of smoke. **[For homeowners use statement will read: "Container Disposal: Securely wrap original container in several layers of newspaper and discard in trash."]**