

5/20/2011

1/16

Kevin Kutcel
PureShield Inc.
1445 Jupiter Park Dr., #11
Jupiter, FL 33458

MAY 20 2011

SUBJECT: Bio-Protect AM 500
EPA Registration Number: 87583-2
Application Date: April 12, 2011
Receipt Date: April 20, 2011

Dear Mr. Kutcel:


This letter acknowledges receipt of the notification identified above submitted under provisions of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended and PR Notice 98-10.

- Propose the additional brand name: Black by Trophy Quest.

Based on a review of the submitted information, this notification is acceptable. Your proposed additional brand name will be made part of the record for this file.

General Comments

Should you have any questions concerning this letter, please contact Emilia Oiguenblik at (703) 347-0109 or Velma Noble at (703) 308-6233.

Sincerely,

Velma Noble
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510P)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number
PureShield Inc. / 87583-2

2. EPA Product Manager
Velma Noble

3. Proposed Classification

☒ None ☐ Restricted

4. Company/Product (Name)
PureShield Inc. / Bio-Protect AM500

PM#
31

5. Name and Address of Applicant (Include ZIP Code)

PureShield Inc.
1445 Jupiter Park Drive, #11
Jupiter, FL 33458

☐ Check if this is a new address

6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:

☒ EPA Reg. No. _____

Product Name _____

Section - II

☐ Amendment - Explain below.

☐ Final printed labels in response to
Agency letter dated _____

☐ Resubmission in response to Agency letter dated _____

☐ "Me Too" Application.

☒ Notification - Explain below.

☐ Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Please accept the alternate brand name for Reg. No. 87583-2 of "Black by Trophy Quest" per PR Notice 98-10. Please see attached cover letter for required compliance statement regarding this PR Notice.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging

☐ Yes*
☒ No

Unit Packaging

☐ Yes
☒ No

Water Soluble Packaging

☐ Yes
☒ No

2. Type of Container

☐ Metal
☒ Plastic
☐ Glass
☐ Paper
☐ Other (Specify) _____

* Certification must
be submitted

If "Yes"
Unit Packaging wgt.

No. per
container

If "Yes"
Package wgt

No. per
container

3. Location of Net Contents Information

☒ Label ☐ Container

4. Size(s) Retail Container

5. Location of Label Directions

☒ On Label
☐ On Labeling accompanying product

6. Manner in Which Label is Affixed to Product

☒ Lithograph
Paper glued
Stenciled

☐ Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name
Kevin Kutcel

Title
Consultant

Telephone No. (Include Area Code)
440-263-7305

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature

3. Title

Consultant

4. Typed Name
Kevin Kutcel

5. Date

4/9/2011

6. Date Application Received

(Stamped)

5807 Churchill Way

Medina, OH 44256

Tel: 440-263-7305

E-mail: kevinkutcel@gmail.com

April 12, 2011

US EPA (NOTIF)

Office of Pesticide Programs

Room S-4900, One Potomac Yard

2777 South Crystal Drive

Arlington, VA 22202-4501


Subject: PR Notice 1998-10 Notification for ABN (EPA No. 87583-2)

Please accept the attached 3 copies of the revised label for Reg. No. 87583-2 with the alternate brand name "Black by Trophy Quest" per PR Notice 1998-10.

Attached is EPA Form 8570-1 regarding this notification as required in PR Notice 1998-10. This notification is consistent with the guidance in PR Notice 1998-10 and the requirements of EPA's regulations at 40 CFR 156.46, 156.140, 156.144, 156.146 and 156.156 and no other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand this it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of PR Notice 98-10 and CFR 156.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please note that KRK Consulting LLC is the authorized agent handling all correspondence for PureShield Inc. and therefore all responses should be directed to the contact information on the letterhead above.

Best Regards,



Kevin R. Kutcel,
Agent for PureShield Inc.

4/16

MICROBIOSTATIC AGENT *

Active Ingredient: 3-(trimethoxysilyl) propyldimethyloctadecyl ammonium chloride.....5.0%

TOTAL INGREDIENTS: 100.0%

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 2, 4, 8, 16, 20, 22, or 36 fluid oz.; 1, 5, 55, 150, or 300 gal.

FIRST AID	
IF IN EYES:	
<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call poison control center or doctor for treatment advice. 	
IF INHALED:	
<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice. 	
IF ON SKIN:	
<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. 	
IF SWALLOWED:	
<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. 	

*A microbiostatic agent is an agent that inhibits the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

This product does not protect users or others against food-borne or disease-causing bacteria.

PURESHIELD INC , 1445 Jupiter Park Drive # 11, Jupiter, Florida 33458

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Harmful if absorbed through skin or inhaled. Do not get in eyes. Avoid contact with skin and avoid breathing vapor. Wear protective eyewear (goggles or face shield). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Commercial and industrial uses: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a spill occurs. De-activation of Pathene can be achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfates) in quantity equivalent to that of Pathene.

Homeowner use: This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

DIRECTIONS FOR USE

Approved commercial and Industrial Applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.

Prepare solution by simply adding Pathene to solvent and stirring. Pathene can also be diluted by adding 0.2 to 2 fluid ounces of Pathene per cup (3.2 to 32 fluid ounces of Pathene per gallon) of water or other solvents (for example, alcohol and ketones) and then applied to organic or inorganic substrates by brushing, dipping, padding, soaking, spraying, fogging or by using foam finishing techniques to give a final treatment of 0.1 to 1.0 percent by weight active ingredient.

Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply Pathene every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Pathene when used as a concrete additive is added directly concrete preparation. Use 6 fluid ounces Pathene per cubic feet of concrete. Add to water before addition of concrete. Addition of Pathene reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

Pathene when used as an additive for paints and coatings is added directly during preparation of the paint or coating. Use 5 pounds of Pathene per 100 pounds of paint or coating (or 1 pound Pathene per 20 pounds paint/coating). The addition of the antimicrobial agent (Pathene) to paints at the point of manufacture preserves the paint in the can as well as the dried paint film. Pathene inhabits the growth of odor causing bacteria, bacteria which causes staining and discoloration, fungi (mold and mildew), and algae on the surface of dried films and coatings.

Approved commercial and industrial applications

The active ingredient in Pathene is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Pathene can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems.
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Cellulose sponges
- Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains
- Concrete additive for repair and renewal of sewer pipes and manholes and concrete sewers structures; not to be used in treatment of storm drains
- Exterior walls (such as stone, concrete, brick)
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Pathene can be used in paints and coatings as an in-can preservative for protection of paint film and coating film. Types of paints and coatings include: latex indoor/outdoor

- paints and stains, woodstains, architectural paints, lacquer and maintenance coatings, films, laminates and finishes including alkyd, urethane, enamel, epoxy, siloxaline, amino resins, textile coatings, extrusion, coatings, architectural coatings and overlays, anti-corrosion coatings, fire-resistant coatings, aliphatic coatings, vinylester and polyester coatings, gel coating, amino resins, resins used as additive mixes for cement, epoxy laminating resins, and blends and copolymers thereof;
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
 - Polyurethane and polyethylene foam, when covered
 - Polyurethane foam for packaging and cushioning in non-food contact applications
 - Polyurethane foam used as a growth medium for non-food crops and plants
 - Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
 - Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
 - Sand bags, tents, tarpaulins, sails, and ropes
 - Athletic and casual socks
 - Shoe insoles
 - Shower curtains
 - Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypolypropylene, nylon, Lycra, wood/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
 - Throw rugs Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
 - Toilet Tank and seat covers
 - Umbrellas
 - Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethyiene, polyolefins, polyptopylene, rayon, spandex, vinyl, wool
 - Vacuum cleaner bags and filters
 - Vinyl paper-wallpaper for non-food contact surfaces
 - Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
 - Woman's hosiery
 - Woman's intimate apparel

DIRECTIONS FOR USE

Approved commercial appliances used in homes, offices, automobiles and institutions e.g., schools, hospitals, daycare centers, churches, correctional facilities

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles and face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

For Pump Spray Application: Dilute 8 ounces of Pathene per gallon of water (2 oz. per quart; 1oz. per pint). Using pump sprayer, spray entire area 4"-6"s from the surface making sure the

surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Pathene treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more Pathene may be required due to absorption. A fan may be used to assist in drying carpet.

For Commercial Spray Application: For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaners, and pressure sprayers) dilute 8 ounces of Pathene per gallon of water (2oz. per quart; 1oz. per pint); mix well. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. Pathene treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more Pathene may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpet.

For Dipping/Soaking Application: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Pathene solution to completely submerge item. Dilute 8 ounces of Pathene per gallon of water (2oz. per quart; 1oz. per pint); mix well. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperature or at temperatures to a maximum of 160°C (320°F), for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply Pathene every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Approved commercial applications in homes, offices, automobiles, and institutions e.g., schools, hospitals, day care centers, banks, churches, correctional facilities

The active ingredient in Pathene is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. Pathene can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity.

- Air Filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems. c c c c c
- Air filters/materials c c c c c
- Aquarium filter material c c c c c
- Bed sheets, blankets, and bedspreads c c c c c
- Buffer pads (abrasive and polishing) c c c c c
- Carpets and draperies c c c c c
- Cellulose sponges c c c c c
- Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains c c c c c

- Concrete additive for repair and renewal of sewer pipes and manholes and concrete sewers structures; not to be used in treatment of storm drains
- Exterior walls (such as stone, concrete, brick)
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass duct board
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Pathene can be used in paints and coatings as an in can preservative for protection of paint film and coating film. Types of paints and coatings include: latex indoor/outdoor paints and stains, woodstains, architectural paints, lacquer and maintenance coatings, films, laminates and finishes including alkyd, urethane, enamel, epoxy, siloxaline, amino resins, textile coatings, extrusion, coatings, architectural coatings and overlays, anti-corrosion coatings, fire-resistant coatings, aliphatic coatings, vinylester and polyester coatings, gel coating, amino resins, resins used as additive mixes for cement, epoxy laminating resins, and blends and copolymers thereof;
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials – defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, sails, and ropes
- Athletic and casual socks
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene, nylon, Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet Tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces

- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Women's hosiery
- Women's intimate apparel

DIRECTIONS FOR USE

For homeowner applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

Approved homeowner uses

The active ingredient in Pathene is effective against odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae as a static agent. Pathene can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity.

	Pest controlled	Dilution Rate	Method of Application
Bedsheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos). Pathene can be applied to fabrics	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	8 oz / gallon 2 oz / quart 1 oz / pint	DIP/SOAK: Dilute Pathene in water; mix well. Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Pathene solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid from treated item. For larger items (e.g. bedspreads, curtains, draperies), place in washing machine on spin cycle to aid in the removal of excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). If necessary, reapply Pathene every three months or

made of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polyolefins, polypropylene, rayon, silk, spandex, vinyl, and wool.			when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return. SPRAY: Dilute Pathene in water; mix well. Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply Pathene every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Dilution Rate	Method of Application
Air filters and air filter material for: • Furnaces, air conditioners • Air purification systems • Automobiles • Recirculating air handling systems • Vacuum cleaner filters • Aquariums	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	8 oz / gallon 2 oz / quart 1 oz / pint	SPRAY: Dilute Pathene in water; mix well. When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply and then let stand until dry. If necessary, reapply Pathene every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Dilution Rate	Method of Application

Carpeting	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	8 oz / gallon 2 oz / quart 1 oz / pint	SPRAY: Dilute Pathene in water; mix well. Apply to clean carpet surface. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add the diluted Pathene solution directly to the cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. Test staining and color-fastness of carpets by treating and drying a small concealed area prior to application. Pathene treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates (e.g., wool carpeting), more Pathene may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply Pathene every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Dilution Rate	Method of Application
Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery, sleeping bags,	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	8 oz / gallon 2 oz / quart 1 oz / pint	SPRAY: Dilute Pathene in water; mix well. Clean surfaces prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Apply, and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply.

apparel, where the fiber is cotton, natural down, nylon, rayon, or wool			Pathene every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Dilution Rate	Method of Application
Tents, tarpaulins, sails, ropes.	Odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	8 oz / gallon 2 oz / quart 1 oz / pint	<p>SPRAY: Dilute Pathene in water; mix well. Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply Pathene every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p> <p>DIP/SOAK: Dilute Pathene in water; mix well. Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough Pathene solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160°C (320°F); (for example, in a clothes dryer). If necessary, reapply Pathene every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	Pest controlled	Dilution Rate	Method of Application
Roofing materials	Odor-causing	8 oz / gallon	SPRAY: Dilute Pathene in water; mix

(such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats) Exterior walls (such as stone, concrete, brick)	bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	2 oz / quart 1 oz / pint	well. Make sure the roof or wall is clean prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 6"-12" from the surface, making sure the surface is completely covered. After applying the diluted solution of Pathene, let stand until dry. Pathene treats approximately 200 square feet of roofing or wall per diluted gallon of water. If necessary, reapply Pathene every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Dilution Rate	Method of Application
Buffer pads (polishing and abrasive), polyurethane for household sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	8 oz / gallon 2 oz / quart 1 oz / pint	SPRAY: Dilute Pathene in water; mix well. Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply Pathene every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Dilution Rate	Method of Application
Tubs, glazed tile, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wall paper for non-food contact, floors, window sills, cabinets, garbage cans, appliances, refrigerators (exterior), fiberglass, formica, glazed	Odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	8 oz / gallon 2 oz / quart 1 oz / pint	SPRAY: Dilute Pathene in water; mix well. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface, making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply Pathene every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

tiles, glazed porcelain, synthetic marble, plastic, vinyl			
--	--	--	--

MOLD, MILDEW, ODOR PROTECTOR AND INHIBITOR Pathene is an antimicrobial agent effective against odor-causing bacteria.

Pathene is an antimicrobial agent effective against bacteria which cause staining and discoloration.

Pathene is an antimicrobial agent effective against fungi (mold and mildew).

Pathene is an antimicrobial agent effective against algae.

Pathene, and antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in the kitchen. (Bacteriostatic, fungistatic (mold and mildew), algaestatic.

Pathene, and antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow even in the cleanest of homes.

Pathene, and antimicrobial agent, inhibits the growth of odor causing bacteria.

Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home.

Effective on modern hard non-porous washable surfaces like fiberglass, glazed porcelain, Formica®, stainless steel, synthetic marble.

Imparts microbiostatic properties.

Use on carpet and upholstery to inhibit odor-causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Unscented.

Use on carpet and upholstery to inhibit the growth of odor-causing bacteria.

Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration.

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew).

Use on carpet and upholstery to inhibit the growth of odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor-causing bacteria.

Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.

Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Prevents deterioration caused by bacteria and fungi (mold and mildew).

Inhibits deterioration caused by bacteria.

Resists development of microbial odors.

Resists development of stains and discoloration due to bacteria.

Resists development of stains due to fungi (mold and mildew).

Resists stains due to algae.

Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.

- Provides/creates an invisible barrier to inhibit the growth of odor-causing bacteria.
- Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration.
- Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew).
- Provides/creates an invisible barrier to inhibit the growth of algae.
- Provides/creates an invisible barrier to inhibit the growth of odor-causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **[For homeowner use the statement will read: "Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site."]**

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, dispose of by burning. If burned, stay out of smoke. **[For homeowners use statement will read: "Container Disposal: Securely wrap original container in several layers of newspaper and discard in trash."]**

