7663-7	02-02-	2912		
WIED STATE		EPA Reg. Number:	Date of Issuance:	
ENG	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Biopesticides and Pollution Prevention Division (7511P)	010001	FEB 0 2 2012	
MINAL PROTECTION	1200 Pennsylvania Avenue NW Washington, DC 20460	Term of Issuance:	Unconditional	
NOTIC	E OF PESTICIDE:	Name of Pesticide Proc	luct:	
Registration (under FIFRA, as amended)		Emery Agro 7	Emery Agro 7031 Concentrate	
ame and Address of Registrant (include ZIP 0	Code):		Contract States and	
Emery Oleochemicals, LLC 1900 Este Avenue Cincinnati, OH 45232				
	ostance from that accepted in connection with th ivision prior to use of the label in commerce. In			
n the basis of information furnished by t nd Rodenticide Act.	he registrant, the above named pesticide is here	eby registered under the Federal I	nsecticide, Fungicide	
nvironment, the Administrator, on his mo	as an endorsement or recommendation of this p otion, may at any time suspend or cancel the reg th the registration of a product under this Act is t has been covered by others.	gistration of a pesticide in accordant	nce with the Act. The	
ime that additional data are requ	tte the need for continual reassessment ired to maintain in effect an existing re (B) of FIFRA. This product is uncond	egistration, the Agency will	require submissio	
	required for registration of your produ ants of similar products to submit such		)(5) when the	
2. Revise the EPA Registration	on Number to read, "EPA Reg. No. 87	663-7."		
	e final printed labeling before you rele lescription of final printed labeling.	ease the product for shipmer	nt. Refer to the A-	
•	of registration, submit acceptable data Guideline 830.7050) for your technical		0	
A stamped copy of the label is en	closed for your records.			
ignature of Approving Official:	1 c Dant	Date:		
V. Michael McDavit, Associate Di Biopesticides and Pollution Prevent		FEB 0 2 2012		
	CONCURRENCES			
YMBOL >7511P				
URNAME > Burnett				
DATE 1/18/2012				



# **Emery Agro 7031 Concentrate**

For Manufacturing-Use Only

For Formulation or Repacking into End-Use Herbicide Products that can be Used to Control Undesirable Plant Growth around Field Crops, Pastures, Ornamentals, Turf, Landscapes, Interiorscapes, Greenhouses, Non-Crop Areas on Farmsteads and Around Buildings and Industrial Sites

## **NOT FOR FOOD CROP USE**

### **KEEP OUT OF REACH OF CHILDREN**

#### WARNING "AVISO"

"Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)"

Active ingredient:

Ammonium Nonanoate	40.0 wt.%
Other ingredients	60.0 wt.%
Total	)0.00 wt.%

Emery Agro 7031 Concentrate contains 3.3 lbs. of ammonium nonanoate per US gallon

This product is protected by U.S. Patent No. 6,323,156

EPA Reg. No. 87663-

EPA Establishment No. xxxxx-xx-xxx

Lot No. xxxxxxxxx

Net Contents: xxxxx

# ACCEPTED

FEB 0 2 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

87663-7

## PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**Warning:** Causes substantial, but temporary eye irritation. Do not get in eyes or on clothing. Wear goggles. Harmful if inhaled. Avoid breathing spray mist. Causes moderate skin irritation. Avoid contact with skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID		
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, ther continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	
If inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>	
If on skin or clothing	<ul> <li>Take off contaminated clothing</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	
IF SWALLOWED:	<ul> <li>Call a poison control center or doctor immediately for advice.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>	
	EMERGENCY NUMBER	

Have the product container or label with you when calling a poison control center or doctor.

#### ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**EMERY AGRO 7031 CONCENTRATE** is a manufacturing use product that can be used to formulate end-use products that are non-selective herbicides. Products formulated or repackaged with **EMERY AGRO 7031 CONCENTRATE** can be used around ornamentals, turf, landscapes, buildings and industrial sites and in pastures, interiorscapes and greenhouses.

Products formulated with **EMERY AGRO 7031 CONCENTRATE** provide control and burndown suppression of annual and perennial broadleaf and grass weeds. Spore producing plants such as mosses and liverworts are also controlled.

**EMERY AGRO 7031 CONCENTRATE** may be used to formulate products for specific use(s) not listed on the MP label if the formulator, user group, or grower has complied with U.S. EPA data submission requirements regarding the support of such use(s).

#### STORAGE AND HANDLING

DO NOT contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store container in cool place until used. Store at temperatures above 32° F. **Pesticide Disposal:** Wastes resulting from use of this product must be disposed of on-site or at an approved waste disposal facility.

#### **Container Handling:**

Nonrefillable Containers: Do not reuse or refill this container. Offer for recycling if available. Clean container promptly after emptying (liquid formulations).

Nonrefillable container equal to or less than 5 gals: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container <sup>1</sup>/<sub>4</sub> full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Nonrefillable container between 5- 55 gals: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container <sup>1</sup>/<sub>4</sub> full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

**Refillable Container 5 gals to bulk:** Refill this container with this pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

#### Warranty and Disclaimer Notice:

To the extent consistent with applicable law, Emery Oleochemicals LLC makes no warranty or guarantee of any kind, expressed or implied concerning the effects of use of this product, other than those specified on this label. Buyers or users accept all responsibility for results due to misuse or improper handling of this product.

Produced for: Emery Oleochemicals LLC 4900 Este Avenue Cincinnati, OH 45232 513-762-2500 www.Emeryoleo.com