

87689-3

11/12/2013

115



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Mr. Jeff Schmitt, President and Chief Executive Officer
Global Chem Tech, LLC
1968 West Acoma Boulevard
Lake Havasu City, AZ 86403

NOV 12 2013

Subject: Notification of Alternate Brand Name
Shiner Dichlor Shock
EPA Registration Number: **87689-3**
Application Date: August 30, 2013
EPA Receipt Date: September 5, 2013

Dear Mr. Schmitt:

This acknowledges receipt of your Notification application, submitted under the provision of FIFRA 3(c)9.

Notification Purpose:

Global Chem Tech, LLC is submitting an Alternate Brand Name for **EPA Reg. No. 87689-3:**

Swim-Chlor Dichlor Shock

General Comments:

Based on the review of the information submitted, the following comments apply.

The Notification is **Acceptable.**

A copy of the **accepted** Notification is attached in **Regulatory File Jacket 87689-3** for future reference.

-2-

If you have questions or comments with regard to this Agency Letter, please contact Killian Swift by email at Swift.Killian@epa.gov or by telephone at 703-308-6346. When you are submitting information or data in response to this Agency Letter, please send a copy of this Agency Letter with your response in order to facilitate processing.

Sincerely yours,

A handwritten signature in black ink, appearing to read 'D. Fuller', with a long horizontal flourish extending to the right.

Demson Fuller,
Acting EPA Product Manager 32
Regulatory Management Branch II
Antimicrobials Division 7510P



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number <u>EPA Reg #87689-3</u>	2. EPA Product Manager <u>Wanda Henson</u>	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <u>Shiner Dichlor Shock</u>	PM#	
5. Name and Address of Applicant (Include ZIP Code) <u>Global Chem Tech LLC</u> <u>Shiner Warehouse LLC</u> <u>1968 W Acma Blvd</u> <u>Lake Havasu City AZ</u> <u>86403</u> <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>87689-3</u> Product Name <u>Shiner Dichlor Shock</u>	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of alternate name change
Original Name (Shiner Dichlor Shock)
Alternate Name (Wim - Chlor Dichlor Shock)

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <u>51b to 501b</u> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <u>551b</u>	Water Soluble Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal <u>51b to 501b</u>	
* Certification must be submitted		If "Yes" Unit Packaging wgt. <u>51b - 501b</u>	No. per container <u>551b</u>	<input type="checkbox"/> Plastic <u>W/CPRL</u>	
		If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Glass	
				<input type="checkbox"/> Paper <u>551b w/out</u>	
				<input type="checkbox"/> Other (Specify)	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name <u>JEFF SCHMITT</u>	Title <u>CEO/President</u>	Telephone No. (Include Area Code) <u>928-4861349</u>	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature <u>[Signature]</u>	3. Title <u>CEO/President</u>		
4. Typed Name <u>JEFF SCHMITT</u>	5. Date <u>7-29-13</u>		

415

Document Processing Center
Office of Pesticide Programs
U.S. Environmental Protection Agency
Wanda Y Hendson
Acting Product Manager 32
Regulatory Management Branch II
Antimicrobials Division

July 29, 2013

Attention: Wanda Y Henson

Registrant: Global Chem Tech LLC
Shiner Warehouse LLC
1968 W. Acoma Blvd
Lake Havasu City, Az. 86403

Subject: EPA Reg No. 87689-1, 87689-2 and 87689-3. Certification statement child resistant packing "CPR".

"I certify that the packaging used for this product meets with the standards of 40 CFR 157.32, including the revised standards in 16 CFR 170.15 (b), when tested by the revised testing procedures in 16 CFR 1700.20 as published in 60FR 37710 (July 21, 1995)".

Jeff Schmitt, President

There are two packages for our products. 1gl to 2gl 65mm wall pails and 3gl to 6gl are 90mm walls. Pails are from B-Way. Patented, round containers are UN-certified and constructed of high-density polyethylene. The polypropylene Squeeze-Lock CRC closure which is a re-closable. Pails open by pushing the tab and twisting the cover. Unique closure system passes child-resistant and senior-friendly protocols with an optional tamper-evident feature.

An ASTM type 1-D 3.5 to 6.5gl tapered inside wall, plastic, open head pan, with a plastic, continuously threaded pail lid. The lid contains a lever closure. The Package is opened by holding down the lever on the pail lid while unscrewing the lid counter clockwise and lifting it off the pail. When closed the lever fits into a groove on the inside of the pail neck so the lid cannot be unscrewed. The M&M LIFELATCH closure is used. Both pail and closure is a matched unit from M&M industries.

Please feel free to contact me for any additional info at globalchemtech1@gmail.com or 928-505-4747. Thank you for your assistance.

Best Regards
Jeff Schmitt



SWIM-CHLOR DICHLOR SHOCK

STABILIZED DICHLOR SHOCK TREATMENT FOR SWIMMING POOLS

*Restores Water Clarity • Algae Killer
Quick Dissolving • Ideal For All Pool Types*

KEEP OUT OF REACH OF CHILDREN

DANGER

DISTRIBUTED BY:

Global Chem Tech LLC

1968 Acoma Blvd, Lake Havasu City, AZ 86403

EPA Reg. No. 87689-3

EPA Est. No. 89461-AZ-001

Batch Code: _____

ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetriene Dihydrate 99%

INERT INGREDIENTS 1%

Total 100%

(Available Chlorine - 55.5%)

Net Wt. 50 lbs (22.6 kgs)

FIRST AID

IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 1-800-255-3924 for emergency treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate for the use of gastric lavage.

CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or clothing. Do not breathe dust, vapor or spray mist. Irritating to nose and throat. Wear goggles, face shield or safety glasses, and chemical resistant gloves. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS STATEMENT: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product directly into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 437°F (225°C) with liberation of harmful gases. When ignited, will burn with the evolution of chlorine and equally toxic gases. Never add water to product. Always add product to large quantities of water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a

violent reaction leading to fire or explosion. Contamination with moisture, organic material, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion.

IN CASE OF FIRE OR SMOKE: Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA). Do not let the fire burn. Flood with copious amounts of water. Do not use ABC or other dry chemical extinguishers since there is the potential for violent reaction.

IN CASE OF CONTAMINATION OR DECOMPOSITION: Do not reseal container. Neutralize material to a non-oxidizing state for safe disposal.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

SWIMMING POOL SANITIZER

When used as directed, this product is an effective chlorinating sanitizer. Use of this product helps you maintain crystal blue and sparkling water. This product controls bacteria and algae as well as prevents algae growth. This product is fast dissolving and easy to apply. This product is suitable for all pool types.

BEFORE APPLYING PRODUCT: First, ensure all swimming pool equipment is working properly, then clean or backwash filter following manufacturer's directions. Next, adjust pH to between 7.2 and 7.6. Then add stabilizer to establish a minimum stabilizer level of 30-40 ppm to reduce the degradative effects of sunlight upon the chlorine residual. When using other products, be sure to follow completely the directions on those products.

MAINTENANCE DOSES: With pump running, broadcast 4 ounces of this product per 10,000 gallons directly into the water in the deep end of the pool as an initial treatment. To treat smaller pools, add one level teaspoon of this product per 200 gallons of water. Repeat additions until a residual of 1-4 ppm chlorine is established as determined by the use of a test kit or test strip. To prevent damage to pool surface, use a pool brush to disperse granules that may have settled to the bottom of the pool. NEVER ALLOW UNDISSOLVED PRODUCT TO REST IN CONTACT WITH BLEACHABLE POOL SURFACES. Regular use of a test kit or strip is necessary to determine when it is necessary to add another dose of this product to maintain a residual of 1-4 ppm available chlorine in the swimming pool water. An average daily dose requirement is ½ - ¾ teaspoon of this product per 200 gallons of water.

SUPERCHLORINATION SHOCK: With the pool pump in operation, broadcast one pound of this product per 10,000 gallons directly into the water in the deep end of the swimming pool. To prevent damage to pool surface, use a pool brush to disperse granules that may have settled to the bottom of the pool. NEVER ALLOW UNDISSOLVED PRODUCT TO REST IN CONTACT WITH BLEACHABLE POOL SURFACES.

In water temperatures less than 70 degrees F, or as an alternate application procedure, pre-dissolve this product prior to applying evenly to the deep end of the swimming pool. Dissolve this product outdoors, in a clean

plastic bucket stirring with a clean plastic or wooden spoon. Add this product to water; NEVER add water to product. NEVER add more than 1 pound of this product to less than 3 gallons of cool water. Do not mix with other products when pre-dissolving.

Reentry into treated swimming pools is prohibited above levels of 4 ppm chlorine due to risk of body injury.

SPA AND HOT TUB SANITIZER: When used as directed, this product is effective as a sanitizing agent for spa and hot tub water.

BEFORE APPLYING PRODUCT: First, ensure all spa or hot tub equipment is working properly, then clean or backwash filter following manufacturer's directions. Next, adjust pH to between 7.2 and 7.6.

MAINTENANCE DOSES: With pump running, add ½ teaspoon of this product per 100 gallons of water (or 5 teaspoons per 1,000 gallons) as an initial treatment. Repeat at 15 to 20 minute intervals until a residual of 3 - 5 ppm of available chlorine is established as determined by test kit or test strip. A test kit or test strip must be used regularly to determine the frequency of additional doses of this product needed to maintain the chlorine residual of 3 - 5 ppm.

SUPERCHLORINATION SHOCK: Use one teaspoon of this product per 100 gallons of water (or ¼ cup per 1,000 gallons). Superchlorination may be needed on a nightly basis in a heavily used spa or as infrequently as once a week in a moderately used spa.

Reentry into treated spas is prohibited above levels of 5 ppm chlorine residual due to risk of body injury.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage and disposal.

STORAGE: Keep material dry and in a dry area. Store in original container, where temperatures do not exceed 125°F (52°C) for 24 hours. Retie polyethylene liner after each use and keep container tightly closed.

PESTICIDE DISPOSAL: Pesticide Wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

NON-REFILLABLE CONTAINER:

Plastic Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.