

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Antimicrobials Division (7510C) 1200 Pennsylvania Avenue NW Washington, D.C. 20460

NOTICE OF PESTICIDE:

x Registration Reregistration

(under FIFRA, as amended)

EPA Reg.

Number:

87731-2

Date of

Issuance:

DEC 1 5 2011

Term of Issuance:

Conditional

Name of Pesticide Product:

Zeomic Type HJ Silver Zeolite X

Name and Address of Registrant (include ZIP Code):

Sinanen Zeomic Company, Ltd. 1 - 1 Nakagawa Hon Machi, Minato-ku Nagoya 455, Japan

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
 - 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Revise the "EPA Registration Number to read, "EPA Reg. No. 87731-2".

Signature of Approving Official

Marshall Swindell

Product Manager Team-33

Regulatory Management Branch I

Antimicrobials Division (7510P)

Date:

DEC 15 2011

Page 2 EPA Registration No. 87731-2

- 2. The Basic Confidential Statement of Formula (CSF) dated December 7, 2011, is in compliance with PR Notice 92-1, agrees with the label and is acceptable. Refer to the enclosed copy of the product chemistry review for further comments.
- 3. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,

Marshall Swindell /

Product Manager 33

Regulatory Management Branch I Antimicrobials Division (7510P)

Enclosure

Zeomic® Type HJ Silver Zeolite X

A preservative and bacteriostatic agent for use in the manufacture of polymer, plastic and latex products. For commercial and industrial use only.

Active Ingredient:

Silver 2.2 % Other Ingredients 97.8 % Total 100.0 %

KEEP OUT OF REACH OF CHILDREN CAUTION SEE INSERT LABEL FOR PRECAUTIONARY STATEMENTS

Manufactured by: Sinanen Zeomic Company, Ltd. 1-1 Nakagawa Hon Machi Minato Ku, Nagoya 455-0051 Japan EPA Registration No. 71227-EPA Establishment No. 71227-JP-001

Net Wt. XXXX

Lot No. XXXXXXXXXX



Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use for any application involving direct or indirect contact with food, drinking water, or packaging.

Zeomic® Type HJ Silver Zeolite X is an antimicrobial additive to be used by compounding into many polymeric materials. It is designed to be incorporated during the manufacturing process to impart antimicrobial activity to the manufactured products listed below. Zeomic® Type HJ Silver Zeolite X suppresses the growth of algae, mold, mildew, fungi and bacteria which cause unpleasant odors, discoloration, staining, deterioration or corrosion only. No finished product incorporating Zeomic® Type HJ Silver Zeolite X may make any public health claims relating to antimicrobial activity without first obtaining an EPA registration for the finished product which permits such claims. When incorporated into treated articles, this product does not protect users of any such treated article or others against food borne or disease causing bacteria, viruses, germs or other disease causing organisms.



Manufacturing Intermediates

The additive may be incorporated into commercially distributed intermediate manufacturing materials at up to 20.0% by weight.

Do not use for any application involving direct or indirect contact with food, drinking water, or packaging.

APPLICATION	MAXIMUM RATE
Plastics (see separate description of resins and applications)	20.0%
Fibers (see separate description of resins and applications)	20.0%
Coatings (see separate description of resins and applications)	20.0%
Adhesives and Sealants (see separate description of resins and applications)	20.0%

DEC 15 2011

Types of Finished Products

Plastics - including films, sheets, slabs, and molded plastic parts

The additive may be incorporated into the finished product at up to 5.0% by weight or at least 0.3% for bulk plastics. Contact Sinanen Zeomic Company, Ltd. to determine the appropriate amount of **Zeomic® Type HJ Silver Zeolite X** for individual finished products.

Resins: Including polyester (PET, PBT and PEN), polyamide (Nylon), polyimide, polypropylene (PP), polyethylene (PE), polybutylene, polymethylpentene (PMP), polysiloxane, polyvinyl alcohol (PVOH), polyvinylacetate (PVA), ethylene-vinylacetate (EVA), polyvinyl chloride (PVC), polyvinylidene chloride (PVDC), epoxy, phenolic, plycarbonate, cellulosics, cellulose acetate, polystyrene, polyurethane, acrylics, polymethyl methacrylate, acrylonitrile-butadiene-styrene copolymers (ABS), acrylonitrile-styrene-acrylic copolymers (ASA), acteals, polyketones, polyphenylene ether, polyphenylene sulfide, polyphenylene oxide, polysulfones, liquid crystal polymers and fluoropolymers, amines resins, thermo plastic elastomers, rubbers (including styrene butadiene rubber, butadiene rubber, CR), polyacetal (polyoxymethylene, and blends and copolymers thereof.

Do not use for any application involving direct or indirect contact with food, drinking water, or packaging.

ACCEPTED

Non-food contact uses only:

automobile parts

shower curtains

mats

protective covers

tape

waste containers brush handles

mops

vacuum cleaner bags

plumbing supplies and fixtures (including toilet bowl seats)

office equipment

personal care items (including grooming items, toothbrushes (Claims allowed: odor, discoloration, staining), sports and

dental mouthquards (Claims allowed: odor, discoloration, staining))

siding for housing

kitchen and bathroom hardware

flooring

floor coverings

footwear (including boots, sports equip-

ment and tools)

insulation for wire and cable

insulators

indoor and outdoor furniture

toys (Claims allowed:

discoloration, staining, deterioration)

spas, bathtubs, showers and filters and components thereof

Fibers - including cotton, rayon and synthetically derived fibers

DEC 15 2011

The additive may be incorporated into the finished product at up to 5.0% by weight or at least 0.1% for fibers. Contact Sinanen Zeomic Company, Ltd. to determine the appropriate amount of **Zeomic® Type HJ Silver Zeolite X** for individual finished products.

Resins: Including acetate, polyester (PET and PBT), polyolefins, polyethylene, polypropylene, polyamide including "Nylon", acrylics, viscose, polyurethane, and "Rayon", polyvinyl alcohol, polyvinyl chloride, polyvinylidene chloride, polysaccharide, and copolymers and blends thereof.

Do not use for any application involving direct or indirect contact with food, drinking water, or packaging.

odor,

Non-food contact uses only:

Interior furnishings mattress cover pads and filling pillow covers sheets blankets fiberfill for quilts and pillows curtains draperies carpet and carpet underlay rugs upholstery mops towels wall covering fabrics cushion pads sleeping bags

Apparel –
umbrellas
outerwear
sportswear
sleepwear
stockings
socks and hosiery
caps
undergarments
inner liners for jackets
trim for outerwear and garments

Transportation —
automotive and truck upholstery
carpeting
rear decks
trunk liners
convertible tops
interior liners

Industrial and Other Household Items artificial leather
filters
book covers
mops
cloth for sails
ropes
tents and other outdoor equipment
tarps
awnings



Coatings, Films and Laminates

The additive may be incorporated into the finished product at up to 5.0% by weight, or at least 0.5% for coatings. Contact Sinanen Zeomic Company, Ltd. to determine the appropriate amount of **Zeomic® Type HJ Silver Zeolite X** for individual finished products. Types of coatings include water-borne, solvent-borne, 100% solids, radiation cure, and liquid and powder coatings.

Resins: Including alkyds, amino resins (melamine formaldehyde and urea formaldehyde) polyester (unsaturated polyester, PET, PBT, and PEN), polyamide (Nylon), polyimide, polypropylene (PP), polyethylene (PE), polybutylene, polymethylpentene (PMP), polysiloxane, polyvinyl alcohol (PVOH), polyvinylacetate (PVA), ethylene-vinylacetate (EVA), polyvinyl chloride (PVC, including plastisol), polyvinylidene chloride (PVDC), epoxy, phenolic, polycarbonate, cellulosics, cellulose acetate, polystyrene, polyurethane, acrylics, polymethyl methacrylate, acrylonitrile-butadiene-styrene copolymer (ABS), acrylonitrile-styrene-acrylic copolymers (ASA), acetals, polyketones, polyphenylene ether, polyphenylene sulfide, polyphenylene oxide, polysulfones, liquid crystal polymers and fluoropolymers, thermo plastic elastomers, rubbers (including styrene butadiene rubber, butadiene rubber, CR), polyacetal (polyoxymethylene), and blends and copolymers thereof.

Do not use for any application involving direct or indirect contact with food, drinking water, or packaging.

Building Materials (including gypsum board, insulation, cellulose or fiberglass ceiling tile, and polymer

DEC 15 2011

87731-2

flooring.)

walls

wallboard

floors

concrete

siding

roofing

shingles

industrial equipment

furniture

automotive and vehicular parts

packaging


paper products (including wall coverings, towels, book covers)

barrier fabrics

glazing for cement tile

glazing for vitreous china used in plumbing fixtures (including toilets, sinks, countertops)

spas, bathtubs, showers, and filters and components thereof



The additive may be incorporated into the finished product at up to 5.0% by weight, or at least 0.5% for adhesives and sealants. Contact Sinanen Zeomic Company, Ltd. to determine the appropriate amount of **Zeomic® Type HJ Silver Zeolite X** for individual finished products. Methods of application include hotmelt, aqueous, solvent-borne, 100% solids, and radiation cure.

Resins: Including alkyds, amino resins (melamine formaldehyde and urea formaldehyde) polyester (Unsaturated polyester, PET, PBT, and PEN), polyamide (Nylon), polymide, polypropylene (PP), polyethylene (PE), polybutylene, polymethylpentene (PMP), polysiloxane, polyvinyl alcohol (PVOH), polyvinylacetate (PVA), ethylene-vinylacetate (EVA), polyvinyl chloride (PVC, including plastisol), polyvinylidene chloride (PVDC), epoxy, phenolic, polycarbonate, cellulosics, cellulose acetate, polystyrene, polyurethane, acrylics, cyanoacrylates, polymethyl methacrylate, acrylonitrile-butadiene-styrene copolymer (ABS), acrylonitrile-styrene-acrylic copolymers (ASA), acetals, polyketones, polyphenylene ether, polyphenylene sulfide, polyphenylene oxide, polysulfones, liquid crystal polymers and fluoropolymers, thermo plastic elastomers, rubbers (including styrene butadiene rubber, butadiene rubber, CR), polyacetal (polyoxymethylene), and blends and copolymers thereof.

Do not use for any application involving direct or indirect contact with food, drinking water, or packaging.

adhesives used in the manufacture of wood and plastic composites adhesives for ceramic tile, wood, paper, cardboard, rubber and plastic glazing for windows grout sealants for pipes

adhesives, sealants and insulating materials for; appliances, bathrooms, showers, kitchens and construction

Miscellaneous Applications

The additive may be incorporated into the finished product at up to 5.0% by weight. Contact Sinanen Zeomic Company, Ltd. to determine the appropriate amount of **Zeomic® Type HJ Silver Zeolite X** for

individual finished products. Types of materials include clay, china, ceramics, concrete, sand, and grout.

Do not use for any application involving direct or indirect contact with food, drinking water, or packaging.

toilets

sinks

tile

plaster

leather

flooring

stucco

plaster

cat litter

drainage and sewerage pipe

interior paints and coatings

DEC 15 2011

87731-2

PRECAUTIONARY STATEMENTS

Hazards to Humans: Caution. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling.

FIRST AID	
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water of 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	 Move person to fresh air. If person if not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product doctor, or going	t container or label with you when calling a poison control center or for treatment.

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Do not store in areas accessible to children. Keep product dry and containers covered during storage; store below 130°F.

Container Disposal: Inner Plastic Bag: Completely empty plastic bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. **Outer Steel Can:** Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

Pesticide Disposal: Wastes from the use of this product may be disposed of on site or at an approved waste disposal facility.


DEC 15 001

Zeomic @ Type HJ Silver Zeolite X (EPA Reg. No.71227-)

May 13, 2010

Page 8 of 9

0



WARRANTY

Sinanen Zeomic Company, Limited warrants that this product conforms to the chemical description on the label. SINANEN ZEOMIC COMPANY, LIMITED makes no warranties of mechantibility or fitness for a particular purpose nor any expressed or implied.

