*		07/29/2011	· ·	
UNITED STATES	Office	NTAL PROTECTION AGENCY of Pesticide Programs d Pollution Prevention Division	EPA Reg. Number:	Date of Iss
AGENCIAL AND		(7511P) nnsylvania Avenue NW hington, DC 20460	88031-5 Term of	JUL 2 9
NOTICE OF PESTIC			Issuance: Name of Pesticid	Uncondit
<u>_X</u>	Registration (under FIFRA, as a	Re-registration	GoldenGro R	e i foddet.
Name and Address of CP Bio, Inc. 4802 Murrieta ST Chino, CA 91710		P Code): ance from that accepted in connection	onswith this registrat	ion must be
In any correspondence	ion this product, alwa	lessand/Pollution Prevention Divisio ys refer to the above EPA registration registrant, the above named pestici	on number	
a product under this A it has been covered by	ct is not to be construe others.	n the Act. The acceptance of any na ed as giving the registrant a right to		
determines at any tir	me, that additional d	need for continual reassessment ata are required to maintain in er data under section 3(c)(2)(B) of	ffect an existing re	
determines at any tir Agency will require	me, that additional d submission of such	ata are required to maintain in e	ffect an existing re FIFRA.	gistration, the
 determines at any tir Agency will require The product is regist conditions: Submit and/o section 4 whe Make the foll Registration 1 Submit two (me, that additional d submission of such tered in accordance or cite all data require en the Agency require lowing label change Number to read, "EF (2) copies of the revi	ata are required to maintain in endata under section 3(c)(2)(B) of	ffect an existing re FIFRA. is subject to the fo ct under FIFRA se lucts to submit such or shipment: Revis you release the pro-	gistration, the llowing terms ection 3(c)(7) h data. se the EPA
 determines at any tir Agency will require The product is regist conditions: Submit and/o section 4 whe Make the foll Registration 1 Submit two (Refer to the A 	me, that additional d submission of such tered in accordance v or cite all data require en the Agency requir lowing label change Number to read, "EF (2) copies of the revi A-79 enclosure for a are not complied with or shipment of the pr	ata are required to maintain in endata under section 3(c)(2)(B) of with FIFRA section 3(c)(7) and ed for registration of your produ- res all registrants of similar prod- before you release the product f PA Reg. No. 88031-5." sed final printed labeling before	ffect an existing re FIFRA. is subject to the fo ct under FIFRA se lucts to submit such for shipment: Revis you release the pro- printed label. ed in accordance v	gistration, the llowing terms ection 3(c)(7) h data. se the EPA oduct for ship with FIFRA se
 determines at any tir Agency will require The product is regist conditions: Submit and/o section 4 whe Make the foll Registration 1 Submit two (Refer to the A If these conditions at 6(e). Your release for 	me, that additional d submission of such tered in accordance v or cite all data require en the Agency requir lowing label change Number to read, "EF (2) copies of the revi A-79 enclosure for a are not complied with or shipment of the pr	ata are required to maintain in endata under section 3(c)(2)(B) of with FIFRA section 3(c)(7) and ed for registration of your produ- res all registrants of similar prod- before you release the product f PA Reg. No. 88031-5." sed final printed labeling before further description of the final p- h, the registration will be cancell	ffect an existing re FIFRA. is subject to the fo ct under FIFRA se fucts to submit such for shipment: Revis you release the pro- printed label. ed in accordance w this condition. A se	gistration, the llowing terms ection 3(c)(7) h data. se the EPA oduct for ship with FIFRA se
determines at any tir Agency will require The product is regist conditions: 1. Submit and/o section 4 whe 2. Make the foll Registration 1 3. Submit two (Refer to the A If these conditions a 6(e). Your release for label is enclosed for	me, that additional d submission of such tered in accordance v or cite all data require en the Agency requir lowing label change Number to read, "EF (2) copies of the revi A-79 enclosure for a are not complied with or shipment of the pr	ata are required to maintain in endata under section 3(c)(2)(B) of with FIFRA section 3(c)(7) and ed for registration of your produ- res all registrants of similar prod- before you release the product f PA Reg. No. 88031-5." sed final printed labeling before further description of the final p h, the registration will be cancell oduct constitutes acceptance of	ffect an existing re FIFRA. is subject to the fo ct under FIFRA se fucts to submit such for shipment: Revis you release the pro- printed label. ed in accordance w this condition. A se	gistration, the llowing terms ection 3(c)(7) h data. se the EPA oduct for ship with FIFRA se tamped copy

1/5

CP Bio, Inc.

GoldenGro R

Reduces transplant shock and promotes new root growth

ACTIVE INGREDIENTS:		By wt
3-Indolebutyric acid (IBA)		0.85%
Cytokinin, as Kinetin		0.15%
1-Naphthaleneacetic acid (NAA)	•	0.20%
OTHER INGREDIENTS:		
	TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID			
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
	HOTLINE		
for treatment. Y	ct container or label with you when calling a poison control center or doctor, or going You may also contact 1-800-858-7378 (National Pesticide Information Center) for ical treatment information.		

EPA Reg. No. 88031-L EPA Est. No. 88031-CA-001 CP Bio, Inc. 4802 Murrieta ST Chino, CA 91710 Tel: (909) 348-5133 Fax: (909) 348-5135 E-mail:info@cpbio.com Batch No. Expiration Date: 6 Months from date of Mfg.



Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 88031-5

Net Contents: 1 and 2.5 Gallon

2/5

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

Caution: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants.
- Chemical resistant gloves
- Shoes plus socks.
- Protective eyewear

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothes.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during applications. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical resistant gloves (Category A, such as butyl rubber ≥ 14 mils, or natural rubber ≥ 14 mils, or neoprene rubber ≥ 14 mils or nitrile rubber ≥ 14 mils
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter without appropriate protective clothing until sprays have dried.

GENERAL INFORMATION

GoldenGro R contains three (3) different plant growth regulators (PGRs) that synergistically stimulate early and improved root development. In addition, **GoldenGro R** contains a mixture of nutrients that aid in successful transplanting and plant growth.

CUTTINGS

Dilution rate:

For softwood cuttings use a 1:20 dilution rate (0.5 fl oz product in 10 fl oz of water); For medium wood cuttings use a 1:10 dilution rate (One fl oz product in 10 fl oz of water); For hard wood cuttings use a 1:5 dilution rate (Two fl oz prod. in 10 fl oz water).

GoldenGro R is recommended for use on all nursery stock cuttings including Woody ornamentals, Deciduous hardwoods, Evergreens, Ground Covers, and Perennials such as: African violet, Arborvitae, Azalea, Aster, Barberry, Begonia, Boxwood, Camellia, Crape-myrtle, Clematis, Chrysanthemum, Cypress, Dahlia, Delphinium, Dogwood, Eponymous, Forsythia, Fuchsia, Geranium, Heather, Hibiscus, Holly, Honeysuckle, Ivy, Japanese quince, Jasmine, Juniper, Lilac, Magnolia, Minor, Myrtle, Pachysandra, Photinia, Pivet, Pyracantha (Firethorn), Rhododendron, Rose, Spirea, Yew, Viburnum, Vinca, Wriggle and many others.

Obtain cuttings from vigorous, healthy plants and keep cuttings moist and cool such as in an ice chest. With a sharp knife, trim the cutting (2-8 inches long) with a diagonal cut just below a node or leaf. Dip the basal end of cutting, individually or in bunches, into the **GoldenGro R** solution for 3-5 seconds.

Following dipping, place cuttings into planting medium. Depending on the species, rooting will take place in several weeks or months under a moist greenhouse environment. Transplanting can be performed once the cuttings have rooted.

TO REDUCE TRANSPLANT SHOCK AND PROMOTE NEW ROOT GROWTH- For Shrubs, Flowers, Groundcovers, Houseplants, and the Following Non-Bearing Plants: Citrus Fruits, Pome Fruits, Stone Fruits, Berries, Tree Nuts, Date Palm, and Grapes

Rose, Arborvitae, Gardenias, flowering trees and other ornamentals in bare root transplant or from containers: Use 2 tablespoons of GoldenGro R per 10 gallons of water. Apply solution to root area in transplanting hole and then cover roots with soil. After planting, repeat applications biweekly as a drench to thoroughly wet the root area using a solution consisting of one teaspoon of GoldenGro R per 10 gallons of water.

Annual and perennial flowers (bedding plants): Use one tablespoon of GoldenGro R per 10 gallons of water and apply to thoroughly saturate roots at time of planting. Repeat at weekly intervals until plants are well established.

Groundcovers such as, Ivy, Iceplants, Geranium, Cotoneaster, Barberry, & Ajuga: Use 1 tablespoon of **GoldenGro R** per 10 gallons of water and apply thoroughly to saturate the root area at time of planting. Repeat at weekly intervals until plants are well established.

Houseplants (reporting and planting): Use 1 tablespoon of GoldenGroR per 10 gallons of water and water thoroughly at weekly intervals to saturate the root zone until plants are well established.

Established plants: To continue new root growth, use 1 tablespoon of **GoldenGro R** per 10 gallons of water and water plants with solution once a month.

Non-Bearing Plants such as Citrus Fruits, Pome Fruits, Stone Fruits, Berries, Tree Nuts, Date Palm, and Grapes: Use 6-24 fl. oz. of GoldenGroR per 100 gallons of water and apply to thoroughly

saturate roots at time of planting or as a drench application. Use lower rates for drench applications and higher rates for root soaking. Foliar or side-drench applications using 6-24 fl. oz. of **GoldenGro R** per 100 gallons of water may be made two weeks after transplanting. Two to three applications may be required per growing season.

TURF AND SOD GRASS

For Turf Grass: Mix 0.13 fl. oz. of GoldenGro R per gallon of water and apply 1-10 gallons of solution by ground per 1000 sq. ft.

For Sod Grass: Mix 2.5-5.0 fl. oz. of GoldenGro R in 20-40 gallons of water (1:1000) and apply 20-40 gallons of solution by ground per acre.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE:

GoldenGro R should be stored in its original container in a cool, dry locked place out of the reach of children and out of direct sunlight.

PESTICIDE DISPOSAL:

To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry.)

CONTAINER DISPOSAL:

Non-refillable container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Do not reuse this container. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¹/₄ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LIMITED WARRANTY AND DISCLAIMER

NOTICE: CP Bio, Inc., warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use. Buyer assumes all risks of use and handling which is a variance in any way with the directions herein. CP Bio, Inc., makes no other express or implied warranty of fitness or merchantability. To the extent consistent with applicable law, CP Bio, Inc., or the seller shall not be liable for consequential, special or indirect damages resulting from the misuse or mishandling of this product. CP Bio, Inc., and Seller offer this product and the Buyer and user accept it, subject to the foregoing **Limited Warranty and Disclaimer** which may be varied only by agreement in writing signed by a duly authorized representative of CP Bio, Inc. Rev 7-20-10, 7-13-11, 7/27/11.

4