

88051-1

06/25/2013

1/16



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

Tuesday, June 25, 2013

**Chanelle Pharmaceuticals Manufacturing Ltd.**  
**c/o Terry McNamara**  
**Exponent, Inc.**  
**Managing Regulatory Consultant**  
**Center for Chemical Regulation and Food Safety**  
**1150 Connecticut Avenue NW, Suite 1100**  
**Washington, DC 20036**

**Subject: Submission of an R340 label amendment with data to change the age limitation from 12 weeks to 8 weeks of age.**

**EPA Registration No.: 88051-1 (Zeronil Spot-on Solution for Cats)**

**PRIA Decision: R340**

**Decision No.: 470005**

**Date of submission: September 21, 2012**

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). The terms of registration as set forth in the original Notice of Registration dated August 30, 2012 remain in effect until rescinded by the Agency.

Chanelle Pharmaceuticals Manufacturing Ltd. must submit/cite all data required for registration / reregistration/ registration review of your product under the Federal Fungicide, Insecticide and Rodenticide Act (FIFRA) section 3(c)(5) or 4(a) when the Agency requires registrants of similar products to submit such data.

You must furnish 2 copies of the final printed label (mock labels) for the agency records.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e).

A stamped copy of the label is enclosed for your records.

Sincerely,

A handwritten signature in black ink that reads "Richard J. Gebken".

Richard Gebken  
Product Manager 10  
Insecticide Branch  
Registration Division (7505C)

Enclosure

[ ] – Denotes optional statements and/or images.

{Master Label}

## Zeronil Spot-On Solution for Cats

**FOR USE ONLY ON CATS AND KITTENS OVER 8 WEEKS OF AGE OR OLDER AND 1.5 LBS OR OVER**

[[Brand Name] provides protection that controls adult fleas, ticks, mosquitoes and chewing lice. Controls deer ticks that may transmit Lyme disease. Controls brown dog ticks, American dog ticks, and lone star ticks. Prevents flea reinfestation.]

[[Brand Name] provides an easy to use spot treatment for quick-acting, long-lasting control of adult fleas, ticks, chewing lice and mosquitoes.]

[[Brand Name] for cats [&] [and] kittens 8 weeks of age or older. Easy to use spot treatment for quick-acting, long lasting control of adult fleas, ticks, chewing lice and mosquitoes.]


[[Brand Name] provides easy to use and effective flea, tick, chewing lice and mosquito control for cats and kittens over 8 weeks of age or older.]

**ACTIVE INGREDIENT:**

Fipronil.....9.70%

**OTHER INGREDIENT:**.....

**TOTAL**



**KEEP OUT OF REACH OF CHILDREN  
CAUTION  
READ ENTIRE LABEL BEFORE EACH USE  
PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS. CAUTION.** Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**HAZARDS TO DOMESTIC ANIMALS.** For external use only. Do not use on kittens under 8 weeks of age. Individual sensitivities, while rare, may occur after using ANY pesticide product. Some cats may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing cats.

<b>FIRST AID</b>	
If swallowed:	<ul style="list-style-type: none"> <li>• Call a poison control center or a doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
If in eyes:	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
If on skin or clothing:	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOTLINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information concerning this product, call 1-800-XXX-XXXX.	

**DIRECTIONS FOR USE**


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. DO NOT ALLOW YOUR CAT TO INGEST THIS PRODUCT.**

To control adult fleas, all stages of brown dog ticks, American dog ticks, lone star ticks, deer ticks (which may carry Lyme disease), chewing lice and mosquitoes, apply only on cats and kittens 8 weeks of age or older as follows:

**DIRECTIONS FOR OPENING PACKAGING:**


**1** Cut along scissor cut line to separate unit



**2** Turn unit over and cut corner at bulb end

**3** From cut corner, peel backing completely off from bottom to top

**4** Remove the applicator



**DIRECTIONS FOR APPLICATION OF PRODUCT:**

1. Place pipette tip through the cat's hair to the skin level between the shoulder blades.
2. Squeeze the pipette, applying entire contents in a single spot to the cat's skin. Avoid applying product superficially to the cat's hair.

**Only one pipette per treatment is necessary. Do not apply to cats weighing less than 1.5 lbs. Do not apply two pipettes (double dose) to cat in one treatment.**

**FREQUENCY OF APPLICATION:**

When used as directed on a monthly basis, [Brand Name] will completely control flea, tick and chewing lice infestations.

**Fleas** – Studies show that [Brand Name] Controls adult fleas for up to six weeks. Although [Brand Name] can protect against adult fleas for up to six weeks, if there is a high risk of reinfestation or if the cat has fleas which can cause flea allergy dermatitis, a once a month application may be necessary.

**Ticks** – [Brand Name] Controls ticks for up to one month. A once a month application is recommended where tick control is desired.

**Mosquitoes** – [Brand Name] Controls mosquitoes within 24 hours for up to two weeks and within 48 hours for up to one month.

[Brand Name] continues to work even after bathing, water immersion, or exposure to

sunlight. Avoid contact with treatment area until dry. Do not reapply [Brand Name] for at least one month.

Side Effects: Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or 1-800-xxx-xxxx.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Do not remove tube from the pack until ready to use. Store in a cool (below 77°F/[25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

**CONTAINER DISPOSAL:**

**If empty:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**[WARRANTY DISCLAIMER**

Read the entire Label, including the Precautionary Statements, First Aid, Use Directions and Warranty Disclaimer before using this Product. Use of this product constitutes acceptance of this warranty by the user or buyer. The directions for use on this product label are believed to be sufficient and must be followed carefully with every use. Elimination of all risks associated with the use of this product is impossible. Because of factors unforeseen, unintended consequences may result when using this product. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Chanelle Pharmaceuticals Manufacturing Ltd. makes a commitment to providing high quality products to consumers. To the extent consistent with applicable law, Chanelle Pharmaceuticals Manufacturing Ltd. makes no other express or implied warranty of merchantability or fitness for a particular purpose or any other express or implied warranty. To the extent consistent with applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at Chanelle Pharmaceuticals Manufacturing Ltd.'s election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

To the extent consistent with applicable law, Chanelle Pharmaceuticals Manufacturing Ltd. shall not be liable for losses or damages resulting from handling or use of this product unless Chanelle Pharmaceuticals Manufacturing Ltd. is promptly notified of such losses or damages in writing. In no case shall Chanelle Pharmaceuticals Manufacturing Ltd. be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Chanelle Pharmaceuticals

6/16

**Chanelle Cat Fipronil-Only Spot-On  
ver. 6 (07-Jan-2013)**

Manufacturing Ltd. or the seller is authorized to vary or exceed the terms of this  
Warranty Disclaimer in any manner.]

Distributed by:  
Chanelle Pharmaceuticals Manufacturing Ltd.  
Dublin Road  
Loughrea, Co., Galway  
Ireland  
EPA Reg. No. 88051-1  
EPA Est. No. 74720-DEU-001

[BAR CODE AREA]

[CHANELLE BRAND LOGO]

*Chanelle Pharmaceuticals Manufacturing Ltd.:*

## **Zeronil Spot-On Solution for Cats**

**FOR USE ONLY ON CATS AND KITTENS OVER 8 WEEKS OF AGE OR OLDER AND 1.5 LBS OR OVER**

[[**Brand Name**] provides an easy to use and effective flea, tick, chewing lice and mosquito protection for cats and kittens 8 weeks or older]

- [Easy to Use]
- [Quick Acting]
- [Long Lasting]
- [Waterproof]
- [Continues to work even after bathing]
- [Apply once every [4 weeks] [month] [30 days]!]
- [Protects against reinfestation]
- [Controls adult fleas which may cause flea allergy dermatitis]
- [Controls newly emerged adult fleas before they lay eggs]
- [Controls all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease)]
- Controls mosquitoes
- [Quickly halts chewing lice infestations]

### **[Mosquitoes]**

- [[Controls] [Kills] mosquitoes within 24 hours for up to [14 days][2 weeks]]] [and within 48 hours for up to [28 days][one month]]
- [[Controls] [Kills] mosquitoes]]

### **[Adult Fleas]**

- [Controls adult fleas [for up to six weeks]]
- [Controls adult Fleas [Up to 4 weeks] [1 month] [30 days]!]
- [Cats with a high risk for flea reinfestation apply once monthly]
- [Controls adult fleas which may cause flea allergy dermatitis]
- [Controls newly emerged adult fleas before they lay eggs]

**[Ticks]**

- [Controls ticks including those that may transmit Lyme disease]
- [Controls Ticks for Up to [4 weeks] [1 month] [30 days]!]
- [Controls Deer Ticks (that may carry Lyme disease) for up to [4 weeks] [1 month] [30 days]]
- [Controls Ticks (Including Deer Ticks) for up to [4 weeks] [1 month] [30 days]]
- [Controls [brown dog ticks], [American dog ticks,] [and lone star ticks] [for up to [4 weeks] [1 month] [30 days]]]
- [Controls [Brown], [American,] [and Lone Star] Dog Ticks] [for up to [4 weeks] [1 month] [30 days]]]
- [Controls brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease)]
- [Controls American Dog Ticks for up to [4 weeks] [1 month] [30 days]!]

**[Multiple Infestations]**

- [Controls chewing lice]
- [Quickly halts chewing lice infestations]
- [Flea [&] [and] Tick Control for Cats [&] [and] Kittens 8 weeks old and older]
- [Controls adult fleas, ticks, mosquitoes [&] [and] chewing lice]
- [Controls adult fleas, ticks, chewing lice, and mosquitoes]
- [Once a month flea, tick, mosquito and chewing lice protection]
- [Four] [4] Way [Action][Control] [adult fleas, ticks, mosquitoes, and chewing lice]
- [[4 Week] [1 month] [30 day] [Flea and Tick [&] [and] Application]
- [[Four (4) Week] [1 month] [Flea, Tick, Mosquito and Chewing Lice Protection]
- [Monthly Flea and Tick Treatment]
- [Use [**Brand Name**] once a month to protect from ticks and chewing lice]
- [Once a month flea, tick, mosquito, and chewing lice protection.]
- [Controls adult Fleas and Ticks for up to [4 weeks] [1 month] [30 days]!]

**[All Others]**

- [For use on Cats and Kittens 8 weeks of age or older]
- [Fipronil (9.7%)]
- [Use ONLY on cats (and kittens) over 1.5 lbs, and over 8 weeks of age or older]
- [Use ONLY on cats (and kittens)] [over 1.5 lbs] [over 8 weeks of age or older]
- [Apply on kittens over 8 weeks old]
- [Apply on kittens 8 weeks of age or older]



9/16

**{START - FRONT PANEL OF PACKAGING}**

**FOR USE ONLY ON CATS AND KITTENS OVER 8 WEEKS OF AGE OR OLDER AND 1.5 LBS OR OVER**

[[Brand Name] for cats [&] [and] kittens 8 weeks of age or older. Easy to use spot treatment for quick-acting, long lasting protection from adult fleas, ticks, chewing lice and mosquitoes.]

**ACTIVE INGREDIENT:**

Fipronil..... 9.70%

**OTHER INGREDIENT:..... 90.30%**

**TOTAL 100.00%**

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See [Side] [Back] Panel For Additional Precautionary Statements

**NET CONTENTS: 0.051 fl oz (1.5 mL)**  
([Three] [3][three] 0.017 fl oz (0.50 mL) applicators)

**{END - FRONT PANEL OF PACKAGING}**

**{START – BACK/SIDE PANEL OF PACKAGING}**

[[Brand Name] contains the active ingredient fipronil that targets adult fleas, ticks, chewing lice and mosquitoes.][Fipronil pools in the oils of the skin and hair follicles, and continuously releases from hair follicles onto the skin and coat, resulting in long-lasting protection.]

[Use ONLY on cats or kittens over 1.5 lbs, and over 8 weeks of age or older]

**READ ENTIRE LABEL BEFORE EACH USE  
USE ONLY ON CATS AND KITTENS OVER 8 WEEKS OF AGE OR OLDER**

[[Brand Name] provides control and protection that controls adult fleas, ticks, mosquitoes and chewing lice. Controls deer ticks that may transmit Lyme disease. Controls brown dog ticks, American dog ticks, and lone star ticks. Prevents flea reinfestation.]

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS. CAUTION.** Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**HAZARDS TO DOMESTIC ANIMALS.** For external use only. Do not use on kittens under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Some cats may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing cats.

<b>FIRST AID</b>	
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or a doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOTLINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information concerning this product, call 1-800-XXX-XXXX.	

[[**Brand Name**]] provides easy to use and effective flea, tick, chewing lice and mosquito protection for cats and kittens 8 weeks of age or older]

**DIRECTIONS FOR USE**


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND ENCLOSED DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. DO NOT ALLOW YOUR CAT TO INGEST THIS PRODUCT.

To control adult fleas, all stages of brown dog ticks, American dog ticks, lone star ticks, deer ticks (which may carry Lyme disease), chewing lice and mosquitoes, apply only on cats and kittens 8 weeks of age or older as follows:

**DIRECTIONS FOR OPENING PACKAGING:**


**1** Cut along scissor cut line to separate unit



**2** Turn unit over and cut corner at bulb end

**3** From cut corner, peel backing completely off from bottom to top

**4** Remove the applicator



**DIRECTIONS FOR APPLICATION OF PRODUCT:**

1. Place pipette tip through the cat's hair to the skin level between the shoulder blades.
2. Squeeze the pipette, applying entire contents in a single spot to the cat's skin. Avoid applying product superficially to the cat's hair.

**Only one pipette per treatment is necessary. Do not apply to cats weighing less than 1.5 lbs. Do not apply two pipettes (double dose) to cat in one treatment.**

**FREQUENCY OF APPLICATION:**

When used as directed on a monthly basis, [Brand Name] will completely control flea, tick and chewing lice infestations.

**Fleas** – Studies show that [Brand Name] Controls adult fleas for up to six weeks. Although [Brand Name] protects cats from adult fleas for up to six weeks, if there is a high risk of reinfestation, or if the cat has fleas which may cause flea allergy dermatitis, apply once a month.

**Ticks** – [Brand Name] Controls ticks for at least up to one month. A once a month application is recommended where tick protection is desired.

**Mosquitoes** – [Brand Name] Controls mosquitoes within 24 hours for up to two weeks and within 48 hours for up to one month.

[Brand Name] continues to work even after bathing, water immersion, or exposure to sunlight. Avoid contact with treatment area until completely dry. Do not reapply [Brand Name] for at least one month.

Side Effects: Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or 1-800-xxx-xxxx.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Do not remove tube from the pack until ready to use. Store in a cool (below 77°F/[25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

#### CONTAINER DISPOSAL:

**If empty:** Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### PHYSICAL OR CHEMICAL HAZARDS

**FLAMMABLE:** Keep away from heat and open flame.

#### [WARRANTY DISCLAIMER

Read the entire Label, including the Precautionary Statements, First Aid, Use Directions and Warranty Disclaimer before using this Product. Use of this product constitutes acceptance of this warranty by the user or buyer. The directions for use on this product label are believed to be sufficient and must be followed carefully with every use. Elimination of all risks associated with the use of this product is impossible. Because of factors unforeseen, unintended consequences may result when using this product. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Chanelle Pharmaceuticals Manufacturing Ltd. makes a commitment to providing high quality products to consumers. To the extent consistent with applicable law, Chanelle Pharmaceuticals Manufacturing Ltd. makes no other express or implied warranty of merchantability or fitness for a particular purpose or any other express or implied warranty. To the extent consistent with applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at Chanelle Pharmaceuticals Manufacturing Ltd.'s election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

To the extent consistent with applicable law, Chanelle Pharmaceuticals Manufacturing Ltd. shall not be liable for losses or damages resulting from handling or use of this product unless Chanelle Pharmaceuticals Manufacturing Ltd. is promptly notified of such losses or damages in writing. In no case shall Chanelle Pharmaceuticals Manufacturing Ltd. be liable for consequential or incidental damages or losses.

13/16

**Chanelle Cat Fipronil-Only Spot-On  
ver. 6 (07-Jan-2013)**

The terms of the Warranty Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Chanelle Pharmaceuticals Manufacturing Ltd. or the seller is authorized to vary or exceed the terms of this Warranty Disclaimer in any manner.]

Distributed by:  
Chanelle Pharmaceuticals Manufacturing Ltd.  
Dublin Road  
Loughrea, Co., Galway  
Ireland  
EPA Reg. No. 88051-1  
EPA Est. No. 74720-DEU-001

[BAR CODE AREA]

[CHANELLE BRAND LOGO]

**{END - BACK / SIDE PANEL}**

**{Product Claims to be printed on packaging}**

[[Brand Name] provides easy to use and effective flea, tick, chewing lice and mosquito protection for cats and kittens 8 weeks of age or older]

- [Easy to Use]
- [Quick Acting]
- [Long Lasting]
- [Waterproof]
- [Continues to work even after bathing]
- [Apply once every [4 weeks] [month] [30 days]!]
- [Protects against reinfestation]
- [Controls adult fleas which may cause flea allergy dermatitis]
- [Controls newly emerged adult fleas before they lay eggs]
- [Controls all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease)]
- [[Controls] [Kills] mosquitoes]]
- [Quickly halts chewing lice infestations]

**[Mosquitoes]**

- [[Controls] [Kills] mosquitoes within 24 hours for up to [14 days][2 weeks]] [and within 48 hours for up to [28 days][one month]]
- [[Controls] [Kills] mosquitoes]]

**[Adult Fleas]**

- [Controls adult fleas [for up to six weeks]]
- [Controls adult Fleas [Up to 4 weeks] [1 month] [30 days]!]
- [Cats with a high risk for flea reinfestation apply once monthly]
- [Controls adult fleas which may cause flea allergy dermatitis]
- [Controls newly emerged adult fleas before they lay eggs]

**[Ticks]**

- [Controls ticks including those that may transmit Lyme disease]
- [Controls Ticks for Up to [4 weeks] [1 month] [30 days]!]
- [Controls Deer Ticks (that may carry Lyme disease) for up to [4 weeks] [1 month] [30 days]]
- [Controls Ticks (Including Deer Ticks) for up to [4 weeks] [1 month] [30 days]]
- [Controls [brown dog ticks], [American dog ticks,] [and lone star ticks] [for up to [4 weeks] [1 month] [30 days]]]
- [Controls [Brown], [American,] [and Lone Star] Dog Ticks] [for up to [4 weeks] [1 month] [30 days]]]
- [Controls brown dog ticks, American dog ticks, lone star ticks, and deer ticks (which may carry Lyme disease)]
- [Controls American Dog Ticks for up to [4 weeks] [1 month] [30 days]!]

**[Multiple Infestations]**

- [Controls chewing lice]
- [Quickly halts chewing lice infestations]
- [Flea [&] [and] Tick Control for Cats [&] [and] Kittens 8 weeks old and older]
- [Controls adult fleas, ticks, mosquitoes [&] [and] chewing lice]
- [Controls adult fleas, ticks, chewing lice, and mosquitoes]
- [Once a month flea, tick, mosquito and chewing lice protection]
- [Four] [4] Way [Action][Control] [adult fleas, ticks, mosquitoes, and chewing lice]
- [[4 Week] [1 month] [30 day] [Flea and Tick [&] [and] Application]
- [[Four (4) Week] [1 month] [Flea, Tick, Mosquito and Chewing Lice Protection]
- [Monthly Flea and Tick Treatment]
- [Use [**Brand Name**] once a month to protect from ticks and chewing lice]
- [Once a month flea, tick, mosquito, and chewing lice protection.]
- [Controls adult Fleas and Ticks for up to [4 weeks] [1 month] [30 days]!]

**[All Others]**

- [For use on Cats and Kittens 8 weeks of age or older]
- [Fipronil (9.7%)]
- [Use ONLY on cats (and kittens) over 1.5 lbs, and over 8 weeks of age or older]
- [Use ONLY on cats (and kittens)] [over 1.5 lbs] [over 8 weeks of age]
- [Apply on kittens over 8 weeks old]
- [Apply on kittens 8 weeks of age or older]

{START – BLISTER PACK INFORMATION}



{END – BLISTER PACK INFORMATION}

{START – APPLICATOR INFORMATION}

Front Label	Back Label
<p>{Brand Name}  <b>For cats over 1.5 lbs &amp; over 8 weeks old</b>            Fipronil 9.7% w/w            0.017 fl oz {label code}</p>	<p><b>KEEP OUT OF REACH OF CHILDREN</b>  <b>CAUTION:</b> Read directions and            precautions before using.            EPA REG. No. 88051-1</p>

{END – APPLICATOR INFORMATION}