

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.

Washington, D.C. 20460

NOTICE OF PESTICIDE:

X RegistrationReregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

88051-8

4/21/25

Term of Issuance:

Conditional, Time-Limited

Expires: 04/21/2027

Name of Pesticide Product:
Kanimper II for Dogs

Name and Address of Registrant (include ZIP Code):

James Messina
Authorized Agent
Chanelle Pharmaceuticals Manufacturing Ltd
c/o Exponent, Inc.
1150 Connecticut Ave. NW
Suite 1100
Washington, DC 20036

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

 Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:	Date:
Elbala La Talul	4/21/25
Elizabeth Fertich, Product Manager 04	

Invertebrate & Vertebrate Branch 1	
Registration Division (7505P)	
Office of Pesticide Programs	

EPA Form 8570-6

- 2. This registration is time-limited and expires 04/21/2027.
- 3. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product beginning within 3 months of the date the product is first released for shipment, on the first day of the quarter (i.e., January 1, April 1, July 1, or October 1). Please flag any Confidential Business Information as such. Submit enhanced incident reporting and quarterly sales information to the Product Manager's attention. The following is a list of information that must be included in the quarterly reports for each incident:
 - EPA Registration Number
 - Product name (brand name)
 - Lot #
 - Where purchased: internet, store, veterinarian
 - Active Ingredient(s)
 - Weight range for product
 - Date on which incident occurred (mm/dd/yyyy)
 - State in which the incident occurred (standard 2 letter abbreviation)
 - Registrant case #
 - Species: dog, cat, other (specify)
 - Breed: (as reported by pet owner)
 - Age: months or years
 - Sex: M, F, or neutered
 - Weight: pounds
 - Primary Route of Exposure: dermal, oral, other animal, inhalation, other
 - Body System: neurological, dermatological, GI, respiratory, ocular, other
 - Major signs noted with separate column for each sign, using standard terminology
 - Time to Onset: (hours, days)
 - Treated by veterinarian: yes or no
 - First time product used: yes or no
 - Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)
 - Any known precondition
 - EPA Severity Code: death, major, moderate, minor
 - Outcome: died, recovered, still treated, unknown
- 4. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
 - All incidents should be reported including all minor dermal and ocular irritation reports.

- Summary table for dogs showing number of incidents of each severity code for each
 route of exposure. Each incident should only be reported once. If one incident has
 several routes of exposure, the order should be ocular > oral > dermal. In other words,
 an incident with both oral and dermal exposure would be reported as oral exposure,
 and an incident with both ocular and oral exposure would be reported as ocular
 exposure.
- A similar summary table for cats (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
- Summary table for cats and table for dogs showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
- A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
- A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label, as applicable.
- A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range, as applicable.
- Table showing number of incidents for each dog breed, where provided.
- Table showing number of incidents in dogs for each clinical sign.
- Table showing number of incidents in dogs for each organ system.
- Report aggregate incidents, but do not combine moderate and minor incidents.

If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants. If mitigation measures are necessary, EPA may take regulatory action.

- 5. You are required to comply with the data requirements described in the DCI identified below:
 - a. Permethrin GDCI-109701-1113

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1

6. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.

- 7. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 88051-8."
- 8. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 02/07/2024
- Alternate CSF 1 dated 02/07/2024
- Alternate CSF 2 dated 02/07/2024
- Alternate CSF 3 dated 02/07/2024
- Alternate CSF 4 dated 02/07/2024
- Alternate CSF 5 dated 02/07/2024
- Alternate CSF 6 dated 02/07/2024
- Alternate CSF 7 dated 02/07/2024
- Alternate CSF 8 dated 02/07/2024
- Alternate CSF 9 dated 02/07/2024
- Alternate CSF 10 dated 02/07/2024
- Alternate CSF 11 dated 02/07/2024
- Alternate CSF 12 dated 02/07/2024
- Alternate CSF 13 dated 02/07/2024
- Alternate CSF 14 dated 02/07/2024
- Alternate CSF 15 dated 02/07/2024
- Alternate CSF 16 dated 02/07/2024
- Alternate CSF 17 dated 02/07/2024

Page 5 of 5 EPA Reg. No. 88051-8 Case No. 608433

If you have any questions, please contact Eric Ingram at 202-566-0061 or at ingram.eric@epa.gov.

Enclosure

{Note to reviewer: Text in brackets [] denotes alternate or optional statements/images; Text in parentheses is meant to be included on the market label; Text in braces {} are notes to reviewer}

{Front}

Kanimper II for Dogs

Alternate Brand Name: Imidiper II for Dogs

{The word "Dogs" in the brand name will be 40% to 75% the height of the largest letter in the name.} {A large, clear picture of a dog in the weight range for the product as packaged will be on the front.}

Topical prevention and treatment of fleas, ticks, mosquitos, biting flies, and lice for monthly use ONLY on dogs and puppies 7 weeks of age and older and [4-10] [11-20] [21-55] [>55] lbs

{Note to reviewer: a product description from optional claims section will appear on front panel}

ACTIVE INGREDIENTS:

Permethrin*	44.0%
Imidacloprid	8.8%
Pyriproxyfen	
OTHER INGREDIENTS:	
TOTAL	100.0%

^{*} cis/trans ratio: Max 55% (\pm) cis and min 45% (\pm) trans

KEEP OUT OF REACH OF CHILDREN

WARNING

See [insert][inside][side][back][panel] for First Aid and Other Precautionary Statements, Directions for Use, Storage and Disposal

Image of tube

NET CONTENTS: $\{total\}\ fl\ oz\ [Y-X\ fl.\ oz.\ tubes]$

0.135 fl. oz. (4.0 mL) {or} 0.084 fl. oz. (2.5 mL) {or} 0.034 fl. oz. (1.0 mL) {or} 0.014 fl. oz. (0.4 mL)

{Note to reviewer: Y indicates number of tubes; i.e. 1, 2, 3, 4, 6}

EPA Reg. No. 88051-I

EPA Est. 93041-IRL-1

ACCEPTED

04/21/2025

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

88051-8

DO NOT USE ON CATS-MAY BE FATAL

{A 1.5cm x 1.5 cm cat prohibition icon in a box will be placed in the lower righthand corner of the front panel in yellow with black images.}

{Back}

Kanimper II for Dogs

{The "Dog" text size will be 40% to 75% of the height of the largest letter in the primary brand name}

READ THE ENTIRE LABEL INSERT BEFORE EACH USE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To prevent harm to you and your dog, read entire label and enclosed directions before each use. Follow all directions and precautionary statements carefully. For external use on dogs only for the prevention and treatment of fleas, ticks, mosquitoes, biting flies and lice on dogs. For indoor use only.

DIRECTIONS FOR APPLICATION OF PRODUCT:

Dog must be dry at time of application and remain dry for 24 hours after application.

- 1. Place tube tip through the dog's hair to the skin level between the shoulder blades.
- 2. Squeeze the tube, {note to reviewer: use appropriate directions below for dog weight range}

applying contents in two to three spots to the skin along the dog's spine. {on product labels for dogs weighing 4-10 lbs {OR}

applying contents in three to four spots to the skin along the dog's spine. {on product labels for dogs weighing 11-20 lbs {or} 21-55 lbs {or} >55 lbs

Avoid applying product superficially to the dog's hair.

{Note to reviewer: A box labeled "Side Effects" will be immediately above the cat fatality box on the back.}

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-800-xxx-xxxx.

{Note: A "Fatality" box will be located immediately below the Side Effects box in the lower righthand corner of the back. The box will include a 1.5 cm X 1.5 cm cat prohibition icon and warning text in yellow and black images and text.}

DO NOT USE ON CATS – MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

For consumer questions call 1-800-xxx-xxxx. For medical emergencies call 1-800-xxx-xxxx.

Chanelle Pharmaceuticals Manufacturing Ltd. Dublin Road Loughrea, Co., Galway Ireland

{Insert}

Kanimper II for Dogs

{Note to reviewer: The "Dog" text size will be 40% to 75% of the height of the largest letter in the primary brand name}

Topical prevention and treatment of fleas, ticks, mosquitos, biting flies, and lice for monthly use ONLY on dogs and puppies 7 weeks of age and older and [4-10] [11-20] [21-55] [>55] lbs

For the prevention and treatment of fleas, ticks, mosquitos, biting flies and lice on dogs

READ THE ENTIRE LABEL BEFORE EACH USE

ACTIVE INGREDIENTS:

Permethrin*	44.0%
Imidacloprid	8.8%
Pyriproxyfen	
OTHER INGREDIENTS:	
TOTAL	100.0%

^{*} cis/trans ratio: Max 55% (\pm) cis and min 45% (\pm) trans

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through the skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven weeks of age or weighing less than [4][11][21][56] lbs. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. This product is not a substitute for prescribed heartworm preventative. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

FIRST AID

IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15- 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have person size a class of vector if able to smalley.	
	• Have person sip a glass of water if able to swallow.	
	 Do not induce vomiting unless told to do so by the poison 	
	control center or doctor.	
	 Do not give anything to an unconscious person. 	
IF ON SKIN OR	Take off contaminated clothing.	
CLOTHING:	• Rinse skin immediately with plenty of water for 15 – 20	
	minutes.	
	• Call a poison control center or doctor for treatment advice.	
HOT LINE NUMBER		
Have the product container or label with you when calling a poison control center or doctor or		
going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment		
information. For consumer questions call 1-800-xxx-xxxx.		
NOTE TO PHYSICIAN		
Treat the patient symptom	atically.	

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-800-xxx-xxxx.

{The box will include a 1.5 cm X 1.5 cm cat prohibition icon and warning text in yellow and black images and text.}

DO NOT USE ON CATS – MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or **ingested** by a cat, contact your veterinarian immediately.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To prevent harm to you and your dog, read entire label and enclosed directions before each use. Follow all directions and precautionary statements carefully. For external use on dogs only. For use indoors only.

Restrictions:

Do not allow children to apply product.

Do not touch treated area until dry.

Do not have contact or allow children to have contact with treated area until completely dry.

Do not get this product in your dog's eyes or allow your dog to ingest this product.

Do not apply an excessive amount of solution at any one spot that could cause some of the solution to run off the side of the dog.

Do not use on puppies under 8 weeks of age.

Do not use on dogs or puppies less than [4][11][21][55] lbs.

Do not apply more than one tube per treatment for one dog regardless of the dog's weight Do not use on other animals.

Do not allow your dog to ingest this product.

Do not reapply this product for 30 days. In case of severe pest infestations, you are able to retreat your dog earlier than (4) four weeks. If infestation is severe at the initiation of treatment, once a week treatment is permitted not to exceed 4 weeks. After pest control has been successful, return to a monthly retreatment schedule.

HOW TO OPEN

{Note to reviewer: INSTRUCTIONS WHEN FOIL POUCH 1 CONTAINER USED}

[Use scissors to open the sealed pouch. Cut along the scissor marks near the upper portion of the pouch. Be careful not to damage the tube.]

{Note to reviewer: INSTRUCTIONS WHEN POUCH 2 CONTAINER USED}

[Be sure tube is at bottom of pouch. Use scissors or tear along notch to open pouch. Be careful not to damage the tube.]

Remove the tube from the container. Hold the tube upright. Tap the narrow part of the tube to ensure the contents are within the main body of the tube. Twist and pull the snap-off top of the tube to enable the contents to be expelled. If the top does not pull away easily, use scissors to remove it.

HOW TO APPLY

Dog must be dry at time of application and remain dry for 24 hours after application.

- 1. Place tube tip through the dog's hair to the skin level between the shoulder blades.
- 2. Squeeze the tube, {note to reviewer: use appropriate directions below for dog weight range}

applying contents in two to three spots to the skin along the dog's spine. {on product labels for dogs weighing 4-10 lbs} {OR}

applying contents in three to four spots to the skin along the dog's spine. {on product labels for dogs weighing 11-20 lbs {or} 21-55 lbs {or} >55 lbs

Avoid applying product superficially to the dog's hair.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Protect from freezing. **Pesticide Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency or 1-800-xxx-xxxx for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRODUCT INFORMATION

Kills fleas which may cause flea allergy dermatitis (FAD).

Kanimper II for Dogs kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting four (4) weeks. Preexisting pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Kanimper II for Dogs is waterproof after 24 hours and remains effective following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

[WARRANTY AND DISCLAIMER

Read the entire Label, including the Precautionary Statements, First Aid, Use Directions and Warranty Disclaimer before using this Product. Use of this product constitutes acceptance of this warranty by the user or buyer. The directions for use on this product label must be followed carefully with every use. Elimination of all risks associated with the use of this product is impossible. Because of factors unforeseen, unintended consequences may result when using this product. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer. Chanelle Pharmaceuticals Manufacturing Ltd. makes a commitment to high quality products to consumers. To the extent consistent with applicable law, Chanelle Pharmaceuticals Manufacturing Ltd. makes no other express or implied warranty of merchantability or fitness for a particular purpose or any other express or implied warranty. To the extent consistent with applicable law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at Chanelle Pharmaceuticals Manufacturing Ltd.'s election, one of the following:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

To the extent consistent with applicable law, Chanelle Pharmaceuticals Manufacturing Ltd. shall not be liable for losses or damages resulting from handling or use of this product unless Chanelle Pharmaceuticals Manufacturing Ltd. is promptly notified of such losses or damages in writing. In no case shall Chanelle Pharmaceuticals Manufacturing Ltd. be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Chanelle Pharmaceuticals Manufacturing Ltd. or the seller is authorized to vary or exceed the terms of this Warranty Disclaimer in any manner.]

For consumer questions call 1-800-xxx-xxxx. For medical emergencies call 1-800-xxx-xxxx.

EPA Reg. No. 88051-I

EPA Est. 93041-IRL-1

Chanelle Pharmaceuticals Manufacturing Ltd. Dublin Road Loughrea, Co., Galway Ireland

Made in Ireland

{end of Insert}

{text for optional sealed pouch with single tube enclosed: used for either Option 1 pouch or Option 2 pouch; see page 5 How to Open for reference}

Chanelle
Kanimper II for Dogs
7 weeks & older, [4-10] [11-20] [21-55] [>55] lbs
44.0% permethrin
8.8% imidacloprid
0.44% pyriproxyfen
Keep Out of Reach of Children
Warning
Read Entire Label Before Use
EPA Reg. No. 88051-I
Do Not Use on Cats-May be Fatal



{Note to reviewer: The "7 weeks & older, and specific weight range [4-10] [11-20] [21-55] [>55] lbs" are overprinted on the pouch with the batch number}

{Tube Label}

Kanimper II for Dogs EPA No. 88051-I [0.135] {or} [0.084] {or} [0.034] {or} [0.014] fl oz Lot

{Note to reviewer: Lot number is embossed onto the tube}

{Note to reviewer: optional product descriptions and optional marketing claims that may or may not appear on market label}

- 1. For use only on dogs and puppies 7 weeks of age and older and weighing [4-10] [11-20] [21-55] [over 55] lbs
- 2. Kanimper II for Dogs contains [imidacloprid], [permethrin] and [an] [the] [insect growth regulator] [IGR] [pyriproxyfen]
- 3. A single topical application remains effective for [a month] [four [4] weeks]
- 4. Convenient, easy to apply topical solution
- 5. Once a month topical flea treatment only for dogs 7 weeks of age or older and weighing [4-10] [11-20] [21-55] [over 55] lbs
- 6. Kanimper II for Dogs is for the prevention and treatment of fleas, ticks, biting flies, mosquitoes, and lice only on dogs 7 weeks of age and older and weighing [4-10] [11-20] [21-55] [over 55] lbs
- 7. Repels and kills ticks, fleas, and mosquitoes
- 8. For the treatment and prevention of flea infestations on dogs
- 9. For prevention and treatment of fleas, ticks, biting flies, mosquitoes, and lice
- 10. Repels and kills ticks including Deer ticks [vector of Lyme disease], American dog ticks [vector of Rocky Mountain spotted fever], Brown dog ticks [vector of ehrlichiosis], and Lone Star ticks [vector of ehrlichiosis] for up to four [4] weeks
- 11. Repels and kills ticks, including Deer ticks [that may [vector] [transmit] [carry] Lyme disease and anaplasmosis], American dog ticks [that may [vector] [transmit] [carry] Rocky Mountain spotted fever, tularemia and ehrlichiosis], Brown dog ticks [that may [vector] [transmit] [carry] ehrlichiosis, anaplasmosis, bartonellosis, canine hemoplasmosis, babesiosis and Rocky Mountain spotted fever], and Lone Star ticks [that may [vector] [transmit] [carry] ehrlichiosis and tularemia]
- 12. [Kills fleas on dogs within 12 hours and continues to prevent infestations for [a month][four [4] weeks]
- 13. One treatment prevents further flea infestations for [a month] [four] [4] [weeks] on dogs
- 14. Kills fleas [rapidly] on dogs within 12 hours of application
- 15. Stops existing flea infestations by killing adult fleas
- 16. Controls existing flea infestations by killing adult fleas
- 17. Treatment with Kanimper II kills fleas which may cause Flea Allergy Dermatitis [FAD]
- 18. Treatment with Kanimper II kills fleas and may reduce the incidence of Flea Allergic Dermatitis [FAD]
- 19. Prevents [Stops] flea eggs from hatching [into biting adults]
- 20. Effectively breaks the flea life cycle
- 21. Flea adulticide, larvicide and ovicide
- 22. Prevents fleas on treated dogs
- 23. Effectively targets all [life] stages of [fleas] and [ticks]
- 24. 3-way protection against fleas [kills] [controls] adults, larvae, and eggs

- 25. Prevents [Stops] development of fleas, flea eggs, pupae and larvae [for][a month][four (4) weeks]
- 26. Prevents [Stops] development of all flea stages [for] [a month][four (4) weeks]
- 27. Repels and kills all [life] stages of fleas on dogs
- 28. Prevents [Stops] flea eggs [and flea larvae] from developing into [biting][adult] fleas
- 29. Repels and kills mosquitoes for up to four [4] weeks
- 30. Repels and kills mosquitoes for up to four weeks that may transmit [heartworm disease][Dirofilaria immitis], [West Nile Virus]
- 31. Repels and kills mosquitoes often before they have a chance to take a blood meal
- 32. Prevents blood-feeding by [Kills and repels] [mosquitoes]
- 33. Remains effective after bathing and swimming [for a month] [for up to four weeks]
- 34. Repels biting flies
- 35. Repels and inhibits blood-feeding by biting flies on dogs
- 36. Repels and prevents blood-feeding by biting flies on dogs
- 37. Repels [annoying] [bothersome] [nuisance] biting flies
- 38. Inhibits [annoying] [bothersome] [nuisance] biting flies
- 39. [Prevents] [inhibits] blood-feeding by biting flies
- 40. Kills [biting] [chewing] lice on dogs
- 41. For treatment and prevention of [biting] [chewing] lice [infestations] on dogs
- 42. Controls existing [biting] [chewing] lice [infestations] on dogs
- 43. 5-way protection (against fleas, ticks, biting flies, mosquitoes, and lice
- 44. Treats, prevents and controls [biting] [chewing] lice [infestations]
- 45. Provides effective control of [biting] [chewing] lice [infestations]
- 46. Kills [biting] [chewing] lice and prevents further infestations on dogs
- 47. For treatment and prevention of infestations with [biting] [chewing] lice on dogs
- 48. Remains effective after exposure to rain or sunlight
- 49. Waterproof after 24 hours
- 50. Fragrance free
- 51. Package specially prepared for [pet's name]!
- 52. [Compare to K9 Advantix® active ingredients*]
- 53. Kills [and repels] [biting] mosquitoes which may cause allergic reactions in your dog such as hives or swelling.
- 54. Protect dogs by [killing][and/or] [repelling] [fleas], [ticks], [mosquitoes], [biting flies] and [lice]
- 55. Kills fleas, flea eggs and flea larvae
- 56. Kills fleas and their eggs
- 57. Protects dogs against fleas
- 58. Protects dogs against flea infestations
- 59. Prevents [establishment of] new infestations on dogs after application
- 60. Kills fleas that may cause transmission of tapeworms in dogs
- 61. Kills fleas which may cause Flea Allergy Dermatitis and flea bite anemia
- 62. Kills fleas that may cause a tapeworm [infestation][infection] in dogs
- 63. Kills fleas and ticks through contact.
- 64. Kills [stage] fleas, [stage] ticks, mosquitoes for [4 weeks][a full month]
- 65. Helps prevent [flea/tick] reinfestations on dogs for [30 days][4 weeks][a full month]
- 66. Kills fleas that can transmit tapeworms

- 67. Kills mosquitoes which can cause mosquito allergies
- 68. Flea Protection for your dog when applied monthly
- 69. Stays on, doesn't rub off
- 70. Stops and prevents [flea/tick] [infestations][reinfestations] on dogs
- 71. Helps prevent flea and tick [infestations][reinfestations] on your dog [for][30 days][1 month][4 weeks]
- 72. Kills flea eggs and flea larvae to help prevent future re-infestations on your dog
- 73. Helps prevent [stop] ticks from attaching and feeding on dogs
- 74. Protects dogs against ticks
- 75. Kills and repels ticks on dogs [that may cause tick paralysis]
- 76. Kills new fleas in 2 hours [preventing reinfestation]
- 77. [Effective] [Convenient] topical treatment against [fleas], [ticks] [and] [mosquitoes]
- 78. Protect dogs by [killing][and/or] [repelling] mosquitoes for up to four weeks that may [vector] [transmit] [carry] [*Dirofilaria immitis*] [Heartworms] [West Nile Virus].
- 79. Protect dogs by [killing][and/or] [repelling] mosquitoes for up to four weeks that may [vector] [transmit] [carry] [*Dirofilaria immitis*], which can cause heartworm disease.
- 80. Protect dogs by [killing][and/or] [repelling] fleas that may [vector] [transmit] [carry] [tapeworms] [Bartonellosis], [Rickettsial infections], [Murine Typhus].
- 81. Protect dogs by killing chewing lice that may [vector] [transmit] [carry] tapeworm [infections].
- 82. Protect dogs by repelling biting flies that may cause fly strike [dermatitis].

*Kanimper II for Dogs is not manufactured or distributed by Elanco US Inc., the makers of K9 Advantix® II. K9 Advantix® II is a registered trademark of Elanco US Inc.

Kanimper II for Dogs contains [the same active ingredients] [imidacloprid, Pyriproxyfen, and permethrin,] used in [K9 Advantix® II Small Dog] [K9 Advantix® II Medium Dog] [K9 Advantix® II Large Dog] [K9 Advantix® II Extra Large Dog]*]

*Kanimper II for Dogs is not manufactured or distributed by Elanco US Inc., the makers of K9 Advantix® II. K9Advantix® II is a registered trademark of Elanco US Inc.

{Optional graphics}

