


88052-13

04/19/2013

1/15

 <p style="text-align: center;">ENVIRONMENTAL PROTECTION AGENCY</p> <p style="text-align: center;">Office of Pesticide Programs Registration Division (7504P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460-0001</p>	<p>EPA Registration No. 88052-13</p>	<p>Date of Issuance: April 19, 2013</p>
<p style="text-align: center;">NOTICE OF PESTICIDE:</p> <p style="text-align: center;"><input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration</p> <p style="text-align: center;">(under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</p>	<p>Term of Issuance: Unconditional</p> <p>Name of Pesticide Product: C668.2 FOR DOGS</p>	
<p>Name and Address of Registrant (include ZIP Code): Horizon Valley Generics, Inc. c/o Plyxis Regulatory Consulting, Inc. 4110 136th Street NW Gig Harbor, WA 98332-9122</p> <p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This action is taken under the authority of section 3(c)(5) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Registration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.</p> <p style="text-align: center;">Terms of Registration</p> <ol style="list-style-type: none"> EPA has registered the product listed above provided that the following changes are made to the label before you release the product for shipment: <ol style="list-style-type: none"> Revise the EPA Registration Number to read: "EPA Registration No 38052-13." This registration is time-limited and expires two years from the date this product is first released for shipment. You must provide the Agency with a projected "release for shipment date", in writing within 30 days of the date of this Notice of Registration. The Agency will calculate the expiration date based on the projected "release for shipment date" until an actual release for shipment date is provided in writing. Only one basic confidential statement of formula (CSF) will be on file for this product at any time (i.e., no alternate formulations or minor formulation amendments will be submitted and/or approved for this product, except to allow for alternate sources of any individual inert ingredient). You must submit the following data within the timeframe described below: Within sixteen (16) months of the date on this Notice of Registration, provide to the Agency acceptable data packages for Guideline Studies: OPPTS 830.6320 (Corrosion Characteristics) and OPPTS 830.6317 (Storage Stability). 		
<p>Signature of Approving Official:</p> <p style="text-align: center;">Refer to Page #3</p> <p>Richard J. Gebken, Product Manager (10) Registration Division, Insecticide Branch</p>	<p>Date:</p> <p style="text-align: center;">April 19, 2013</p>	

5. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product for the quarter that begins on July 1, 2013. The quarterly reports are due two months after the end of each quarter. Please flag any Confidential Business Information (CBI) as such. Enhanced incident reporting should be submitted to the Product Manager. Quarterly sales information should be submitted to the Registration Division (attn: Katlin Keller).

The following is a list of information that must be included in the quarterly reports for each incident:

- EPA Registration Number
- Product name (brand name)
- Lot#
- Where purchased: internet, store, Veterinarian
- Active Ingredient(s)
- Weight range for product
- Date on which incident occurred, (mm/dd/yyyy)
- State in which the incident occurred, (standard 2 letter abbreviation)
- Registrant case #
- Species: dog, cat, other (specify)
- Breed: (as reported by pet owner)
- Age: months or years
- Sex: M, F, or neutered
- Weight: pounds
- Primary Route of Exposure: dermal, oral, other animal, inhalation, other
- Body System: neurological, dermatological, GI, respiratory, ocular, other Major signs noted
- Time to Onset: (hours, days)
- Treated by veterinarian: yes or no
- First time product used: yes or no
- Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)
- Any known precondition
- EPA Severity Code: death, major, moderate, minor
- Outcome: died, recovered, still treated, unknown

6. Along with the enhanced incident reporting, you must submit an analysis of all incidents seen, to include the following details:

- a. All minor dermal and ocular irritation reports.
- b. Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
- c. A similar summary table for dogs (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
- d. Summary table for dogs and table for dogs showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
- e. A summary table for s showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
- f. A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label.
- g. A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range.
- h. Table showing number of incidents for each dog breed.
- i. Table showing number of incidents in dog for each clinical sign.
- j. Table showing number of incidents in dog for each organ system.
- k. Report aggregate incidents, but do not combine moderate and minor incidents.

7. If EPA determines that future mitigation measures are necessary for all pet spot-on products, the Agency will inform all registrants concerned. If mitigation measures are necessary, EPA may take regulatory action.


- 8. Horizon Valley Generics, Inc. must adequately address all of the mitigation actions identified in the Agency's *Generic Pet Spot-On Mitigation Plan* available at the following internet site:
<http://www.epa.gov/pesticides/health/spot-on-meetings.html>.

You must submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data, and submit acceptable responses required for registration review of your product under FIFRA.

Two copies of the finished labeling must be submitted prior to releasing the product for shipment. If you fail to comply with all of the **Terms of Registration** stated above, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e) and/or automatically expire. Your release for shipment of the product constitutes your acceptance of these conditions.

A copy of your label stamped "Accepted with Comments" is enclosed for your records. If you have any questions concerning this action, please contact Mr. Richard J. Gebken at (703) 305-6701 or gebken.richard@epa.gov.

Sincerely,



Richard Gebken
 Product Manager 10
 Insecticide Branch
 Registration Division (7504P)

Enclosure:
 088052-0013 D470216

Label Stamped "Accepted with Comments," dated April 19, 2013

Label Directions and Container (Carton), Package Insert, Blister, and Reminder Stickers for

3 x 0.023 FL. OZ. PACKAGE

3 x 0.045 FL. OZ. PACKAGE

3 x 0.091 FL. OZ. PACKAGE

3 x 0.136 FL. OZ. PACKAGE

(FRONT PANEL OF CARTON)

C668.2 FOR DOGS

(Use **ONLY** on dogs and puppies weighing 6-22 lbs. and 8 weeks or older; picture of dog in weight class)

(Use **ONLY** on dogs and puppies weighing 23-44 lbs. and 8 weeks or older; picture of dog in weight class)

(Use **ONLY** on dogs and puppies weighing 45-88 lbs. and 8 weeks or older; picture of dog in weight class)

(Use **ONLY** on dogs and puppies weighing 89-132 lbs. and 8 weeks or older; picture of dog in weight class)

Kills Fleas, Flea Eggs and Larvae, Chewing Lice, Mosquitoes
Kills all stages of Ticks, including those that may transmit Lyme disease
Aids in control of sarcoptic mange mite infestations.

[Optional text appears in bracket- the final label may include some or all of the optional text on front, back, side, or inside label panels. Optional marketing claims: see lists at the end of the label]

CAT PROHIBITION ICON

DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

ACTIVE INGREDIENTS:

Fipronil9.8%

(S)-Methoprene.....8.8

OTHER INGREDIENTS:81.4%

TOTAL:100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See label insert for **FIRST AID** and **PRECAUTIONARY STATEMENTS**

NET CONTENTS:

(0.069 fl. oz. (2.01 mL) (3 applicators each containing 0.023 fl. oz. (0.67 mL); 3 Doses))

(0.135 fl. oz. (4.02 mL) (3 applicators each containing 0.045 fl. oz. (1.34 mL); 3 Doses))

(0.273 fl. oz. (8.04 mL) (3 applicators each containing 0.091 fl. oz. (2.68 mL); 3 Doses))

(0.408 fl. oz. (12.06 mL) (3 applicators each containing 0.136 fl. oz. (4.02 mL); 3 Doses))

EPA Reg. No. 88052-RG

EPA Est. 74720-DEU-01

ACCEPTED
With COMMENTS
In EPA Letter Dated:
April 19, 2013

Under the Federal Insecticide, Fungicide and Rodenticide Act, As amended, for the pesticide Registered under EPA Reg. No:

88052-13

Manufactured for:

Horizon Valley Generics, Inc.
1201 Walnut Street, Suite 2900
Kansas City, Missouri 64106

MADE IN Germany

C668.2 FOR DOGS/ trade name is a registered trademark of Horizon Valley Generics, Inc.

©2012 Horizon Valley Generics, Inc. All rights reserved.

QUESTIONS OR COMMENTS ABOUT THIS PRODUCT

Call xxx-xxx-xxxx

[WEBSITE]

[Product Bar Code]

(BACK PANEL OF CARTON)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

SIDE EFFECTS

See package insert for side effects.

[Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).]

C668.2 FOR DOGS

C668.2 FOR DOGS contains the active ingredients fipronil and (S)-methoprene that effectively kills and controls fleas, ticks, mosquitoes, and chewing lice. C668.2 FOR DOGS is fast-acting, long-lasting, waterproof, and easy to use.

C668.2 for Dogs remains effective even after bathing, water immersion, or exposure to sunlight. C668.2 for Dogs can also be used on breeding, pregnant, and lactating bitches.

Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 6 pounds.

To kill adult fleas, flea eggs and larva, chewing lice, mosquitoes, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.

To remove and open applicator: See label insert for opening instructions.

To apply C668.2 for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot on the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

[PICTOGRAM ON HOW TO APPLY]

FREQUENCY OF APPLICATION

Fleas: When used monthly, C668.2 for Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae for up to three months. Although C668.2 for Dogs can control fleas for up to three months, if there is a high risk of re-infestation or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.

Ticks: C668.2 for Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.

Chewing Lice: C668.2 for Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.

Sarcoptic Mites: Applied once a month, C668.2 for Dogs aids in the control of sarcoptic mange mite infestations.

Mosquitoes: A once a month application of C668.2 for Dogs will kill mosquitoes within 24 hours for up to one week, and within 48 hours for up to 28 days.

Do not reapply C668.2 for Dogs for 30 days.

(SIDE PANELS OF CARTON)

- (Use **ONLY** on dogs and puppies 6-22 lbs. and 8 weeks or older)
- (Use **ONLY** on dogs and puppies weighing 23-44 lbs. and 8 weeks or older)
- (Use **ONLY** on dogs and puppies weighing 45-88 lbs. and 8 weeks or older)
- (Use **ONLY** on dogs and puppies weighing 89-132 lbs. and 8 weeks)

[C668.2 for Dogs]

[EPA Reg. No. 88052-RG]

Lot/Batch Number

[Optional Marketing Claims for Carton and Package Insert]

[Fleas, Ticks, Chewing Lice]

- [[Fast-acting], [long-lasting], [waterproof], [convenient] spot treatment for control of [fleas], [flea eggs] & [flea larvae], [ticks], [mosquitoes], and [chewing lice]]
- [Kills ticks that may transmit Lyme disease]
- [Waterproof]
- [C668.2 FOR DOGS provides [convenient] and [effective] [flea], [tick], [chewing lice], and [mosquito] control for [dogs] and [puppies]]
- [[Fast acting] and [long-lasting]]
- [Waterproof]
- [Convenient to use]
- [Kills [fleas], [flea eggs] and [flea larvae]]
- [Prevents all flea stages [eggs, larvae, pupae] from developing]
- [Controls fleas which may cause [flea allergy dermatitis] [FAD]]
- [Kills all stages of ticks [larva, nymph, and adult]: Brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), Lone Star ticks (*Amblyomma americanum*), [Deer ticks (*Ixodes scapularis*) which may carry Lyme disease]]
- [Rapidly controls infestations of chewing lice]
- [Kills mosquitoes]
- [Aids in control of sarcoptic mange mite infestations]
- [Can be used on [breeding], [pregnant] and [lactating] bitches]
- [Waterproof [water resistant]]
- [Kills fleas that may cause [flea allergy dermatitis] [FAD] and [flea bite dermatitis]]
- [Effective monthly treatment of [fleas], [ticks], [lice] and [mosquitoes]]
- [Remains effective after [bathing] and [swimming]]
- [Kills ticks that may transmit [Lyme disease], [Rocky Mountain spotted fever], [haemobartonellosis], [babesiosis], [ehrlichiosis], [anaplasmosis]]
- [[Easy], [fast], [effective] control of [fleas], [ticks], [lice] and [mosquitoes]]
- [Kills [fleas], [ticks], [lice]]
- [Kills fleas that may cause flea bite anemia]
- [Optional graphics: Picture of Adult Fleas]
- [Optional graphics: Picture of Flea Eggs]
- [Optional graphics: Picture of Flea Larvae]
- [Optional graphics: Picture of Tick]
- [Optional graphics: Picture of Louse]
- [Optional graphics: Picture of Mosquito]
- [Contains the the same active ingredients fipronil and (S)-methoprene found in Frontline® Plus]
- [Convenient to use]
- [Long lasting]
- [Fast acting]
- [Controls infestations with chewing lice]
- [Kills mosquitoes]
- [Kills all stages of deer ticks]
- [Apply monthly]
- [Aids in the control of sarcoptic mange mites]
- [Best results when used monthly [year round]]
- [For year round protection]
- [Kills newly emerged fleas before they lay eggs]
- [Calendar stickers inside]
- [3 Doses]
- [Controls flea re-infestation for up to three months]

- [C668.2 FOR DOGS is not manufactured by or distributed by Merial Limited.]
- [Frontline® Plus is a registered trademark of Merial Limited.]
- [Contains Fipronil and (S)-Methoprene [the same active ingredients used in Frontline® Plus for Dogs]]
- [Compare to Frontline® Plus for Dogs]
- [Contains the same active ingredients as Frontline® Plus for Dogs]
- [C668.2 FOR DOGS is not manufactured by or distributed by Merial. Frontline is a registered trademark of Merial.]

9/15

LABEL DIRECTIONS FOR PACKAGE INSERT

C668.2 FOR DOGS

- (Use **ONLY** on dogs and puppies weighing 6-22 lbs. and 8 weeks or older)
- (Use **ONLY** on dogs and puppies weighing 23-44 lbs. and 8 weeks or older)
- (Use **ONLY** on dogs and puppies weighing 45-88 lbs. and 8 weeks or older)
- (Use **ONLY** on dogs and puppies weighing 89-132 lbs. and 8 weeks or older)

Kills Fleas, Flea Eggs and Larvae, Chewing Lice, Mosquitoes
 Kills all stages of Ticks, including those that may transmit Lyme disease
 Aids in control of sarcoptic mange mite infestations.

ACTIVE INGREDIENTS:

Fipronil	9.8%
(S)-Methoprene.....	8.8
OTHER INGREDIENTS:	81.4%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at xxx-xxx-xxxx for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. **FOR USE ON DOGS AND PUPPIES ONLY.** Do not use on puppies under 6 pounds or on puppies under 8 weeks of age. **DO NOT USE ON CATS OR OTHER ANIMALS.** Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call 1-xxx-xxx-xxx for 24-hour assistance.

LABEL DIRECTIONS FOR PACKAGE INSERT

SIDE EFFECTS

Monitor your dog after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea

have also been reported. If these or other side effects occur, consult your veterinarian or us at xxx-xxx-xxxx.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR DOG, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you).

C668.2 FOR DOGS

C668.2 FOR DOGS contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks, mosquitoes, and chewing lice. C668.2 FOR DOGS is fast-acting, long-lasting, waterproof, and easy to use. C668.2 for Dogs remains effective even after bathing, water immersion, or exposure to sunlight. C668.2 for Dogs can also be used on breeding, pregnant, and lactating bitches.


Do not allow your dog to ingest this product. Do not apply to dogs weighing less than 6 pounds.

To kill adult fleas, flea eggs and larva, chewing lice, mosquitoes, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (which may carry Lyme disease), and to aid in control of sarcoptic mange mites, apply this product **ONLY** to dogs and puppies (8 weeks or older) as follows.


LABEL DIRECTIONS FOR PACKAGE INSERT

To remove and open applicator:

- 1 Cut along scissor cut line to separate unit



- 2 Turn unit over and cut corner at bulb end
- 3 From cut corner, peel backing completely off from bottom to top
- 4 Remove the applicator



[PICTOGRAM ON HOW TO APPLY]

To apply C668.2 for Dogs: Place applicator tip through dog's hair to the skin level between the shoulder blades. Squeeze applicator, applying entire contents in a single spot to the dog's skin. Avoid superficial application to the dog's hair. Allow area to dry before touching treated area. Only one applicator per treatment is needed.

FREQUENCY OF APPLICATION

Fleas: When used monthly, C668.2 for Dogs breaks the flea life cycle and controls fleas, flea eggs, and flea larvae for up to three months. Although C668.2 for Dogs can control fleas for up to three months, if there is a high risk of re-infestation or if the dog has fleas which may cause flea allergy dermatitis, apply this product once a month.

Ticks: C668.2 for Dogs kills larva, nymph and adult ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, and anaplasmosis for at least one month. For best control of ticks, apply once every month.

Chewing Lice: C668.2 for Dogs kills chewing lice for at least one month. For best control of chewing lice, apply once every month.

Sarcoptic Mites: Applied once a month, C668.2 for Dogs aids in the control of sarcoptic mange mite infestations.

Mosquitoes: A once a month application of C668.2 for Dogs will kill mosquitoes within 24 hours for up to one week, and within 48 hours for up to 28 days.

Do not reapply C668.2 for Dogs for 30 days.

LABEL DIRECTIONS FOR PACKAGE INSERT

CAT PROHIBITION ICON

DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

EPA Reg. No. 88052-RG

[EPA Est. 74720-DEU-01]

QUESTIONS OR COMMENTS ABOUT THIS PRODUCT

Call xxx-xxx-xxxx

[Website]

[PRODUCT BAR CODE]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

HOW SUPPLIED

C688.2 FOR DOGS is available in convenient sizes for all sized dogs 6 to 132 lbs.

6-22 lbs.	0.069 fl. oz. (2.01 mL), 3 applicators each containing 0.023 fl. oz. (0.67 mL), 3 doses
23-44 lbs.	0.135 fl. oz. (4.02 mL), 3 applicators each containing 0.045 fl. oz. (1.34 mL); 3 doses
45-88 lbs.	0.273 fl. oz. (8.04 mL), 3 applicators each containing 0.091 fl. oz. (2.68 mL); 3 doses
89-132 lbs.	0.408 fl. oz. (12.06 mL), 3 applicators each containing 0.136 fl. oz. (4.02 mL); 3 doses

WARRANTY

To the extent consistent with applicable law, Horizon Valley Generics, Inc. and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for:

Horizon Valley Generics, Inc.
1201 Walnut Street, Suite 2900
Kansas City, Missouri 64106

MADE IN Germany

C688.2 FOR DOGS/ trade name is a registered trademark of Horizon Valley Generics, Inc.
©2012 Horizon Valley Generics, Inc. All rights reserved.

Text for CRP Blister and Pipette

TOP OF LIDDING FOIL—see back of blister on next page: Dotted line with representation of a pair of scissors and two step directions to separate blisters

KEEP OUT OF REACH OF CHILDREN

CAUTION. See full label for additional instructions

C668.2 for Dogs

EPA Reg. No. 88052-RG

Lot/Batch No.

CAT PROHIBITION ICON

0.023 fl. oz. - Only for Dogs & Puppies 6-22 lbs. and 8 weeks or older

0.045 fl. oz. - Only for Dogs & Puppies 23-44 lbs. and 8 weeks or older

0.091 fl. oz. Only for Dogs & Puppies 45-88 lbs. and 8 weeks or older

0.136 fl. oz. Only for Dogs & Puppies weighing 89-132 lbs. and 8 weeks or older

Fipronil 9.8%

(S)-Methoprene 8.8%

PIPETTE FOIL

KEEP OUT OF REACH OF CHILDREN

CAUTION:

Read directions before use.

C668.2 for Dogs

EPA Reg. No. 88052-RG

Lot/Batch No.

DO NOT USE ON CATS

0.023 fl. oz. - Use ONLY on Dogs & Puppies 6-22 lbs. and 8 weeks or older

0.045 fl. oz. - Use ONLY on Dogs & Puppies 23-44 lbs. and 8 weeks or older

0.091 fl. oz. - Use ONLY on Dogs & Puppies 45-88 lbs. and 8 weeks or older

0.136 fl. oz. - Use ONLY on Dogs & Puppies 89-132 lbs. and 8 weeks or older

Fipronil 9.8%

(S)-Methoprene 8.8%

[Pictogram of Front of Blister With Opening Instructions – NOT PART OF LABEL]



[Pictogram of Back of Blister With Opening Instructions – NOT PART OF LABEL]



Text for Reminder Stickers

[Optional marketing claims]

[Picture of Dog or Puppy 8 weeks or older]

[Picture of flea]

[Picture of tick]

[Picture of chewing lice]

[Picture of mosquitoes]

[Quick-acting]

[Long-lasting]

[Does not wash off]

[For monthly control of fleas, ticks, chewing lice, mosquitoes]

[Optional Bar Code]

C668.2 for Dogs

The first time you treat your dog, place the First Application Sticker on your calendar. Apply Stickers 2 and 3 to the calendar 30 and 60 days after the first application to remind you it's time to reapply C668.2 for Dogs.

First Application Sticker: Apply C668.2 for Dogs

Month 1 Sticker: Apply C668.2 for Dogs

Month 2 Sticker: Apply C668.2 for Dogs

For Customer Service please call 1-xxx-xxx-xxxx.

[For more information, visit www.xxxxx.com]

Horizon Valley Generics, Inc.
1201 Walnut Street, Suite 2900
Kansas City, Missouri 64106

[Optional bar code]