



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

88052-16

Date of Issuance:

8/15/17

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
 Expires: 08/15/19

Name of Pesticide Product:

C710.0 For Cats

Name and Address of Registrant (include ZIP Code):

Ann M. Tillman
 Horizon Valley Generics, Inc.
 c/o Pyxis Regulatory Consulting Inc.
 4110 136th St. Ct. NW
 Gig Harbor, WA 98332

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Elizabeth Fertich, Acting Product Manager 03
 Invertebrate & Vertebrate Branch 1, Registration Division,
 (7505P)

Date:

8/15/17

EPA Form 8570-6

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 08/15/19.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the initial registration notice dated 04/19/2013.
4. You are required to comply with the data requirements described in the DCI Order identified below:
 - a. Fipronil GDCI-129121-1305
 - b. Fipronil GDCI-129121-1512

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 08/07/2017

Page 3 of 3
EPA Reg. No. 88052-16
Decision No. 524068, 528917

If you have any questions, you may contact Julie Breeden-Alemi, DVM at 703-347-0511 or via email at Breeden-Alemi.Julie@epa.gov.


Enclosure

Primary brand name: C710.0 FOR CATS

[ALTERNATE BRAND NAMES: Springline® for Cats, Springline® Spot-On for Cats, Pet Works® Plus for Cats, PetLock® Plus for Cats, and PetAction® Plus for Cats]

Sublabel 1: 3- and 4- Count and 2 x 3-Count

Sublabel 2. 1-Count



Sublabel 1: 3- and 4-Count and 2 x 3 Count

**Label Directions for Container including Carton, Overwrap of 2 x 3-Count Cartons,
Package Insert, Blister, and Optional Reminder Stickers for**

1 x 0.017 fl. oz. package

3 x 0.017 fl. oz. package

4 x 0.017 fl. oz. package

6 x 0.017 fl. oz. package

[FRONT PANEL OF 2 X 3-COUNT OVERWRAP]

C710.0 FOR CATS

["CATS" will be at least 75% of the largest letter of the brand name]

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes]
Kills all stages of Ticks, including those that may transmit Lyme disease

DO NOT USE ON DOGS

[Optional text appears in brackets [] or represents notes to reviewer- the final label may include some or all of the optional text on front, back, side, or inside label panels. Optional marketing claims: see list within the label].

[A large, clear picture of a cat in the weight range for the product as packaged will appear on the front panel.]

ACTIVE INGREDIENTS:

Fipronil 9.8%
(S)-Methoprene 11.8%

OTHER INGREDIENTS: 78.4%

TOTAL: 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See label insert within carton for FIRST AID, PRECAUTIONARY STATEMENTS and COMPLETE DIRECTIONS FOR USE

NET CONTENTS:

2 cartons each containing 0.051 fl. oz. [1.5 mL] [6 applicators total each containing 0.017 fl. oz. [0.50 mL];

[3 doses per carton, 6 doses total]

Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215

[MADE IN GERMANY]

[C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.]

[©20xx Horizon Valley Generics, Inc. All rights reserved.]

[QUESTIONS OR COMMENTS ABOUT THIS PRODUCT]

[Call xxx-xxx-xxxx]

[Product Bar Code]

[End of Front Panel of 2 x 3 Overwrap]

[FRONT PANEL OF CARTON]

C710.0 FOR CATS

["CATS" will be at least 75% of the largest letter of the brand name]

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes]
Kills all stages of Ticks, including those that may transmit Lyme disease

DO NOT USE ON DOGS

[Optional text appears in brackets [] or represents notes to reviewer - the final label may include some or all of the optional text on front, back, side, or inside label panels.]

[A large, clear picture of a cat in the weight range for the product as packaged will appear on the front panel.]

ACTIVE INGREDIENTS:

Fipronil 9.8%
(S)-Methoprene 11.8%

OTHER INGREDIENTS: 78.4%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See label insert for FIRST AID, PRECAUTIONARY STATEMENTS, and COMPLETE DIRECTIONS FOR USE

NET CONTENTS:

0.051 fl. oz. [1.5 mL] [3 applicators each containing 0.017 fl. oz. [0.50 mL]; [3 Doses]

0.068 fl. oz. [2.0 mL] [4 applicators each containing 0.017 fl. oz. [0.50 mL]; [4 Doses]

Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215

[MADE IN GERMANY]

[C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.]

[©20xx Horizon Valley Generics, Inc. All rights reserved.]

[QUESTIONS OR COMMENTS ABOUT THIS PRODUCT]

[Call xxx-xxx-xxxx]

[Product Bar Code]

[END FRONT PANEL OF CARTON]

[BACK PANEL OF CARTON AND OF OVERWRAP OF 2 X 3-COUNT CARTONS]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON DOGS, RABBITS OR OTHER ANIMALS.

[The following text in a box will be placed in the lower right hand corner of back panel.]

SIDE EFFECTS

Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea may result due to grooming after treatment. If these or other side effects occur, consult your veterinarian or call us at xxx-xxx-xxxx.

[Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. [The following text in parentheses represents the translation of the previous statement and will be present on the label.] (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)]

C710.0 FOR CATS

C710.0 FOR CATS contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks, [mosquitoes,]and chewing lice. C710.0 is fast-acting, long-lasting, waterproof, and easy to use.

C710.0 FOR CATS remains effective even after bathing, water immersion, or exposure to sunlight. C710.0 FOR CATS can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens.

Do not allow your cat to ingest this product. Do not apply to cats weighing less than 1.5 lbs. and less than 8 weeks old.

To kill fleas, flea eggs, and all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks, [and] chewing lice[and mosquitoes], apply this product **ONLY** to cats and kittens weighing over 1.5 lbs. and 8 weeks or older as follows.

Restrictions

Do not use on dogs, rabbits or other animals.

Do not apply more than once every 30 days.

Do not bathe or allow your cat to swim for 24 hours after application.

Do not allow your cat to ingest this product.

Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs.
Do not apply more than one applicator per treatment for one cat regardless of the cat's weight.
In multi-cat households, do not allow cats to groom each other until product has dried.

HOW TO OPEN

See label insert for opening instructions.

HOW TO APPLY

To apply C710.0 for Cats: Your cat needs to be dry at the time of application and remain dry for 24 hours after application. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the applicator on the skin and squeeze the applicator to apply the entire contents directly on the skin of your cat. Do not apply more than one applicator per treatment for one cat regardless of the cat's weight. Do not allow your cat to ingest this product, or get the product into their eyes. Proper placement of the product on your cat will minimize the opportunity for the cat to lick and ingest the product. Carefully avoid allowing the product to run off the side of the cat. Separate treated cat from all other cats and pets until product has dried.

FREQUENCY OF APPLICATION

Fleas: When used monthly, C710.0 FOR CATS kills all stages of the flea life cycle and prevents reinfestation of fleas on your cat for up to six weeks after application. Although C710.0 FOR CATS can control fleas for up to six weeks, if there is a high risk of re-infestation of fleas on your cat, or if the cat has fleas which may cause flea allergy dermatitis, apply C710.0 FOR CATS once every 30 days.

Ticks: C710.0 FOR CATS kills all stages of the tick life cycle [larvae, nymph, and adult] for at least 30 days. For best control of ticks, apply once every 30 days.

Chewing Lice: C710.0 FOR CATS kills chewing lice for at least 30 days. For best control of chewing lice, apply once every 30 days.

[Mosquitoes: Apply C710.0 for Cats every 30 days to kill mosquitoes within 48 hours for up to 28 days.]

Do not reapply C710.0 for Cats for 30 days.

EPA Reg. No. 88052-16

EPA Est. No.

Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215

[MADE IN GERMANY]

[C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.]

[©20xx Horizon Valley Generics, Inc. All rights reserved.]

[QUESTIONS OR COMMENTS ABOUT THIS PRODUCT]

[Call xxx-xxx-xxxx]

[Product Bar Code]

[SIDE PANELS OF CARTON AND OF OVERWRAP OF 2 X 3-COUNT CARTONS]

For use only on Cats & Kittens weighing over 1.5 lbs. and 8 weeks or older
C710.0 for Cats
[EPA Reg. No. 88052-16]
Lot/Batch Number

[Example Logos]



[Optional Marketing Claims for Carton, Overwrap of 2 x 3-count Cartons, and Package Insert]

1. [Kills [Fleas], [Flea Eggs] and [Larvae], [Ticks], [Chewing Lice], [Mosquitoes]]
2. [Fast-acting, long-lasting, convenient spot treatment for control of [fleas], [ticks], [mosquitoes], and [chewing lice]]
3. [C710.0 FOR CATS provides convenient and effective [flea], [tick], [mosquitoes], and [chewing lice] control for cats and [kittens weighing 1.5 lbs and 8 weeks and older]]
4. [Fast acting and long lasting]
5. [Convenient to use]
6. [Prevents [flea eggs], [larvae] and [pupae]from developing]
7. [Kills [flea eggs], [flea larvae] and [flea pupae]]
8. [Controls adult fleas which may cause [FAD] [flea allergy dermatitis]]
9. [Kills all stages of Brown Dog ticks (*R. sanguineus*), American dog ticks (*D. variabilis*), Lone Star ticks (*Amblyomma americanum*), [Deer ticks (*Ixodes scapularis*) which may transmit Lyme disease] [Text in parentheses represents the Latin name of pest and the text is meant to be included on label.]]
10. [Kills tick [nymphs] and [adults]]
11. [Rapidly controls infestations of chewing lice]
12. [Can be used on [breeding], [pregnant] and [lactating] queens]
13. [Waterproof [water resistant]]
14. [Kills adult fleas which may cause [flea allergy dermatitis] [FAD] and [flea bite dermatitis]]
15. [Effective monthly treatment of [fleas], [ticks] and [lice]]
16. [Remains effective after [bathing] and [swimming]]
17. [Kills ticks that may transmit [Lyme disease], [haemobartonellosis], [ehrlichiosis], [babesiosis], [anaplasmosis]]
18. [Easy, fast, effective control of [fleas], [ticks] and [lice]]
19. [Kills fleas [ticks] [lice]]
20. [Kills mosquitoes]
21. [Kills fleas that may cause flea bite anemia]
22. [Optional graphics: Picture of Flea]
23. [Optional graphics: Picture of tick]
24. [Optional graphics: Picture of chewing lice]
25. [Convenient to use]
26. [Long lasting]
27. [Fast acting]
28. [Controls infestations with chewing lice]
29. [Kills all stages of deer ticks]
30. [Best results when used monthly [year round]]
31. [For year round protection]
32. [Kills newly emerged fleas before they lay eggs]
33. [Calendar stickers inside]
34. [Prevents re-infestation of fleas on your cat for one month]
35. [[3][4] Doses Inside]
36. [3 Pack] [3 Applicators][3 Months Supply][3 Doses]
37. [4 Pack] [4 Applicators][4 Months Supply][4 Doses]
38. [For overwrap only: [6 Pack] [6 Applicators][6 Months Supply][6 Doses]]
39. [For overwrap package only: [Value Pack]
40. [For overwrap only: [6 Dose Value Pack]]
41. [Formulated for cats and kittens weighing over 1.5 lbs. and older than 8 weeks old] [only]]
42. [Contains the same active ingredients fipronil and (S)-methoprene found in Frontline® Plus for Cats]

43. [Contains Fipronil and (S)-Methoprene [the same active ingredients used in Frontline® Plus for Cats]
44. [Contains the same active ingredients as Frontline® Plus for Cats]
45. [Note to reviewer: whenever any of the three claims immediately above are included on product labels, then the label will contain the appropriate disclaimers below. The disclaimers will be placed in the same area of the label as the optional claims so that both are viewed together.]
46. [C710.0 FOR CATS is not manufactured by or distributed by Merial Limited]
47. [Frontline is a registered trademark of Merial Limited.]

[LABEL DIRECTIONS FOR PACKAGE INSERT]

C710.0 FOR CATS [“CATS” will be at least 75% of the largest letter of the brand name]

[ALTERNATE BRAND NAME: Springline® for Cats, Springline® Spot-On for Cats, Pet Works Plus for Cats, PetLock Plus for Cats, and PetAction Plus for Cats]

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes]
Kills all stages of Ticks, including those that may transmit Lyme disease

DO NOT USE ON DOGS

ACTIVE INGREDIENTS:

Fipronil..... 9.8%

(S)-Methoprene 11.8%

OTHER INGREDIENTS: 78.4%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at xxx-xxx-xxxx for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use on cats only. Do not use on kittens weighing less than 1.5 lbs. and less than 8 weeks of age. **DO NOT USE ON DOGS. DO NOT USE ON OTHER ANIMALS.** Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Cats may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged cats. Call 1-xxx-xxx-xxxx for 24-hour assistance.

SIDE EFFECTS

Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea may result due to grooming after treatment. If these or other side effects occur, consult your veterinarian or call us at xxx-xxx-xxxx.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND DIRECTIONS FOR USE BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. [The following text in parentheses represents the translation of the previous statement and will be present on the label. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)

Restrictions

Do not use on dogs, rabbits or other animals.

Do not apply more than once every 30 days.

Do not bathe or allow your cat to swim for 24 hours after application.

Do not allow your cat to ingest this product.

Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs.

Do not apply more than one applicator per treatment for one cat regardless of the cat's weight.

In multi-cat households, do not allow cats to groom each other until product has dried.

C710.0 FOR CATS

C710.0 FOR CATS contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks, mosquitoes, and chewing lice. C710.0 is fast-acting, long-lasting, waterproof, and easy to use. C710.0 FOR CATS remains effective even after bathing, water immersion, or exposure to sunlight. C710.0 FOR CATS can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens.

Do not allow your cat to ingest this product. Do not apply to cats weighing less than 1.5 lbs. and less than 8 weeks old. Do not use more than one applicator per cat.

To kill fleas, flea eggs and larvae, all stages of **Brown Dog ticks, American dog ticks, Lone Star ticks,** and **Deer ticks** [which may carry Lyme disease], [mosquitoes,]and chewing lice, apply this product to cats and kittens weighing over 1.5 lbs. and 8 weeks or older as follows.

[Opening Instructions for 3 count and 2 X 3-Count]



HOW TO OPEN

OPENING INSTRUCTIONS FOR USE



Klocke Group
www.klocke.com

1 Tear through perforation



2 Fold back the safety tab



3 Cut with scissors to open applicator




The information contained in this drawing is the exclusive intellectual PROPERTY of KLOCKE GmbH. It may only be used for the purpose for which it is supplied and must not be reproduced, stored or disseminated to third parties by any means, mechanical, photographic, electronic, chemical, or otherwise, in whole or in part, without the express permission of KLOCKE GmbH.

[Opening Instructions for 4 count]




HOW TO OPEN



HOW TO APPLY

1. Prepare applicator as shown in “How to Open”.
2. Your cat needs to be dry at the time of application and remain dry for 24 hours after application. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the applicator on the skin and squeeze the applicator to apply the entire contents directly on the skin of your cat. Do not apply more than one applicator per treatment for one cat regardless of the cat's weight. Do not allow your cat to ingest this product, or get the product into their eyes. Proper placement of the product on your cat will minimize the opportunity for the cat to lick and ingest the product. Carefully avoid allowing the product to run off the side of the cat. Separate treated cat from all other cats and pets until product has dried.



3. Discard empty applicator and packaging as described in the Storage and Disposal section.
4. Under normal conditions the product remains effective for a month. In cases of severe flea infestation, retreatment may be necessary earlier than one month. If reinfestation is severe at the initiation of treatment, once a week treatment is permitted not to exceed 4 weeks. Once flea control is attained, return to a monthly application schedule.

FREQUENCY OF APPLICATION

Fleas: When used monthly, C710.0 FOR CATS kills all stages of the flea life cycle and prevents reinfestation of fleas on your cat for up to six weeks after application. Although C710.0 FOR CATS can control fleas for up to six weeks, if there is a high risk of re-infestation of fleas on your cat, or if the cat has fleas which may cause flea allergy dermatitis, apply C710.0 FOR CATS once every 30 days.

Ticks: C710.0 FOR CATS kills all stages of the tick life cycle [larvae, nymph, and adult] for at least 30 days. For best control of ticks, apply once every 30 days.

Chewing Lice: C710.0 FOR CATS kills chewing lice for at least 30 days. For best control of chewing lice, apply once every 30 days.

[Mosquitoes: Apply C710.0 for Cats every 30 days to kill mosquitoes within 48 hours for up to 28 days.]

Do not reapply C710.0 FOR CATS for 30 days.

EPA Reg. No. 88052-16

QUESTIONS OR COMMENTS ABOUT THIS PRODUCT

Call xxx-xxx-xxxx

[PRODUCT BAR CODE]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

WARRANTY

To the extent consistent with applicable law, Horizon Valley Generics, Inc. and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215
MADE IN GERMANY

C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.

©20xx Horizon Valley Generics, Inc. All rights reserved.

[Text for CRP Applicator]

KEEP OUT OF REACH OF CHILDREN

CAUTION.

Read entire label before use.

C710.0 for Cats [“CATS” will be at least 75% of the largest letter of the brand name]

EPA Reg. No. 88052-16

Lot No.

0.017 fl. oz. [0.5 mL] – Only for Cats & Kittens weighing over 1.5 lbs. [and] [&] 8 weeks or older

Fipronil 9.8%

(S)-Methoprene 11.8%

[Text for Optional Reminder Stickers for 3 x 0.017 fl. oz. Package, 4 x 0.017 fl. oz. Package, and 6 x 0.017 fl. oz. Package]

[Optional marketing claims]

[Picture of Cat or Kitten 8 weeks or older in the weight range of product as packaged]

[Picture of flea]

[Picture of tick]

[Picture of chewing lice]

[Picture of mosquitoes]

[Quick-acting]

[Long-lasting]

[Does not wash off]

[For monthly control of fleas, ticks, chewing lice, mosquitoes]

[Optional Bar Code]

C710.0 for Cats [“CATS” will be at least 75% of the largest letter of the brand name]

The first time you treat your cat, place the First Application Sticker on your calendar. Apply Stickers [2 and 3] [2 through 4] [2 through 6] to the calendar [30 and 60 days] [30, 60, and 90 days] [30, 60, 90, 120, and 150 days] [at the end of each 30 day period] after the first application to remind you it's time to reapply C710.0 for Cats.

First Application Sticker: Apply C710.0 for Cats

Month 2 Sticker: Apply C710.0 for Cats

[Month 3 Sticker: Apply C710.0 for Cats]

[Month 4 Sticker: Apply C710.0 for Cats]

[Month 5 Sticker: Apply C710.0 for Cats]

[Month 6 Sticker: Apply C710.0 for Cats]

For Customer Service please call 1-xxx-xxx-xxxx.

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215

[Optional bar code]

Sublabel 2. 1-count applicator

**Label Directions for Container 1-Count Carton, Package Insert, Blister, and
Optional Reminder Stickers for
1 x 0.017 fl. oz. package**

[FRONT PANEL OF CARTON for 1-Count]

C710.0 FOR CATS

[CATS” will be at least 75% of the largest letter of the brand name]

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes]
Kills all stages of Ticks, including those that may transmit Lyme disease

DO NOT USE ON DOGS

[Optional text appears in brackets or represents notes to reviewer - the final label may include some or all of the optional text on front, back, side, or inside label panels. Optional marketing claims: see list within the label.]

[A large, clear picture of a cat in the weight range for the product as packaged will appear on the front panel.]

ACTIVE INGREDIENTS:

Fipronil 9.8%
(S)-Methoprene 11.8%

OTHER INGREDIENTS: 78.4%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See label insert for FIRST AID, PRECAUTIONARY STATEMENTS, COMPLETE DIRECTIONS FOR USE and STORAGE AND DISPOSAL

NET CONTENTS:

0.017 fl. oz. [0.50 mL] [1 applicator containing 0.017 fl. oz. [0.50 mL]]; [1 Dose]

[BACK PANEL OF CARTON]

C710.0 FOR CATS DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON DOGS, RABBITS OR OTHER ANIMALS.

For complete Directions For Use, How to Open and How to Apply, see label insert.

FIRST AID

See label insert within carton.

[Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. [The following text in parentheses represents the translation of the previous statement and will be present on the label.] (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)]

[C710.0 FOR CATS contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks, [mosquitoes,]and chewing lice. C710.0 is fast-acting, long-lasting, waterproof, and easy to use.]

[C710.0 FOR CATS remains effective even after bathing, water immersion, or exposure to sunlight. C710.0 FOR CATS can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens.]

Restrictions: Do not use on dogs, rabbits or other animals. Do not apply more than once every 30 days. Do not bathe or allow your cat to swim for 24 hours after application. Do not allow your cat to ingest this product. Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs. Do not apply more than one applicator per treatment for one cat regardless of the cat's weight. In multi-cat households, do not allow cats to groom each other until product has dried.

Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215

[MADE IN GERMANY]

[C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.]

[©20xx Horizon Valley Generics, Inc. All rights reserved.]

[QUESTIONS OR COMMENTS ABOUT THIS PRODUCT]

[Call xxx-xxx-xxxx]

[Product Bar Code]

EPA Reg. No. 88052-16

EPA Est. No.

[A box labeled "Side Effects" will be located in the lower right hand corner of the back panel.]

SIDE EFFECTS

Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea may result due to grooming after treatment. If these or other side effects occur, consult your veterinarian or call us at xxx-xxx-xxxx.

[SIDE PANELS OF CARTON]

For use only on Cats & Kittens weighing over 1.5 lbs. and 8 weeks or older

C710.0 for Cats

[EPA Reg. No. 88052-16]

Lot/Batch Number

[Optional Marketing Claims for Carton and Package Insert]

1. [Kills [Fleas], [Flea Eggs] and [Larvae], [Ticks], [Chewing Lice], [Mosquitoes]]
2. [Fast-acting, long-lasting, convenient spot treatment for control of [fleas], [ticks], [mosquitoes], and [chewing lice]]
3. [C710.0 FOR CATS provides convenient and effective [flea], [tick], [mosquitoes], and [chewing lice] control for cats and [kittens weighing 1.5 lbs and 8 weeks and older]]
4. [Fast acting and long lasting]
5. [Convenient to use]
6. [Prevents [flea eggs], [larvae] and [pupae]from developing]
7. [Kills [flea eggs], [flea larvae] and [flea pupae]]
8. [Controls adult fleas which may cause [FAD] [flea allergy dermatitis]]
9. [Kills all stages of Brown Dog ticks (*R. sanguineus*), American dog ticks (*D. variabilis*), Lone Star ticks (*Amblyomma americanum*), [Deer ticks (*Ixodes scapularis*) which may transmit Lyme disease] [Text in parentheses represents the Latin name of pest and the text is meant to be included on label.]]
10. [Kills tick [nymphs] and [adults]]
11. [Rapidly controls infestations of chewing lice]
12. [Can be used on [breeding], [pregnant] and [lactating] queens]
13. [Waterproof [water resistant]]
14. [Kills adult fleas which may cause [flea allergy dermatitis] [FAD] and [flea bite dermatitis]]
15. [Effective monthly treatment of [fleas], [ticks] and [lice]]
16. [Remains effective after [bathing] and [swimming]]
17. [Kills ticks that may transmit [Lyme disease], [haemobartonellosis], [ehrlichiosis], [babesiosis], [anaplasmosis]]
18. [Easy, fast, effective control of [fleas], [ticks] and [lice]]
19. [Kills fleas [ticks] [lice]]
20. [Kills mosquitoes]
21. [Kills fleas that may cause flea bite anemia]
22. [Optional graphics: Picture of Flea]
23. [Optional graphics: Picture of tick]
24. [Optional graphics: Picture of chewing lice]
25. [Convenient to use]
26. [Long lasting]
27. [Fast acting]
28. [Controls infestations with chewing lice]
29. [Kills all stages of deer ticks]
30. [Best results when used monthly [year round]]
31. [Kills newly emerged fleas before they lay eggs]
32. [Prevents re-infestation of fleas on your cat for one month]
33. [1 Dose Inside]
34. [1 Month Supply][1 Dose]
35. [Formulated for cats and kittens weighing over 1.5 lbs. and over 8 weeks of age] [only]]
36. [Contains the same active ingredients fipronil and (S)-methoprene found in Frontline® Plus for Cats]
37. [Contains Fipronil and (S)-Methoprene [the same active ingredients used in Frontline® Plus for Cats]
38. [Contains the same active ingredients as Frontline® Plus for Cats]
39. [Note to reviewer: whenever any of the three claims immediately above are included on product labels, then the label will contain the appropriate disclaimers below. The disclaimers will be placed in the same area of the label as the optional claims so that both are viewed together.]
40. [C710.0 FOR CATS is not manufactured by or distributed by Merial Limited]
41. [Frontline is a registered trademark of Merial Limited.]

[LABEL DIRECTIONS FOR PACKAGE INSERT]

C710.0 FOR CATS

["CATS" will be at least 75% of the largest letter of the brand name]
[ALTERNATE BRAND NAME: Springline® for Cats, Springline® Spot-On for Cats,
Pet Works Plus for Cats, PetLock Plus for Cats, and PetAction Plus for Cats]

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes]
Kills all stages of Ticks, including those that may transmit Lyme disease

DO NOT USE ON DOGS

ACTIVE INGREDIENTS:

Fipronil..... 9.8%

(S)-Methoprene 11.8%

OTHER INGREDIENTS: 78.4%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at xxx-xxx-xxxx for emergency medical treatment information.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

HAZARDS TO HUMANS

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use on cats only. Do not use on kittens weighing less than 1.5 lbs. and less than 8 weeks of age. **DO NOT USE ON DOGS. DO NOT USE ON OTHER ANIMALS.** Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Cats may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged cats. Call 1-xxx-xxx-xxxx for 24-hour assistance.

SIDE EFFECTS

Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea may result due to grooming after treatment. If these or other side effects occur, consult your veterinarian or call us at xxx-xxx-xxxx.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND DIRECTIONS FOR USE BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

[Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. [The following text in parentheses represents the translation of the previous statement and will be present on the label. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)]

Restrictions

Do not use on dogs, rabbits or other animals.

Do not apply more than once every 30 days.

Do not bathe or allow your cat to swim for 24 hours after application.

Do not allow your cat to ingest this product.

Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs.

Do not apply more than one applicator per treatment for one cat regardless of the cat's weight.

In multi-cat households, do not allow cats to groom each other until product has dried.

C710.0 FOR CATS

C710.0 FOR CATS contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks, mosquitoes, and chewing lice. C710.0 is fast-acting, long-lasting, waterproof, and easy to use. C710.0 FOR CATS remains effective even after bathing, water immersion, or exposure to sunlight. C710.0 FOR CATS can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens.

Do not allow your cat to ingest this product. Do not apply to cats weighing less than 1.5 lbs. and less than 8 weeks old. Do not use more than one applicator per cat.

To kill fleas, flea eggs and larvae, all stages of **Brown Dog ticks, American dog ticks, Lone Star ticks,** and **Deer ticks** [which may carry Lyme disease], [mosquitoes,]and chewing lice, apply this product to cats and kittens weighing over 1.5 lbs. and 8 weeks or older as follows.

[Opening instructions for 1-count]



HOW TO OPEN



1 Fold back the safety tab




2 Cut with scissors to open applicator



The information contained in this drawing is the exclusive intellectual PROPERTY of KLOCKE GmbH. It may only be used for the purpose for which it is supplied and must not be reproduced, stored or disseminated to third parties by any means, mechanical, photographic, electronic, chemical, or otherwise, in whole or in part, without the express permission of KLOCKE GmbH.

HOW TO APPLY

1. Prepare applicator as shown in “How to Open”.
2. Your cat needs to be dry at the time of application and remain dry for 24 hours after application. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the applicator on the skin and squeeze the applicator to apply the entire contents directly on the skin of your cat. Do not apply more than one applicator per treatment for one cat regardless of the cat's weight. Do not allow your cat to ingest this product, or get the product into their eyes. Proper placement of the product on your cat will minimize the opportunity for the cat to lick and ingest the product. Carefully avoid allowing the product to run off the side of the cat. Separate treated cat from all other cats and pets until product has dried.



3. Discard empty applicator and packaging as described in the Storage and Disposal section.
4. Under normal conditions the product remains effective for a month. In cases of severe flea infestation, retreatment may be necessary earlier than one month. If reinfestation is severe at the initiation of treatment, once a week treatment is permitted not to exceed 4 weeks. Once flea control is attained, return to a monthly application schedule.

FREQUENCY OF APPLICATION

Fleas: When used monthly, C710.0 FOR CATS kills all stages of the flea life cycle and prevents reinfestation of fleas on your cat for up to six weeks after application. Although C710.0 FOR CATS can control fleas for up to six weeks, if there is a high risk of re-infestation of fleas on your cat, or if the cat has fleas which may cause flea allergy dermatitis, apply C710.0 FOR CATS once every 30 days.

Ticks: C710.0 FOR CATS kills all stages of the tick life cycle [larvae, nymph, and adult] for at least 30 days. For best control of ticks, apply once every 30 days.

Chewing Lice: C710.0 FOR CATS kills chewing lice for at least 30 days. For best control of chewing lice, apply once every 30 days.

[Mosquitoes: Apply C710.0 for Cats every 30 days to kill mosquitoes within 48 hours for up to 28 days.]

Do not reapply C710.0 FOR CATS for 30 days.

EPA Reg. No. 88052-16

QUESTIONS OR COMMENTS ABOUT THIS PRODUCT

Call xxx-xxx-xxxx

[PRODUCT BAR CODE]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

WARRANTY

To the extent consistent with applicable law, Horizon Valley Generics, Inc. and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215
MADE IN GERMANY

C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.

©20xx Horizon Valley Generics, Inc. All rights reserved.

[Text for CRP Applicator]

KEEP OUT OF REACH OF CHILDREN

CAUTION.

Read entire label before use.

C710.0 for Cats [“CATS” will be at least 75% of the largest letter of the brand name]

EPA Reg. No. 88052-16

Lot No.

0.017 fl. oz. [0.5 mL] – Only for Cats & Kittens weighing over 1.5 lbs. [and] [&] 8 weeks or older

Fipronil 9.8%

(S)-Methoprene 11.8%