



NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

88052-16

Date of Issuance:

9/23/21

Term of Issuance:

Conditional

Name of Pesticide Product:

C710.0 for Cats

Name and Address of Registrant (include ZIP Code):

Brien O'Loughlin
Horizon Valley Generics, Inc.
8735 Rosehill Rd., Suite 300
Lenexa, Kansas 66215

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Jacquelyn Herrick, Product Manager 3
IVB1, Registration Division (7505P)

Date:

9/23/21

2. Consistent with the guidance on [Pet Spot-On Enhanced Reporting Implementation \(updated Aug. 2019\)](#), the Agency has reviewed your request to remove the two-year registration expiration date and has found your company to be in compliance with the terms and conditions for the subject product. Further, the Agency has reviewed a sample of enhanced reporting using EPA's standardized templates, as described in Condition 3. hereafter, and concluded that the use of the standardized templates for enhanced reporting for this product will considerably improve pharmacovigilance and thus the continued safety of this product. Therefore, the Agency is removing the two-year registration expiration date for this product. The product remains subject to all other previously required conditions of registration, including the submission of enhanced incident reports and sales information as stated in the initial registration notice dated April 19, 2013 and amended below to require continued use of the standardized templates.
3. The Agency has reviewed your request to change the terms of your registration from quarterly to annual submission of enhanced incident and sales reports using EPA's standardized templates. Based on an initial screening of sample enhanced reports, the sample submission was determined to be adequate and the templates were successfully used. Therefore, the condition of quarterly submission of enhanced incident and sales reports is hereby amended to annual submission with continued use of these standardized templates. You must submit enhanced incident and sales reports for this product to the Agency every 12 months from the date the product is first released for shipment, or from the end date in the last quarterly enhanced reporting submission. The initial released-for-shipment date must be provided to the Product Manager, once known. The enhanced reporting submission should be addressed to the Product Manager's attention and must use the standardized, electronic templates available on the EPA website through the following links: [Enhanced Incident Reporting Template](#), [Sales Reporting Template](#). Submissions must be received by the Agency no later than 60 days following the completion of the 12-month period. If the product is not marketed or sold, you must submit to the Product Manager a letter to this effect every 12 months in lieu of the enhanced incident and sales reports. Please follow appropriate procedures and flag any Confidential Business Information as such.
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these terms and conditions, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated June 4, 2021
- Alternate CSF 1 dated June 4, 2021
- Alternate CSF 2 dated June 4, 2021
- Alternate CSF 3 dated June 4, 2021
- Alternate CSF 4 dated June 4, 2021
- Alternate CSF 5 dated June 4, 2021

If you have any questions, you may contact Hester Dingle at 703-347-8860 or via email at dingle.hester@epa.gov.

Enclosure

{Optional text appears in brackets [] – the final label may include some or all of the optional text on front, back or side label panels or label insert]
Text in {} denotes location of text on packaging, notes to reviewer, text that will not be on final label}


Primary brand name: C710.0 FOR CATS

[ALTERNATE BRAND NAMES: Springline® for Cats, Springline® Spot-On for Cats, Pet Works® Plus for Cats, PetLock® Plus for Cats, and PetAction® Plus for Cats]

Sublabel 1: 3- and 4- Count and 2 x 3-Count

Sublabel 2. 1-Count

{Note to Reviewer: One timeframe style [4 weeks][one month][monthly]][30 days] will be selected and used consistently throughout label.}



Sublabel 1: 3- and 4-Count and 2 x 3 Count

**Label Directions for Container including Carton, Overwrap of 2 x 3-Count Cartons,
Package Insert, Blister, and Optional Reminder Stickers for**

1 x 0.017 fl. oz. package

3 x 0.017 fl. oz. package

4 x 0.017 fl. oz. package

6 x 0.017 fl. oz. package

{FRONT PANEL OF 2 X 3-COUNT OVERWRAP}

C710.0 FOR CATS

{“CATS” will be at least 75% of the largest letter of the brand name}

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes]
Kills all stages of Ticks, including those that may transmit Lyme disease

DO NOT USE ON DOGS

{Optional text appears in brackets [] and {} represents notes to reviewer- the final label may include some or all of the optional text on front, back, side, or inside label panels. Optional marketing claims: see list within the label}.

{A large, clear picture of a cat in the weight range for the product as packaged will appear on the front panel.}

ACTIVE INGREDIENTS:

Fipronil 9.8%
(S)-Methoprene 11.8%

OTHER INGREDIENTS: 78.4%

TOTAL: 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See label insert within carton for FIRST AID, PRECAUTIONARY STATEMENTS and COMPLETE DIRECTIONS FOR USE

NET CONTENTS:

2 cartons each containing 0.051 fl. oz. [1.5 mL] [6 applicators total each containing 0.017 fl. oz. [0.50 mL];

[3 doses per carton, 6 doses total]

Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215

[MADE IN GERMANY]

[C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.]

[©20xx Horizon Valley Generics, Inc. All rights reserved.]

[QUESTIONS OR COMMENTS ABOUT THIS PRODUCT]

[Call xxx-xxx-xxxx]

[Product Bar Code]

{End of Front Panel of 2 x 3 Overwrap}

{FRONT PANEL OF CARTON}

C710.0 FOR CATS

{“CATS” will be at least 75% of the largest letter of the brand name}

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes]
Kills all stages of Ticks, including those that may transmit Lyme disease

DO NOT USE ON DOGS

{Optional text appears in brackets [] and {} represents notes to reviewer - the final label may include some or all of the optional text on front, back, side, or inside label panels.}

{A large, clear picture of a cat in the weight range for the product as packaged will appear on the front panel.}

ACTIVE INGREDIENTS:

Fipronil 9.8%
(S)-Methoprene 11.8%

OTHER INGREDIENTS: 78.4%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See label insert for FIRST AID, PRECAUTIONARY STATEMENTS, and COMPLETE DIRECTIONS FOR USE

NET CONTENTS:

0.051 fl. oz. [1.5 mL] [3 applicators each containing 0.017 fl. oz. [0.50 mL]; [3 Doses]

0.068 fl. oz. [2.0 mL] [4 applicators each containing 0.017 fl. oz. [0.50 mL]; [4 Doses]

Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215

[MADE IN GERMANY]

[C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.]

[©20xx Horizon Valley Generics, Inc. All rights reserved.]

[QUESTIONS OR COMMENTS ABOUT THIS PRODUCT]

[Call xxx-xxx-xxxx]

[Product Bar Code]

{END FRONT PANEL OF CARTON}

{BACK PANEL OF CARTON AND OF OVERWRAP OF 2 X 3-COUNT CARTONS}

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON DOGS, RABBITS OR OTHER ANIMALS.

{The following text in a box will be placed in the lower right hand corner of back panel.}

SIDE EFFECTS

Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported. If these or other side effects occur, consult your veterinarian or call us at xxx-xxx-xxxx.

[Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. {The following text in parentheses represents the translation of the previous statement and will be present on the label. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)}]

C710.0 FOR CATS

C710.0 FOR CATS contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks, [mosquitoes,]and chewing lice. C710.0 is waterproof 24 hours after application, and easy to use. Your cat needs to be dry at the time of application and remain dry for 24 hours after application.

C710.0 FOR CATS remains effective even after bathing, water immersion, or exposure to sunlight. C710.0 FOR CATS can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens.

Do not allow your cat to ingest this product. Do not apply to cats weighing less than 1.5 lbs. and less than 8 weeks old.

To kill fleas, flea eggs, and all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks, [and] chewing lice[and mosquitoes], apply this product **ONLY** to cats and kittens weighing over 1.5 lbs. and 8 weeks or older as follows.

Restrictions

Do not use on dogs, rabbits or other animals.

Do not apply more than once every [4 weeks][30 days][month].

Do not bathe or allow your cat to swim for 24 hours after application.

Do not allow your cat to ingest this product.

Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs.
Do not apply more than one applicator per treatment for one cat regardless of the cat's weight.
Do not allow cats to groom each other until product has dried in multi-cat households.

HOW TO OPEN

See label insert for applicator opening instructions.

HOW TO APPLY

To apply C710.0 for Cats: Your cat needs to be dry at the time of application and remain dry for 24 hours after application. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the applicator on the skin and squeeze the applicator to apply the entire contents directly on the skin of your cat. Do not apply more than one applicator per treatment for one cat regardless of the cat's weight. Do not allow your cat to ingest this product, or get the product into their eyes. Proper placement of the product on your cat will minimize the opportunity for the cat to lick and ingest the product. Carefully avoid allowing the product to run off the side of the cat. Separate treated cat from all other cats and pets until product has dried.

FREQUENCY OF APPLICATION

Fleas: C710.0 FOR CATS kills fleas, flea eggs and larvae and prevents reinfestation of fleas on your cat for [4 weeks][30 days][one month] after application. For control of fleas, which may cause flea allergy dermatitis, apply C710.0 FOR CATS once every [4 weeks][30 days][month].

Ticks: C710.0 FOR CATS kills all stages of the tick life cycle [larvae, nymph, and adult] for [4 weeks][30 days][one month]. For control of ticks, apply once every [4 weeks][30 days][month].

Chewing Lice: C710.0 FOR CATS kills chewing lice for [4 weeks][30 days][one month]. For control of chewing lice, apply once every [4 weeks][30 days][month].

[Mosquitoes: Apply C710.0 for Cats every [4 weeks][30 days][month] to kill mosquitoes within 48 hours for [4 weeks][30 days][one month].]

Do not reapply C710.0 for Cats for [4 weeks][30 days][one month].

EPA Reg. No. 88052-16

EPA Est. No.

Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215

[MADE IN GERMANY]

[C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.]

[©20xx Horizon Valley Generics, Inc. All rights reserved.]

[QUESTIONS OR COMMENTS ABOUT THIS PRODUCT]

[Call xxx-xxx-xxxx]

[Product Bar Code]

{SIDE PANELS OF CARTON AND OF OVERWRAP OF 2 X 3-COUNT CARTONS}

For use only on Cats & Kittens weighing over 1.5 lbs. and 8 weeks or older
C710.0 for Cats
[EPA Reg. No. 88052-16]
Lot/Batch Number

[Logos]



{GRAPHICS OF CAT}

C710.0 for Cats brand picture



[Optional Marketing Claims for Carton, Overwrap of 2 x 3-count Cartons, and Package Insert]

1. [Kills [Fleas], [Flea Eggs] and [Flea Larvae], [Ticks], [Chewing Lice], [Mosquitoes]]
2. [Convenient spot treatment for control of [fleas], [ticks], [mosquitoes], and [chewing lice]]
3. [C710.0 FOR CATS provides convenient and effective [flea], [tick], [mosquitoes], and [chewing lice] control for cats [and kittens] weighing 1.5 lbs and 8 weeks and older]]
4. [Convenient to use]
5. [Prevents [flea eggs], [larvae] and [pupae]from developing]
6. [Kills [flea eggs], [flea larvae] and [prevents flea pupae from developing]]
7. [Controls adult fleas which may cause [FAD] [flea allergy dermatitis]]
8. [Kills all stages of Brown Dog ticks (*R. sanguineus*), American dog ticks (*D. variabilis*), Lone Star ticks (*Amblyomma americanum*), [Deer ticks (*Ixodes scapularis*) which may transmit Lyme disease] {Text in parentheses represents the Latin name of pest and the text is meant to be included on label.}]
9. [Kills tick [nymphs] and [adults]]
10. [Controls infestations of chewing lice]
11. [Can be used on [breeding], [pregnant] and [lactating] queens]
12. [Waterproof 24 hours after application]
13. [Kills adult fleas which may cause [flea allergy dermatitis] [FAD] and [flea bite dermatitis]]
14. [[Once a Month] [30 day][4 Week] treatment of [fleas], [ticks] and [lice]]
15. [Remains effective after [bathing] and [swimming] 24 hours after application]
16. [Kills ticks that may transmit [Lyme disease], [haemobartonellosis], [anaplasmosis]]
17. [Kills fleas [ticks] [lice]]
18. [Kills mosquitoes]
19. [Kills fleas that may cause flea bite anemia]
20. [Kills all stages of deer ticks]
21. [Use [once a month][every 4 weeks][every 30 days]]
22. [Kills newly emerged fleas before they lay eggs]
23. [Calendar stickers inside]
24. [Prevents re-infestation of fleas on your cat for [4 weeks][30 days][one month]]
25. [[3][4] Doses Inside]
26. [3 Pack] [3 Applicators][3 Month Supply* *one applicator=one month][3 Doses]
27. [4 Pack] [4 Applicators][4 Month Supply* *one applicator=one month][4 Doses]
28. [For overwrap only: [6 Pack] [6 Applicators][6 Month Supply* *one applicator=one month][6 Doses]]
29. [For overwrap package only: [Value Pack]
30. [For overwrap only: [6 Dose Value Pack]]
31. [Formulated only for cats and kittens weighing over 1.5 lbs. and older than 8 weeks old]]

{Note to reviewer: whenever any of the three claims immediately below (*) are included on product labels, then the label will contain the appropriate disclaimers below. The disclaimers will be placed in the same area of the label as the optional claims so that both are viewed together.}

{*One of the following options will be used}[Contains the same active ingredients fipronil and (S)-methoprene found in Frontline® Plus for Cats] [Contains Fipronil and (S)-Methoprene [the same active ingredients used in Frontline® Plus for Cats]] [Contains the same active ingredients as Frontline® Plus for Cats]

{*} C710.0 FOR CATS is not manufactured by or distributed by Boehringer Ingelheim Animal Health USA Inc.

{*} Frontline® Plus is a registered trademark of the Boehringer Ingelheim Group.

{Optional graphics: Picture of Adult Flea, Tick, Louse}



WATER
PROOF



TICKS



MOSQUITOES



LICE



FLEAS



FLEAS
EGGS



REPELS
BITING FLIES

{LABEL DIRECTIONS FOR PACKAGE INSERT}

C710.0 FOR CATS {"CATS" will be at least 75% of the largest letter of the brand name}

{ALTERNATE BRAND NAME: Springline® for Cats, Springline® Spot-On for Cats, Pet Works Plus for Cats, PetLock Plus for Cats, and PetAction Plus for Cats}

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes]
Kills all stages of Ticks, including those that may transmit Lyme disease

DO NOT USE ON DOGS

ACTIVE INGREDIENTS:

Fipronil9.8%

(S)-Methoprene 11.8%

OTHER INGREDIENTS:78.4%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at xxx-xxx-xxxx for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use on cats only. Do not use on kittens weighing less than 1.5 lbs. and less than 8 weeks of age. **DO NOT USE ON DOGS. DO NOT USE ON OTHER ANIMALS.** Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Cats may experience some temporary irritation at the site of product application. If signs persist, or become more severe, consult a veterinarian. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. This product is not a substitute for prescribed heartworm preventative. Consult a veterinarian before using on medicated, debilitated or aged cats. Call 1-xxx-xxx-xxxx for 24-hour assistance.

SIDE EFFECTS

Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported. If these or other side effects occur, consult your veterinarian or call us at xxx-xxx-xxxx.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND DIRECTIONS FOR USE BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. {The following text in parentheses represents the translation of the previous statement and will be present on the label. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)}

Restrictions

Do not use on dogs, rabbits or other animals.

Do not apply more than once every [4 weeks][30 days][month].

Do not bathe or allow your cat to swim for 24 hours after application.

Do not allow your cat to ingest this product.

Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs.

Do not apply more than one applicator per treatment for one cat regardless of the cat's weight.

Do not allow cats to groom each other until product has dried in multi-cat households.

C710.0 FOR CATS

C710.0 FOR CATS contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks, mosquitoes, and chewing lice. C710.0 is waterproof 24 hours after application, and easy to use. Your cat needs to be dry at the time of application and remain dry for 24 hours after application.

C710.0 FOR CATS remains effective even after bathing, water immersion, or exposure to sunlight. C710.0 FOR CATS can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens.

Do not allow your cat to ingest this product. Do not apply to cats weighing less than 1.5 lbs. and less than 8 weeks old. Do not use more than one applicator per cat regardless of cat's weight.

To kill fleas, flea eggs and larvae, all stages of Brown Dog ticks, American dog ticks, Lone Star ticks, and Deer ticks [which may transmit Lyme disease], [mosquitoes,]and chewing lice, apply this product to cats and kittens weighing over 1.5 lbs. and 8 weeks or older as follows.

[Opening Instructions for 3 count and 2 X 3-Count]




HOW TO OPEN

OPENING INSTRUCTIONS FOR USE



Klocke Veterinary Services GmbH
www.klocke.com

1 Tear through perforation



2 Fold back the safety tab



3 Cut with scissors to open applicator



The information contained in this drawing is the exclusive intellectual PROPERTY of KLOCKE GmbH. It may only be used for the purpose for which it is supplied and must not be reproduced, stored or disseminated to third parties by any means, mechanical, photographic, electronic, chemical, or otherwise, in whole or in part, without the express permission of KLOCKE GmbH.


[Opening Instructions for 4 count]




HOW TO OPEN

OPENING INSTRUCTIONS FOR USE


1 Tear through perforation



2 Fold back the safety tab



3 Cut with scissors to open applicator





KLOCKE GROUP
Klocke Veterinary Services GmbH
www.klocke.com

The information contained in this drawing is the exclusive intellectual PROPERTY of KLOCKE GmbH. It may only be used for the purpose for which it is supplied and must not be reproduced, stored or disseminated to third parties by any means, mechanical, photographic, electronic, chemical, or otherwise, in whole or in part, without the express permission of KLOCKE GmbH.

HOW TO APPLY

1. Prepare applicator as shown in “How to Open”.
2. Your cat needs to be dry at the time of application and remain dry for 24 hours after application. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the applicator on the skin and squeeze the applicator to apply the entire contents directly on the skin of your cat. Do not apply more than one applicator per treatment for one cat regardless of the cat's weight. Do not allow your cat to ingest this product, or get the product into their eyes. Proper placement of the product on your cat will minimize the opportunity for the cat to lick and ingest the product. Carefully avoid allowing the product to run off the side of the cat. Separate treated cat from all other cats and pets until product has dried.



3. Discard empty applicator and packaging as described in the Storage and Disposal section.
4. The product remains effective for [4 weeks][30 days][one month]. In cases of severe flea infestation, retreatment may be necessary at [4 weeks][30 days][one month].

FREQUENCY OF APPLICATION

Fleas: C710.0 FOR CATS kills fleas, flea eggs and larvae and prevents reinfestation of fleas on your cat for [4 weeks][30 days][one month] after application. For control of fleas, which may cause flea allergy dermatitis, apply C710.0 FOR CATS once every [4 weeks][30 days][month].

Ticks: C710.0 FOR CATS kills all stages of the tick life cycle [larvae, nymph, and adult] for [4 weeks][30 days][one month]. For control of ticks, apply once every [4 weeks][30 days][month].

Chewing Lice: C710.0 FOR CATS kills chewing lice for [4 weeks][30 days][one month]. For control of chewing lice, apply once every [4 weeks][30 days][month].

[Mosquitoes: Apply C710.0 for Cats every [4 weeks][30 days][month] to kill mosquitoes within 48 hours for [4 weeks][30 days][one month].]

Do not reapply C710.0 FOR CATS for [4 weeks][30 days][one month].

EPA Reg. No. 88052-16

QUESTIONS OR COMMENTS ABOUT THIS PRODUCT

Call xxx-xxx-xxxx

[PRODUCT BAR CODE]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

WARRANTY

To the extent consistent with applicable law, Horizon Valley Generics, Inc. and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer and user assume all risk of use and handling of this product or a breach of this warranty shall be limited to direct damages and shall not include consequential or incidental damages such as loss of profit or values. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215
MADE IN GERMANY

C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.

©20xx Horizon Valley Generics, Inc. All rights reserved.

{Text for CRP Applicator}

KEEP OUT OF REACH OF CHILDREN

CAUTION.

Read entire label before use.

C710.0 for Cats {"CATS" will be at least 75% of the largest letter of the brand name}

EPA Reg. No. 88052-16

Lot No.

0.017 fl. oz. [0.5 mL] – Only for Cats & Kittens weighing over 1.5 lbs. [and] [&] 8 weeks or older

Fipronil 9.8%

(S)-Methoprene 11.8%

{GRAPHICS OF CAT}

C710.0 for Cats brand picture



{Optional graphics: Picture of Adult Flea, Tick, Louse}





[Does not wash off]

[For monthly control of fleas, ticks, chewing lice, mosquitoes]

[Optional Bar Code]

{Text for Optional Reminder Stickers for 3 x 0.017 fl. oz. Package, 4 x 0.017 fl. oz. Package, and 6 x 0.017 fl. oz. Package}

C710.0 for Cats {"CATS" will be at least 75% of the largest letter of the brand name}

The first time you treat your cat, place the First Application Sticker on your calendar. Apply Stickers [2 and 3] [2 through 4] [2 through 6] to the calendar [30 and 60 days] [30, 60, and 90 days] [30, 60, 90, 120, and 150 days] [at the end of each 30 day period] after the first application to remind you it's time to reapply C710.0 for Cats.

First Application Sticker: Apply C710.0 for Cats

Month 2 Sticker: Apply C710.0 for Cats

[Month 3 Sticker: Apply C710.0 for Cats]

[Month 4 Sticker: Apply C710.0 for Cats]

[Month 5 Sticker: Apply C710.0 for Cats]

[Month 6 Sticker: Apply C710.0 for Cats]

For Customer Service please call 1-xxx-xxx-xxxx.

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215

[Optional bar code]

Sublabel 2. 1-count applicator

**{Label Directions for Container 1-Count Carton, Package Insert, Blister, and
Optional Reminder Stickers for
1 x 0.017 fl. oz. package}**

{FRONT PANEL OF CARTON for 1-Count}

C710.0 FOR CATS

{CATS” will be at least 75% of the largest letter of the brand name}

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes]
Kills all stages of Ticks, including those that may transmit Lyme disease

DO NOT USE ON DOGS

{Optional text appears in brackets [] and {} represents notes to reviewer - the final label may include some or all of the optional text on front, back, side, or inside label panels. Optional marketing claims: see list within the label.}

{A large, clear picture of a cat in the weight range for the product as packaged will appear on the front panel.}

ACTIVE INGREDIENTS:

Fipronil 9.8%
(S)-Methoprene 11.8%

OTHER INGREDIENTS: 78.4%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See label insert for FIRST AID, PRECAUTIONARY STATEMENTS, COMPLETE DIRECTIONS FOR USE and STORAGE AND DISPOSAL

NET CONTENTS:

0.017 fl. oz. [0.50 mL] [1 applicator containing 0.017 fl. oz. [0.50 mL]]; [1 Dose]

{BACK PANEL OF CARTON}

C710.0 FOR CATS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON DOGS, RABBITS OR OTHER ANIMALS.

For complete Directions For Use, How to Open and How to Apply, see label insert.

FIRST AID

See label insert within carton.

[Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. {The following text in parentheses represents the translation of the previous statement and will be present on the label. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)}]

[C710.0 FOR CATS contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks, [mosquitoes,]and chewing lice. C710.0 is waterproof 24 hours after application, and easy to use. Your cat needs to be dry at the time of application and remain dry for 24 hours after application.]

[C710.0 FOR CATS remains effective even after bathing, water immersion, or exposure to sunlight. C710.0 FOR CATS can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens.]

Restrictions: Do not use on dogs, rabbits or other animals. Do not apply more than once every [4 weeks][30 days][month]. Do not bathe or allow your cat to swim for 24 hours after application. Do not allow your cat to ingest this product. Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs. Do not apply more than one applicator per treatment for one cat regardless of the cat's weight. Do not allow cats to groom each other until product has dried in multi-cat households.

Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215

[MADE IN GERMANY]

[C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.]

[©20xx Horizon Valley Generics, Inc. All rights reserved.]

[QUESTIONS OR COMMENTS ABOUT THIS PRODUCT]

[Call xxx-xxx-xxxx]

[Product Bar Code]

EPA Reg. No. 88052-16

EPA Est. No.

{A box labeled “Side Effects” will be located in the lower right hand corner of the back panel.}

SIDE EFFECTS

Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported. If these or other side effects occur, consult your veterinarian or call us at xxx-xxx-xxxx.

{SIDE PANELS OF CARTON}

For use only on Cats & Kittens weighing over 1.5 lbs. and 8 weeks or older

C710.0 for Cats

[EPA Reg. No. 88052-16]

Lot/Batch Number

{Logos}



{GRAPHICS OF CAT}

{C710.0 for Cats brand picture}



{Optional Marketing Claims for Carton and Package Insert}

1. [Kills [Fleas], [Flea Eggs] and [Flea Larvae], [Ticks], [Chewing Lice], [Mosquitoes]]
2. [Convenient spot treatment for control of [fleas], [ticks], [mosquitoes], and [chewing lice]]
3. [C710.0 FOR CATS provides convenient and effective [flea], [tick], [mosquitoes], and [chewing lice] control for cats [and kittens] weighing 1.5 lbs and 8 weeks and older]]
4. [Convenient to use]
5. [Prevents [flea eggs], [larvae] and [pupae]from developing]
6. [Kills [flea eggs], [flea larvae] and [prevents flea pupae from developing]]
7. [Controls adult fleas which may cause [FAD] [flea allergy dermatitis]]
8. [Kills all stages of Brown Dog ticks (*R. sanguineus*), American dog ticks (*D. variabilis*), Lone Star ticks (*Amblyomma americanum*), [Deer ticks (*Ixodes scapularis*) which may transmit Lyme disease] {Text in parentheses represents the Latin name of pest and the text is meant to be included on label.}]
9. [Kills tick [nymphs] and [adults]]
10. [Controls infestations of chewing lice]
11. [Can be used on [breeding], [pregnant] and [lactating] queens]
12. [Waterproof 24 hours after application]
13. [Kills adult fleas which may cause [flea allergy dermatitis] [FAD] and [flea bite dermatitis]]
14. [{Once a Month }[30-day] treatment of [fleas], [ticks] and [lice]]
15. [Remains effective after [bathing] and [swimming] 24 hours after application]
16. [Kills ticks that may transmit [Lyme disease], [haemobartonellosis], [anaplasmosis]]
17. [Kills fleas [ticks] [lice]]
18. [Kills mosquitoes]
19. [Kills fleas that may cause flea bite anemia]
20. [Kills all stages of deer ticks]
21. [Use [once a month][every 4 weeks][every 30 days]]
22. [Kills newly emerged fleas before they lay eggs]
23. [Prevents re-infestation of fleas on your cat for [4 weeks][30 days][one month]]
24. [1 Dose Inside]
25. [[One Month][30-day] Supply][1 Dose]
26. [Formulated only for cats and kittens weighing over 1.5 lbs. and over 8 weeks of age]]

{*One of the following options will be used}[Contains the same active ingredients fipronil and (S)-methoprene found in Frontline® Plus for Cats] [Contains Fipronil and (S)-Methoprene [the same active ingredients used in Frontline® Plus for Cats]] [Contains the same active ingredients as Frontline® Plus for Cats]

{*} C710.0 FOR CATS is not manufactured by or distributed by Boehringer Ingelheim Animal Health USA Inc.

{*} Frontline® Plus is a registered trademark of the Boehringer Ingelheim Group.

{Optional graphics: Picture of Adult Flea, Tick, Louse}



WATER
PROOF



TICKS



MOSQUITOES



LICE



FLEAS



FLEAS
EGGS



REPELS
BITING FLIES

{LABEL DIRECTIONS FOR PACKAGE INSERT}

C710.0 FOR CATS

{“CATS” will be at least 75% of the largest letter of the brand name}
{ALTERNATE BRAND NAME: Springline® for Cats, Springline® Spot-On for Cats,
Pet Works Plus for Cats, PetLock Plus for Cats, and PetAction Plus for Cats}

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes]
Kills all stages of Ticks, including those that may transmit Lyme disease

DO NOT USE ON DOGS

ACTIVE INGREDIENTS:

Fipronil	9.8%
(S)-Methoprene	11.8%
OTHER INGREDIENTS:	<u>78.4%</u>
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
HOTLINE NUMBER: Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at xxx-xxx-xxxx for emergency medical treatment information.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

CAUTION. Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use on cats only. Do not use on kittens weighing less than 1.5 lbs. and less than 8 weeks of age. **DO NOT USE ON DOGS. DO NOT USE ON OTHER ANIMALS.** Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Cats may experience some temporary irritation at the site of product application. If signs persist, or become more severe, consult a veterinarian. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. This product is not a substitute for prescribed heartworm preventative. Consult a veterinarian before using on medicated, debilitated or aged cats. Call 1-xxx-xxx-xxxx for 24-hour assistance.

SIDE EFFECTS

Monitor your cat after application. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported. If these or other side effects occur, consult your veterinarian or call us at xxx-xxx-xxxx.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND DIRECTIONS FOR USE BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

[Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. {The following text in parentheses represents the translation of the previous statement and will be present on the label. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)}]

Restrictions

Do not use on dogs, rabbits or other animals.

Do not apply more than once every [4 weeks][30 days][month].

Do not bathe or allow your cat to swim for 24 hours after application.

Do not allow your cat to ingest this product.

Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs.

Do not apply more than one applicator per treatment for one cat regardless of the cat's weight.

Do not allow cats to groom each other until product has dried in multi-cat households.

C710.0 FOR CATS

C710.0 FOR CATS contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks, mosquitoes, and chewing lice. C710.0 is waterproof 24 hours after application, and easy to use. Your cat needs to be dry at the time of application and remain dry for 24 hours after application.

C710.0 FOR CATS remains effective even after bathing, water immersion, or exposure to sunlight. C710.0 FOR CATS can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens.

Do not allow your cat to ingest this product. Do not apply to cats weighing less than 1.5 lbs. and less than 8 weeks old. Do not use more than one applicator per cat.

To kill fleas, flea eggs and larvae, all stages of Brown Dog ticks, American dog ticks, Lone Star ticks, and Deer ticks [which may transmit Lyme disease], [mosquitoes,]and chewing lice, apply this product to cats and kittens weighing over 1.5 lbs. and 8 weeks or older as follows.

[Opening instructions for 1-count]



HOW TO OPEN



1 Fold back the safety tab





2 Cut with scissors to open applicator



The information contained in this drawing is the exclusive intellectual PROPERTY of KLOCKE GmbH. It may only be used for the purpose for which it is supplied and must not be reproduced, stored or disseminated to third parties by any means, mechanical, photographic, electronic, chemical, or otherwise, in whole or in part, without the express permission of KLOCKE GmbH.

HOW TO APPLY

1. Prepare applicator as shown in “How to Open”.
2. Your cat needs to be dry at the time of application and remain dry for 24 hours after application. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the applicator on the skin and squeeze the applicator to apply the entire contents directly on the skin of your cat. Do not apply more than one applicator per treatment for one cat regardless of the cat's weight. Do not allow your cat to ingest this product, or get the product into their eyes. Proper placement of the product on your cat will minimize the opportunity for the cat to lick and ingest the product. Carefully avoid allowing the product to run off the side of the cat. Separate treated cat from all other cats and pets until product has dried.



3. Discard empty applicator and packaging as described in the Storage and Disposal section.
4. The product remains effective for [4 weeks][30 days][one month]. In cases of severe flea infestation, retreatment may be necessary at [4 weeks][30 days][one month].

FREQUENCY OF APPLICATION

Fleas: C710.0 FOR CATS kills fleas, flea eggs and larvae and prevents reinfestation of fleas on your cat for [4 weeks][30 days][one month] after application. For control of fleas, which may cause flea allergy dermatitis, apply C710.0 FOR CATS once every [4 weeks][30 days][month].

Ticks: C710.0 FOR CATS kills all stages of the tick life cycle [larvae, nymph, and adult] for [4 weeks][30 days][one month]. For control of ticks, apply once every [4 weeks][30 days][month].

Chewing Lice: C710.0 FOR CATS kills chewing lice for [4 weeks][30 days][one month]. For control of chewing lice, apply once every [4 weeks][30 days][month].

[Mosquitoes: Apply C710.0 for Cats every [4 weeks][30 days][month] to kill mosquitoes within 48 hours for [4 weeks][30 days][one month].]

Do not reapply C710.0 FOR CATS for [4 weeks][30 days][one month].

EPA Reg. No. 88052-16

QUESTIONS OR COMMENTS ABOUT THIS PRODUCT

Call xxx-xxx-xxxx

[PRODUCT BAR CODE]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER HANDLING. Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

WARRANTY

To the extent consistent with applicable law, Horizon Valley Generics, Inc. and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer and user assume all risk of use and handling of this product or a breach of this warranty shall be limited to direct damages and shall not include consequential or incidental damages such as loss of profit or values. Seller shall return the purchase price or at the election of the seller replace the product.

Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215
MADE IN GERMANY

C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.

©20xx Horizon Valley Generics, Inc. All rights reserved.

{Text for CRP Applicator}

KEEP OUT OF REACH OF CHILDREN

CAUTION.

Read entire label before use.

C710.0 for Cats {"CATS" will be at least 75% of the largest letter of the brand name}

EPA Reg. No. 88052-16

Lot No.

0.017 fl. oz. [0.5 mL] – Only for Cats & Kittens weighing over 1.5 lbs. [and] [&] 8 weeks or older

Fipronil 9.8%

(S)-Methoprene 11.8%