

#### OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

March 6, 2025

Horizon Valley Generics c/o Pyxis 4110 136<sup>th</sup> St Ct NW Gig Harbor, WA 98332

Subject: Label and CSF Amendment – label and CSF amendment adding a new CRP

manufacturer and package facility, new package configurations with 1, 3 or 4

counts, or an overpack with 2 cartons of 3 packs

Product Name: C710.0 for Cats EPA Registration Number: 88052-16

Application Date: fill-in

Case Number: 498057, 632369

#### Dear Brien O'Laughlin:

The amended label and Confidential Statement(s) of Formula (CSFs) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Please note that the record for this product currently contains the following CSF(s):

- Basic CSF dated 12/22/2023
- Alternate CSF 1 5 dated 12/22/2023

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to

Page 2 of 2 EPA Reg. No. 88052-16 Case No. 498057, 632369

sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Autumn Metzger at 202-566-2830 or Metzger.autumn@epa.gov.

Sincerely,

Beth Fertich, Product Manager 04 Invertebrate & Vertebrate Branch 1 Registration Division (7505P) Office of Pesticide Programs

Enclosure

{Optional text appears in brackets [] – the final label may include some or all of the optional text on front, back or side label panels or label insert.

"/' indicates alternative language or claims; one or multiple of which may be included on final printed label.

Text in {} denotes location of text on packaging, notes to reviewer, text that will not be on final label.

Primary brand name: C710.0 FOR CATS

ALTERNATE BRAND NAMES: Springline® for Cats, Springline® Spot-On for Cats, Pet Works® Plus for Cats, PetLock® Plus for Cats, and PetAction® Plus for Cats

#### Table of Contents

[Sublabel 1: Multiple Count Packages and Carton Overwraps of 2 x 3-Count Cartons]	2
[Sublabel 2: Carton for 1-count applicator]	8
[Label Directions for Package Insert for Sublabels 1 and 2]	10
[Sublabel 1 and 2 Optional Marketing Claims}	16
[Sublabel 1 and 2 Text for CRP Applicator]	18
[Sublabel 1 and 2 Optional Graphics}	19
Text for Optional Reminder Stickers for multiple count Packages}	21

Note to Reviewer: One timeframe style (i.e., 4 weeks/one month/monthly/30 days) will be selected and used consistently throughout label.}



3/6/2025

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

88052-16

# **(Sublabel 1: Multiple Count Packages and Carton Overwraps of 2 x 3-Count Cartons)**

{Label Directions for Container including Carton, Overwrap of 2 x 3-Count Cartons, Package Insert, Blister, and Optional Reminder Stickers}

#### **(FRONT PANEL OF 2 X 3-COUNT OVERWRAP)**

#### **C710.0 FOR CATS**

{"CATS" will be at least 75% of the largest letter of the brand name}

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes] Kills all stages of Ticks, including those that may transmit Lyme disease

#### DO NOT USE ON DOGS

{Optional text appears in brackets [] and {} represents notes to reviewer- the final label may include some or all of the optional text on front, back, side, or inside label panels. Optional marketing claims: see list within the label}.

{A large, clear picture of a cat in the weight range for the product as packaged will appear on the front panel.}

#### **ACTIVE INGREDIENTS:**

Fipronil	9.8%
(S)-Methoprene	
OTHER INGREDIENTS:	
TOTAL:	100.0%

## KEEP OUT OF REACH OF CHILDREN CAUTION

See label insert within carton for FIRST AID, PRECAUTIONARY STATEMENTS and COMPLETE DIRECTIONS FOR USE

**NET CONTENTS:** 

2 cartons each containing 0.051 fl. oz. [1.5 mL] [6 applicators total each containing 0.017 fl. oz. [0.50 mL]; [3 doses per carton, 6 doses total]

#### Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc. 8735 Rosehill Road, Suite 300 Lenexa, KS 66215

[MADE IN GERMANY]

[C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.] [©20xx Horizon Valley Generics, Inc. All rights reserved.]

EPA Reg. No. 88052-16 EPA Est. No.

[QUESTIONS OR COMMENTS ABOUT THIS PRODUCT]

[Call xxx-xxx-xxxx] [Product Bar Code]

{End of Front Panel of 2 x 3 Overwrap}

#### **{FRONT PANEL OF CARTON}**

#### C710.0 FOR CATS

{"CATS" will be at least 75% of the largest letter of the brand name}

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes] Kills all stages of Ticks, including those that may transmit Lyme disease

#### DO NOT USE ON DOGS

{The final label may include some or all of the optional text on front, back, side, or inside label panels.}

{A large, clear picture of a cat in the weight range for the product as packaged will appear on the front panel.}

#### **ACTIVE INGREDIENTS:**

Fipronil	9.8%
(S)-Methoprene	
OTHER INGREDIENTS:	
TOTAL:	100.0%

#### **KEEP OUT OF REACH OF CHILDREN**

#### CAUTION

See label insert for FIRST AID, PRECAUTIONARY STATEMENTS, and COMPLETE DIRECTIONS FOR USE

#### **NET CONTENTS:**

Z fl. oz.; Y - 0.017 fl. oz. (0.50 mL) applicators/tubes/vials {OR}

Z fl. oz.; Y – X fl. oz. applicators/tubes/vials

{Note to reviewer: X is the liquid amount of one applicator/tube/vial; Y is the number of applicators that are in the carton. Z is the sum of the liquid amounts.

For 1-count or multiple 1-count applicators, Y can be 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 for all fill volumes. Y may be written as a number or as a word (e.g., "4" or "four"). For 3- and 4-counts, Y can be 3, 4, 6, 8, 9, or 12 for all fill volumes. Y may be written as a number or as a word (e.g., "4" or "four").}

{Company name and address will be placed on the back panel} [MADE IN GERMANY][C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.] [©20xx Horizon Valley Generics, Inc. All rights reserved.]

{EPA Reg. No. and EPA Est. No. will either appear on the front, back, and/or side panel}

EPA Reg. No. 88052-16

EPA Est. No

[QUESTIONS OR COMMENTS ABOUT THIS PRODUCT]
[Call xxx-xxx-xxxx]
[Product Bar Code]
{END FRONT PANEL OF CARTON}

## {BACK/SIDE/INSIDE PANELS OF CARTON AND OF OVERWRAP OF 2 X 3-COUNT CARTONS}

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON DOGS, RABBITS OR OTHER ANIMALS.

## The following text in a box will be placed in the lower right hand corner of back panel. SIDE EFFECTS

Monitor your cat after application. If side effects are observed after application, bathe the cat immediately. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported. If these or other side effects occur, consult your veterinarian or call us at xxx-xxx.

[Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. {The following text in parentheses represents the translation of the previous statement and will be present on the label. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)}]

#### C710.0 FOR CATS

C710.0 FOR CATS contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks, [mosquitoes, ]and chewing lice. C710.0 is waterproof 24 hours after application, and easy to use.

C710.0 FOR CATS remains effective even after bathing, water immersion, or exposure to sunlight. C710.0 FOR CATS can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens.

#### Restrictions

Do not use on dogs, rabbits or other animals.

Do not apply more than once every 4 weeks/30 days/month.

Do not allow your cat to ingest this product.

Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs.

Do not apply more than one applicator per treatment for one cat regardless of the cat's weight.

Do not allow cats to groom each other until product has dried in multi-cat households.

#### **HOW TO OPEN**

See label insert for applicator opening instructions.

## {HOW TO APPLY AND FREQUENCY OF APPLICATION SECTIONS BELOW MAY APPEAR ON EITHER CARTON/INSIDE PANEL, LABEL INSERT, OR BOTH}

#### **HOW TO APPLY**

To apply C710.0 for Cats: Your cat needs to be dry at the time of application and remain dry for 24 hours after application for best performance. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the applicator on the skin and squeeze the applicator to apply the entire contents directly on the skin of your cat. Do not allow your cat to get the product into their eyes. Proper placement of the product on your cat will minimize the opportunity for the cat to lick and ingest the product. Carefully avoid allowing the product to run off the side of the

cat. Separate treated cat from all other cats and pets until product has dried. Discard empty applicator and packaging in the trash or recycling as described in the Storage and Disposal section.

#### FREQUENCY OF APPLICATION

Apply C710.0 once every 4 weeks/30 days/month:

- To kill fleas which may cause flea allergy dermatitis. C710.0 for Cats controls fleas, flea eggs and larvae and prevents reinfestation of fleas on your cat.
- To kill all stages of Brown dog ticks, American dog ticks, Lone Star ticks, Deer ticks, which
  may transmit Lyme disease. C710.0 for Cats kills ticks at all stages of the tick life cycle [larvae,
  nymph, and adult].
- To kill chewing lice.
- [To kill mosquitoes within 48 hours.]

{The following statement is required on the front panel and optional on the back panel.}

[Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older]

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE.** Store unused product in original container only, out of reach of children and animals.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING.** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### Manufactured for:

[Distributed by:]

Horizon Valley Generics, Inc. 8735 Rosehill Road, Suite 300 Lenexa, KS 66215

[MADE IN GERMANY][C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.] [©20xx Horizon Valley Generics, Inc. All rights reserved.]

[QUESTIONS OR COMMENTS ABOUT THIS PRODUCT]

[Call xxx-xxx-xxxx] [Product Bar Code] Lot/Batch No. [C710.0 for Cats]

### **{Sublabel 2: Carton for 1-count applicator}**

#### **FRONT PANEL OF CARTON for 1-Count**

#### **C710.0 FOR CATS**

{CATS" will be at least 75% of the largest letter of the brand name}

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes] Kills all stages of Ticks, including those that may transmit Lyme disease

#### DO NOT USE ON DOGS

{The final label may include some or all of the optional text on front, back, side, or inside label panels.}

{A large, clear picture of a cat in the weight range for the product as packaged will appear on the front panel.}

#### **ACTIVE INGREDIENTS:**

Fipronil	9.8%
(S)-Methoprene	
OTHER INGREDIENTS:	
TOTAL:	100.0%

#### KEEP OUT OF REACH OF CHILDREN

#### CAUTION

See label insert for FIRST AID, PRECAUTIONARY STATEMENTS and DIRECTIONS FOR USE

#### **NET CONTENTS:**

0.017 fl. oz. [0.50 mL] [1 applicator containing 0.017 fl. oz. [0.50 mL]); [1 Dose]

{EPA Reg. No. and EPA Est. No. will either appear on the front, back, and/or side panel}

EPA Reg. No. 88052-16

EPA Est. No.

#### **{BACK PANEL OF CARTON}**

#### C710.0 FOR CATS

Manufactured for: [Distributed by:]

Horizon Valley Generics, Inc.
8735 Rosehill Road, Suite 300
Lenexa, KS 66215
[MADE IN GERMANY]
[C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc.]
[©20xx Horizon Valley Generics, Inc. All rights reserved.]

[QUESTIONS OR COMMENTS ABOUT THIS PRODUCT] [Call xxx-xxx-xxxx]

[Product Bar Code]

{The following statement is required on the front panel and optional on the back panel.}

[Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older]

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE.** Store unused product in original container only, out of reach of children and animals.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING.** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## The following text in a box will be placed in the lower right hand corner of back panel. SIDE EFFECTS

Monitor your cat after application. If side effects are observed after application, bathe the cat immediately. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported. If these or other side effects occur, consult your veterinarian or call us at xxx-xxx.

### **(SIDE PANELS OF CARTON)**

For use only on Cats & Kittens weighing over 1.5 lbs. and 8 weeks or older C710.0 for Cats
Lot/Batch Number

.

### **{Label Directions for Package Insert for Sublabels 1 and 2}**

C710.0 FOR CATS ("CATS" will be at least 75% of the largest letter of the brand name)

{ALTERNATE BRAND NAME: Springline® for Cats, Springline® Spot-On for Cats, Pet Works Plus for Cats, PetLock Plus for Cats, and PetAction Plus for Cats}

Use ONLY on cats weighing over 1.5 lbs. and 8 weeks or older

Kills Fleas, Flea Eggs and Larvae, [and] Chewing Lice[, Mosquitoes] Kills all stages of Ticks, including those that may transmit Lyme disease

#### DO NOT USE ON DOGS

#### KEEP OUT OF REACH OF CHILDREN

#### CAUTION

#### **FIRST AID**

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **HOTLINE NUMBER:** Have the product container or label with you when calling a poison control center, doctor or going for treatment. You may contact us at xxx-xxx for emergency medical treatment information.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### **HAZARDS TO HUMANS**

**CAUTION.** Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

#### HAZARDS TO DOMESTIC ANIMALS

For external use on cats only. Do <u>not</u> use on kittens weighing less than 1.5 lbs. or less than 8 weeks of age. DO NOT USE ON DOGS. DO NOT USE ON OTHER ANIMALS. Individual sensitivities, while rare, may occur after using **ANY** pesticide product. Cats may experience some temporary irritation at the site of product application. If signs persist, or become more severe, consult a veterinarian. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. This product is not a substitute for prescribed heartworm preventative. Consult a veterinarian before using on medicated, debilitated or aged cats. Call 1-xxx-xxx-xxxx for 24-hour assistance.

#### SIDE EFFECTS

Monitor your cat after application. If side effects are observed after application, bathe the cat immediately. Side effects may include skin irritation such as redness, scratching or other signs of discomfort. In some cases, vomiting or diarrhea have been reported. If these or other side effects occur, consult your veterinarian or call us at xxx-xxx.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Do not allow children to apply product.** TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL AND DIRECTIONS FOR USE BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS OR OTHER ANIMALS.

[Precaucion al consumidor: si usted no puede leer inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. {The following text in parentheses represents the translation of the previous statement and will be present on the label. (To the user: If you cannot speak English, do not use this product until the label has been fully explained to you.)}]

#### Restrictions

Do not use on dogs, rabbits or other animals.

Do not apply more than once every 4 weeks/30 days/month.

Do not allow your cat to ingest this product.

Do not use on kittens under 8 weeks of age or weighing less than 1.5 lbs.

Do not apply more than one applicator per treatment for one cat regardless of the cat's weight.

Do not allow cats to groom each other until product has dried in multi-cat households.

#### **C710.0 FOR CATS**

C710.0 FOR CATS contains the active ingredients fipronil and (S)-methoprene that effectively target fleas, ticks, mosquitoes, and chewing lice. C710.0 is waterproof 24 hours after application, and easy to use.

C710.0 FOR CATS remains effective even after bathing, water immersion, or exposure to sunlight. C710.0 FOR CATS can also be used for the treatment and control of flea, tick, and chewing lice infestations on breeding, pregnant and lactating queens.

### **{Opening Instructions if package contains strips of 3}**



#### **HOW TO OPEN**









3 Cut with scissors to open applicator





### **{Opening Instructions if package contains strips of 4}**



#### **HOW TO OPEN**

1 Tear through perforation







2 Fold back the safety tab








#### {Opening Instructions for package containing individual applicators}



#### **HOW TO OPEN**



# {HOW TO APPLY AND FREQUENCY OF APPLICATION SECTIONS BELOW MAY APPEAR ON EITHER CARTON/INSIDE PANEL, LABEL INSERT, OR BOTH} HOW TO APPLY

- 1. Prepare applicator as shown in "How to Open". Wash scissors after cutting the applicator open.
- 2. Your cat needs to be dry at the time of application and remain dry for 24 hours after application for best performance. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the applicator on the skin and squeeze the applicator to apply the entire contents directly on the skin of your cat. Do not allow your cat to get the product into their eyes. Proper placement of the product on your cat will minimize the opportunity for the cat to lick and ingest the product. Carefully avoid allowing the product to run off the side of the cat. Separate treated cat from all other cats and pets until product has dried.





- 3. Discard empty applicator and packaging in the trash or recycling as described in the Storage and Disposal section.
- 4. The product remains effective for 4 weeks/30 days/one month.

#### FREQUENCY OF APPLICATION

Apply C710.0 once every 4 weeks/30 days/month:

- To kill fleas, which may cause flea allergy dermatitis. C710.0 for Cats controls fleas, flea eggs and larvae, and prevents reinfestation of fleas on your cat.
- To kill all stages of Brown dog ticks, American dog ticks, Lone Star ticks, Deer ticks, which may transmit Lyme disease. C710.0 for Cats kills ticks at all stages of the tick life cycle [larvae, nymph, and adult].
- To kill chewing lice.
- [To kill mosquitoes within 48 hours.]

EPA Reg. No. 88052-16

QUESTIONS OR COMMENTS ABOUT THIS PRODUCT
Call xxx-xxx-xxxx
[PRODUCT BAR CODE]

#### WARRANTY

To the extent consistent with applicable law, Horizon Valley Generics, Inc. and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer and user assume all risk of use and handling of this product or a breach of this warranty shall be limited to direct damages and shall not include consequential or incidental damages such as loss of profit or values. Seller shall return the purchase price or at the election of the seller replace the product.

#### Manufactured for:

#### [Distributed by:]

Horizon Valley Generics, Inc. 8735 Rosehill Road, Suite 300 Lenexa, KS 66215

[MADE IN GERMANY]C710.0 FOR CATS/ trade name is a registered trademark of Horizon Valley Generics, Inc. ©20xx Horizon Valley Generics, Inc. All rights reserved.

### **{Sublabel 1 and 2 Optional Marketing Claims}**

{For Carton, Overwrap of 2 x 3-count Cartons, and Package Insert. Where "/" indicates alternative claims or pests, the appropriate punctuation and grammar will be used (i.e., addition of commas and "and" where necessary).}

- 1. Kills Fleas/Flea Eggs/Flea Larvae/Ticks/Chewing Lice/Mosquitoes
- 2. Convenient spot on treatment for control of fleas/ticks/mosquitoes/chewing lice
- 3. C710.0 FOR CATS provides convenient and effective flea/tick/mosquitoes/chewing lice control for cats/kittens weighing 1.5 lbs and 8 weeks and older
- 4. Convenient to use
- 5. Prevents flea eggs/larvae/pupae from developing
- 6. Kills flea eggs/flea larvae and prevents flea pupae from developing
- 7. Controls adult fleas which may cause FAD /flea allergy dermatitis
- 8. Kills all stages of Brown Dog ticks (*R. sanguineus*)/American dog ticks (*D. variabilis*)/Lone Star ticks (*Amblyomma americanum*)/Deer ticks (*Ixodes scapularis*) which may transmit Lyme disease
- 9. Kills tick nymphs/adults
- 10. Controls infestations of chewing lice
- 11. Can be used on breeding/pregnant/lactating queens
- 12. Waterproof 24 hours after application
- 13. Kills adult fleas which may cause flea allergy dermatitis/FAD/flea bite dermatitis
- 14. Once a Month/30 day/4 Week treatment of fleas/ticks/lice
- 15. Remains effective after bathing/swimming 24 hours after application
- 16. Kills ticks that may transmit Lyme disease/haemobartonellosis/anaplasmosis
- 17. Kills fleas/ticks/lice
- 18. Kills mosquitoes
- 19. Kills fleas that may cause flea bite anemia
- 20. Kills all stages of deer ticks
- 21. Use once a month/every 4 weeks/every 30 days
- 22. Kills newly emerged fleas before they lay eggs
- 23. Calendar stickers inside
- 24. Prevents re-infestation of fleas on your cat for 4 weeks/30 days/one month
- 25. X Doses Inside {X equals the number of applicators in the carton}
- 26. X Pack/X Applicators/X Month Supply\* \*one applicator=one month/X Doses {X equals the number of applicators in the carton}
- 27. {For overwrap only:} 6 Pack/6 Applicators/6 Month Supply\* \*one applicator=one month/6 Doses
- 28. {For overwrap package only:} Value Pack
- 29. {For overwrap only:} 6 Dose Value Pack
- 30. {For sublabel 2 only:} 30-day Supply/1 Dose
- 31. Formulated only for cats and kittens weighing over 1.5 lbs. and older than 8 weeks old/over 8 weeks of age
- 32. [For] use only on Cats & Kittens weighing over 1.5 lbs. and 8 weeks or older
- 33. Kills Fleas, Flea Eggs and Larvae/Chewing Lice/Mosquitoes
- 34. Kills all stages of Ticks, including those that may transmit Lyme disease

{Note to reviewer: whenever any of the three claims immediately below (\*) are included on product labels, then the label will contain the appropriate disclaimers below. The disclaimers will be placed in the same area of the label as the optional claims so that both are viewed together.}

{\*One of the following options will be used}

- 1. Contains the same active ingredients fipronil and (S)-methoprene found in Frontline® Plus for Cats
- 2. Contains Fipronil and (S)-Methoprene [the same active ingredients used in Frontline® Plus for Cats]
- 3. Contains the same active ingredients as Frontline® Plus for Cats
- {\*} C710.0 FOR CATS is not manufactured by or distributed by Boehringer Ingelheim Animal Health USA Inc.
- {\*} Frontline® Plus is a registered trademark of the Boehringer Ingelheim Group

### **{Sublabel 1 and 2 Text for CRP Applicator}**

**KEEP OUT OF REACH OF CHILDREN** 

CAUTION.

Read entire label before use.

C710.0 for Cats {"CATS" will be at least 75% of the largest letter of the brand name}

EPA Reg. No. 88052-16

Lot No.

0.017 fl. oz. [0.5 mL] - Only for Cats & Kittens weighing over 1.5 lbs. and/& 8 weeks or older

Fipronil 9.8%

(S)-Methoprene 11.8%

## **{Sublabel 1 and 2 Optional Graphics}**

{Graphics may appear on the Carton, Overwrap of 2 x 3-count Cartons, and Package Insert}
{Logos}







**{GRAPHICS OF CAT}** 

C710.0 for Cats brand picture











{Optional graphics: Picture of Adult Flea, Tick, Louse}























WATER PROOF



**TICKS** 



**MOSQUITOES** 



LICE





FLEAS EGGS



REPELS BITING FLIES

[Does not wash off]

[For monthly control of fleas, ticks, chewing lice, mosquitoes] [Optional Bar Code]

# {Text for Optional Reminder Stickers for multiple count Packages}

## C710.0 for Cats {"CATS" will be at least 75% of the largest letter of the brand name}

The first time you treat your cat, place the First Application Sticker on your calendar. Apply Stickers 2 and 3 /2 through 4 /2 through 6 /2 through 7 /2 through 8 /2 through 9 /2 through 10 /2 through 11 /2 through 12 to the calendar 30 and 60 days /30, 60, and 90 days /30, 60, 90, 120, and 150 days /at the end of each 30 day period after the first application to remind you it's time to reapply C710.0 for Cats.

First Application Sticker: Apply C710.0 for

Cats

Month 2 Sticker: Apply C710.0 for Cats

[Month 3 Sticker: Apply C710.0 for Cats]

[Month 4 Sticker: Apply C710.0 for Cats]

[Month 5 Sticker: Apply C710.0 for Cats]

[Month 6 Sticker: Apply C710.0 for Cats]

[Month 7 Sticker: Apply C710.0 for Cats]

[Month 8 Sticker: Apply C710.0 for Cats]

[Month 9 Sticker: Apply C710.0 for Cats]

[Month 10 Sticker: Apply C710.0 for Cats]

[Month 11 Sticker: Apply C710.0 for Cats]

[Month 12 Sticker: Apply C710.0 for Cats]

For Customer Service please call 1-xxx-xxx-xxxx.

#### [Distributed by:]

Horizon Valley Generics, Inc. 8735 Rosehill Road, Suite 300 Lenexa, KS 66215

[Optional bar code]