



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

June 26, 2019

Jeonjinbio Co., Ltd.
c/o
Kevin Kutcel
KRK Consulting LLC
5807 Churchill Way
Medina, OH 44256

Subject: Label Amendment – To revise the labeled temperature restrictions, add use directions for a pre-filled dish, add a manual with graphics
Product Name: Bird Free
EPA Registration Number: 88080-2
Application Date: May 22, 2019
Decision Number: 551750

Dear Mr. Kutcel:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 88080-2
Decision No. 551750

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Gene Benbow by phone at 703-347-0235, or via email at Benbow.Gene@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "Gene Benbow".

Gene Benbow, Product Manager 7
Invertebrate & Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs


**"BIRD FREE"
for Structural Facilities
"TO NATURE"
GEL-TYPE BIRD REPELLENT**

Alternate Brand Name: To Nature Bird Free

FOR REPELLING PIGEONS, CROWS, MAGPIES, STARLINGS AND HOUSE SPARROWS FROM BUILDING FACILITIES AND ADJACENT STRUCTURES.

(Telecom Poles, Electric Power Structures, Bridge Beams, Marine Structures, Ornamental Copings, Sign Boards, Balconies, Roof Lines, Windowsills, Cornices & Ledges, Gutter Edges)

ACTIVE INGREDIENTS: Polybutene.....70.0%
OTHER INGREDIENTS.....30.0%
Total.....100.0%



KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if absorbed through skin for a prolonged period. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or face shield and waterproof gloves. Wash thoroughly with soap and water after handling.

Remove contaminated clothing and wash clothing before reuse.

See back panel for additional precautionary statements

FIRST AID	
Have label with you when obtaining treatment advice from physician	
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin with plenty of soap and water for 20 minutes • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse gently with water for 20 minutes • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye • Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

Small birds may become fatally entrapped by this tacky repellent. To reduce hazards to legally protected species, and to avoid noncompliance with the Federal Migratory Bird Treaty Act, follow all instructions in the DIRECTIONS FOR USE.

[Cartridge Type] Net Weight: 8.82oz.(250g.)

[DIY Pre-filled Type] Net Weight: 9.52oz.(270g.)

E.P.A. Reg. No. 88080-2 Est. No. 88080-KOR-01

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read this entire label and follow all use directions and precautions.

This product may be used to repel pigeons, crows, magpies, starlings and house sparrows from buildings facilities and adjacent structures. This product is applied on top of supplied plastic dishes. However, the product can be applied directly on window sills, roof lines, gutter edges, signs, ornamental copings, cornices, ledges, and similar surfaces where it is difficult to apply the supplied dishes.

USE RESTRICTIONS: Wear waterproof gloves when using this product. Do not apply product to surfaces with a temperature above 176°F. Do not apply this product in rainy or damp weather or in temperatures below freezing. Do not apply where repellent may entangle non-target bird species; on or near feeders, on vegetation/structures that are supporting feeders.

PREPARING SURFACES FOR TREATMENT:

1. To reduce potential exposure to bird-related diseases, wear waterproof gloves and a minimum of a NIOSH approved particulate filtering facepiece respirator with any N, R, or P filter for dust protection when cleaning areas to be treated. Prepare surfaces to be treated by removing bird nests, dirt, droppings and other debris. Using water mixed with a wetting agent or detergent, wet surfaces where droppings are present to limit generation of airborne dust during cleaning. Allow cleaned surfaces to dry fully prior to treatment as adhesive silicon or the repellent may be poor on wet surfaces.

2. If the repellent is to be applied directly on to the surface and not with the supplied plastic dishes, check the condition of the surface to which the repellent is to be applied. Treat porous surfaces such as wood, stone, or concrete with an undercoating such as paint or sealer before applying Bird Free. On asphalt or wood shingles, or on any other surface from which relatively easy removal of product is desired, apply waterproof tape or similar material first and apply the repellent to the tape rather than directly to the surface.

APPLICATION DIRECTIONS:

[Cartridge Type]

1. Put on waterproof gloves and a minimum of a NIOSH approved particulate filtering facepiece respirator with any N, R, or P filter against hazards associated with bird excrement.

2. Follow the steps in "PREPARING SURFACES FOR TREATMENT" to prepare the application site.

3. After applying adhesive silicon or similar adhesives on the back of the supplied plastic dishes, fix the repellent-contained plastic dishes on the supplied surface at intervals of 4-20 inches (10-50 cm). Adjust the distances of the plastic dishes based on the concentration of birds-the more birds that are present, the closer together the plastic dishes are placed.

Download the instruction manual from our website: <http://www.jjbio.co.kr>

4. Latch Bird Free cartridge into caulking gun.

5. Inject 0.53-0.70oz(15-20g) of Bird Free into each plastic dish.

6. Re-inspect placements once a month to check on damage of the dish and effect of bird repellence.

[DIY Pre-filled dish Type]

1. Put on waterproof gloves and a minimum of a NIOSH approved particulate filtering facepiece respirator with any N, R, or P filter against hazards associated with bird excrement.
2. Follow the steps in "PREPARING SURFACES FOR TREATMENT" to prepare the application site.
3. After applying adhesive silicon or similar adhesives on the back of the supplied plastic dishes, fix the repellent-contained plastic dishes on the supplied surface at intervals of 4-20 inches (10-50 cm). Adjust the distances of the plastic dishes based on the concentration of birds-the more birds that are present, the closer together the plastic dishes are placed.

Download the instruction manual from our website: <http://www.jjbio.co.kr>

4. Re-inspect placements once a month to check on damage of the dish and effect of bird repellence.

CLEAN-UP: While wearing appropriate skin and respiratory protection, clean treated surfaces by removing tape (if used) and scraping off product, and clean with a disposable cloth soaked in soap and water. Remove the used dishes and follow the instructions in the Storage and Disposal section for proper disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in an area inaccessible to children and pets. Do not store near food or feed. Do not store in an environment which will corrode the plastic container. Any leaking container should be disposed of as directed below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

CONTAINER DISPOSAL: IF EMPTY: Do not reuse this container. Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

To the extent consistent with applicable law, JEONJINBIO warrants that the product conforms to its chemical description and is reasonably fit for the purposes on this label when in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use. JEONJINBIO SPECIFICALLY DISCLAIMS ANY OTHER EXPRESSED OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.

JEONJINBIO CO., LTD.

302, 1Ho, Technopark Venture Factory of Daegu,
711, Hosan-dong, Dalseo-gu, Korea, 704-230

Tel. +82-53-593-7191 www.jjbio.co.kr

Product of Republic of Korea



JEONJINBIO

A leader of the 21st century
The value more than Bio-technology

The new 2019m software application for professional DVD production provides video production, videoconferencing and simulators with powerful menu design tools, full navigation with Playback, and more. Come on for yourself who more designers, age-dependent videographers, providers are choosing to be in good company with JJBIO.

ACCEPTED

06/26/2019

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 88080-2



Bird Free Installation Manual [For Structure Facilities]

Directions for use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read this entire label and follow all use directions and precautions.

USE RESTRICTIONS: This product may be used to repel pigeons, crows, magpies, starlings and house sparrows from buildings facilities and adjacent structures. This product is applied on top of supplied plastic dishes. However, the product can be applied directly on window sills, roof lines, gutter edges, signs, ornamental copings, cornices, ledges, and similar surfaces where it is difficult to apply the supplied dishes. Wear waterproof gloves when using this product. Do not apply product to surfaces with a temperature above 176°F(80°C). Do not apply this product in rainy or damp weather or in temperatures below freezing. Do not apply where repellent may entangle non-target bird species; on or near feeders, on vegetation/structures that are supporting feeders.

PREPARING SURFACES FOR TREATMENT:

1. To reduce potential exposure to bird-related diseases, wear waterproof gloves and a minimum of a NIOSH approved particulate filtering facepiece respirator with any N,R, or P filter. Prepare surfaces to be treated by removing bird nests, dirt, droppings and other debris. Using water mixed with a wetting agent or detergent, wet surfaces where droppings are present to limit generation of airborne dust during cleaning. Allow cleaned surfaces to dry fully prior to treatment as adhesive silicon or the repellent may be poor on wet surfaces.
2. If the repellent is to be applied directly on to the surface and not with the supplied plastic dishes, check the condition of the surface to which the repellent is to be applied. Treat porous surfaces such as wood, stone, or concrete with an undercoating such as paint or sealer before applying Bird Free. On asphalt or wood shingles, or on any other surface from which relatively easy removal of product is desired, apply waterproof tape or similar material first and apply the repellent to the tape rather than directly to the surface.

APPLICATION DIRECTIONS – [Cartridge Type]

Products



Bird Free



Nozzle



Plastic Dishes (15ea)

[Optional]



Special Magnets

[Can be Purchased From Any Hardware Store]



Adhesive Silicon



Double-sided
Sticky Tape



Caulking Gun

- Put on waterproof gloves and a minimum of a NIOSH approved particulate filtering facepiece respirator with any N, R, or P filter against hazards associated with bird excrement.
- Follow the steps in "PREPARING SURFACES FOR TREATMENT" to prepare the application site.
- After applying adhesive silicon or similar adhesives on the back of the supplied plastic dishes, fix the repellent-contained plastic dishes on the supplied surface at intervals of 4-20inches (10-50 cm).
Adjust the distances of the plastic dishes based on the concentration of birds-the more birds that are present, the closer together the plastic dishes are placed.
Download the instruction manual from our website: <http://www.jjbio.co.kr>



4. Latch Bird Free cartridge into caulking gun.



Attach a Nozzle on the Top of the Cartridge

- Cut the stopper on the cartridge (Do not cut the nozzle)
- Attach the nozzle to the cartridge by screwing nozzle clockwise



5. Inject 0.53-0.70 oz (15 – 20 grams) of Bird Free into each plastic dish.

- Inject 0.53oz – 0.70oz (15 – 20 grams) on each supplied plastic dish
- An ample amount of the product on the dish will be about 0.53oz (15g)



6. Re-inspect placements once a month to check on damage of the dish and effect of bird repellence.

APPLICATION DIRECTIONS – [DIY Pre-filled dish Type]

Products



Bird Free DIY



[Available in Hardware Store]



Adhesive Silicon



Double-sided
Sticky Tape



Caulking Gun

[DIY Pre-filled dish Type]

1. Put on waterproof gloves and a minimum of a NIOSH approved particulate filtering facepiece respirator with any N, R, or P filter against hazards associated with bird excrement.
2. Follow the steps in “PREPARING SURFACES FOR TREATMENT” to prepare the application site.
3. After applying adhesive silicon or similar adhesives on the back of the supplied plastic dishes, fix the repellent-contained plastic dishes on the supplied surface at intervals of 4-20inches (10-50 cm). Adjust the distances of the plastic dishes based on the concentration of birds-the more birds that are present, the closer together the plastic dishes are placed.
Download the instruction manual from our website: <http://www.ijbio.co.kr>
4. Re-inspect placements once a month to check on damage of the dish and effect of bird repellence.

CLEAN-UP: While wearing waterproof gloves and a minimum of a NIOSH approved particulate filtering facepiece respirator with any N, R, or P filter, clean treated surfaces by removing tape (if used) and scraping off product, and clean with a disposable cloth soaked in soap and water. Remove the used dishes and follow the instructions in the Storage and Disposal section for proper disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in an area inaccessible to children and pets. Do not store near food or feed. Do not store in an environment which will corrode the plastic container. Any leaking container should be disposed of as directed below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

CONTAINER DISPOSAL: IF EMPTY: Do not reuse this container. Place in trash or offer for recycling if available.

IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

To the extent consistent with applicable law, JEONJINBIO warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this bulletin when in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use. JEONJINBIO SPECIFICALLY DISCLAIMS ANY OTHER EXPRESSED OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.

THANK YOU

JEONJINBIO CO., LTD.
302, 1Ho, Technopark Venture Factory of Daegu,
711, Hosan-dong, Dalseo-gu, Korea, 704-230
Tel. +82-53-593-7191 www.jjbio.co.kr
Product of Republic of Korea