



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

February 2, 2026

Paul Ford  
Sciessent LLC  
100 Cummings Center, Suite 251-G  
Beverly, MA 10195  
Electronic Transmittal: pford@sciessent.com

Subject: Label Amendment – Reclassification of silvers as an active ingredient  
Product Name: AGION BACTERIOSTATIC WATER FILTER  
EPA Registration Number: 88165-3  
Application Date: 2/3/2020  
Action Code Case Number: 00220097

Dear Paul Ford:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on

the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions about this letter, please contact Areej Jahangir by phone at 202-566-1577, or via email at [jahangir.areej@epa.gov](mailto:jahangir.areej@epa.gov)

Sincerely,



Kimberly Whitesell  
Senior Environmental Protection Specialist  
Reevaluation Branch  
Antimicrobials Division (7510P)  
Office of Pesticide Programs

ENCLOSURE: Stamped label

[Q5520AM]

## AgION Bacteriostatic Water Filter

### CHLORINE TASTE AND ODOR AND BACTERIOSTATIC EFFECTS

**CAUTION  
KEEP OUT OF REACH OF CHILDREN**

#### ACTIVE INGREDIENT

Silver ion .....	0.15%
OTHER INGREDIENTS.....	99.85%
TOTAL .....	100.00%

**ACCEPTED**

**02/02/2026**

Under the Federal Insecticide, Fungicide  
and Rodenticide Act as amended, for the  
pesticide registered under  
EPA Reg. No.

**88165-3**

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INSTALL IN COLD WATER APPLICATIONS ONLY. THIS PRODUCT IS DESIGNED TO REMOVE OBJECTIONABLE TASTES, ODORS, AND COLOR FROM MUNICIPALLY TREATED TAP WATER.

This unit has a capacity up to 2000 gallons or 12 months.

Maximum flow 0.50 GPM (1.9 LPM)

Maximum pressure 125 PSIG (8.6 bar)

Maximum temperature 100 °F (38 °C)

Minimum temperature 35 °F (2 °C)

**NOTE: DO NOT USE WITH WATER THAT IS MICROBIOLOGICALLY UNSAFE OR OF UNKNOWN QUALITY WITHOUT ADEQUATE DISINFECTION BEFORE OR AFTER UNIT. THE TERM BACTERIOSTATIC INDICATES THAT THE SYSTEM LIMITS THE PASSAGE OR GROWTH OF BACTERIA THAT MAY ALREADY EXIST IN THE INCOMING WATER. IT DOES NOT MEAN THAT THE WATER LEAVING THE SYSTEM IS SAFER TO DRINK THAN THE WATER ENTERING THE SYSTEM.**

<b>FOR HEAD INSTALLATION, THREAD AND CONNECT FITTINGS:</b>	<b>FOR CARTRIDGE REPLACEMENT INTO TWIST TAP FILTER HEAD MODELS [QNVH B, C, OR J] WITH AUTOMATIC SHUT OFF. DELETE STEP 1.</b>
<ul style="list-style-type: none"><li>A. SHUT OFF WATER SUPPLY.</li><li>B. NOTE THE FLOW DIRECTION ON HEAD.</li><li>C. FOR QUICK CONNECT FITTINGS PUSH SCRATCH FREE TUBE END INTO FITTING UNTIL IT BOTTOMS. FOR THREADS, INSTALL TEFLON TAPE FITTINGS AND TIGHTEN FIRMLY.</li><li>D. TURN ON WATER AND CHECK FOR LEAKS. IF LEAKS OCCUR, REPEAT STEP C. IF LEAKS PERSIST,</li></ul>	<ul style="list-style-type: none"><li>1. SHUT OFF WATER SUPPLY.</li><li>2. UNSCREW OLD CARTRIDGE FROM HEAD.</li><li>3. SCREW IN NEW CARTRIDGE UNTIL LIGHTLY SEATED. DO NOT OVERTIGHTEN.</li><li>4. TURN ON WATER.</li><li>5. CHECK FOR LEAKS. IF LEAKS OCCUR, REPEAT STEPS 1,2,3,4,5. IF LEAKS PERSIST DISCONTINUE USE AND CALL YOUR SUPPORTING DEALER.</li></ul>

<p>DISCONTINUE USE AND CALL YOUR SUPPORTING DEALER.</p> <p>NOTE: INSTALL IN COMPLIANCE WITH LOCAL AND STATE REGULATIONS</p>	<p>6. FLUSH 5 GALLONS OF WATER THROUGH FILTER BEFORE USE.</p> <p>7. INSTALL AND DISPOSE OF IN COMPLIANCE WITH LOCAL AND STATE REGULATIONS</p>
---	---



System Tested and Certified by  
NSF International against  
NSF/ANSI STD 42 for the  
reduction of Chlorine, Taste and  
Odor and Bacteriostatic Effects.

#### **Storage and Disposal**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Do not store in areas accessible to children. Keep product dry and containers covered during storage; store below 130 °F.

**PESTICIDE DISPOSAL:** Dispose of used filter in trash.

**CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container.

MADE IN U.S.A.

EPA Reg. No. 88165-3

EPA Est. No. XXXX

Batch code:

Net Weight:

MANUFACTURED BY  
OMNIPURE FILTER COMPANY  
CALOWELL, IDAHO U.S.A.  
TEL 12084542597

OMNIPURE IS A REGISTERED TRADEMARK OF OMNIPURE FILTER COMPANY. See warranty at [www.omnipure.com](http://www.omnipure.com)