

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505T)
1200 Pennsylvania Ave., N.W.

Washington, D.C. 20460

NOTICE OF PESTICIDE:

X Registration
Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

88343-3

2/13/24

Term of Issuance:

Unconditional

Name of Pesticide Product:

Xingfa Glyphosate 62% MUP

Name and Address of Registrant (include ZIP Code):

Xingfa USA Corporation c/o Pyxis Regulatory Consulting Inc. 4110 136th St. Ct. NW Gig Harbor, WA 98332

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Continues page 2

Signature of Approving Official:	
Emily Schmid	Date:
	2/13/24
Emily Schmid, Product Manager 25	
Herbicide Branch, Registration Division (7505P)	

Page 2 of 2 EPA Reg. No. 88343-3 Case No. 475016

- 2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 88343-3."
- 3. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The record for this product currently contains the following CSF(s):

• Basic CSF dated 4/12/2022

If you have any questions, please contact Lydia Crawford by phone at 202-566-2575, or via email at Crawford.Lydia@epa.gov.

Enclosure

Xingfa Glyphosate 62% MUP

FOR MANUFACTURING USE ONLY

ACTIVE INGREDIENT:

Glyphosate-isoproplyammonium	62.0%
OTHER INGREDIENTS:	38.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

ENVIRONMENTAL HAZARDS

DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified prior to the discharge. **DO NOT** discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or the Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Solutions of this product should be mixed, stored and applied only in stainless steel, aluminum, fiberglass, plastic and plastic-lined containers. **DO NOT** MIX, STORE OR APPLY THIS PRODUCT OR SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR TANKS. This product or solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source. Do not use with or store near any oxidizing agents.

In case of SPILL or LEAK, soak up and remove to a landfill.

For CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE CALL CHEMTREC (800) 424-9300

Manufactured for:

Xingfa USA Corporation 20 N. Martingale Rd., Ste. 140 Schaumburg, IL 60173

[See side panel for [Storage and Disposal][and] Disclaimer of Warranty and Liability]

EPA Reg. No. 88343- EPA Est. No: Net Contents: gal. (L) Lot No. See (

Lot No. See container

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

Use only for manufacturing, formulating, or repackaging into a herbicide for use on:

ANNUAL AND PERENNIAL CROPS:

Crop Group 1: Root and Tuber (except carrot, sweet potato, and sugar beet)

Crop Group 2: Vegetable, Leaves of Root and Tuber (except sugar beet tops)

Crop Group 3-07: Vegetable, Bulb

Crop Group 4: Vegetable, Leafy (except Brassica)

Crop Group 5: Vegetable, Leafy, Brassica

Crop Group 6: Legume (except soybean and dry pea)

Crop Group 7A: Foliage of Legume (except soybean)

Crop Group 8-10: Vegetable, Fruiting (except okra)

Crop Group 9: Vegetable, Cucurbit

Crop Group 10-10: Fruit, Citrus

Crop Group 11-10: Fruit, Pome

Crop Group 12: Fruit, Stone

Crop Group 13-07: Berry and Small Fruit

Crop Group 14: Tree Nuts

Crop Group 15: Grain, Cereal (except field corn, popcorn, rice, sweet corn, and wild rice)

Crop Group 16: Cereal, Forage, Fodder, and Straw (except field corn, forage and field corn,

stover)

Crop Group 17: Grass, Forage, Fodder and Hay

Crop Group 18: Animal Feed, Nongrass (Forage, Fodder, Straw, and Hay)

Crop Group 19A: Herbs Crop Group 19B: Spices

Crop Group 20: Oilseeds (except canola)

GRAIN SORGHUM (Milo)

DRY BEANS, PEAS, LENTILS, and CHICKPEAS

TREE, VINE, AND SHRUB CROPS

OTHER CROPS – Acerola, Aloe vera, Ambarella, Artichoke (globe), Asparagus, Atemoya, Avocado, Bamboo shoots, Banana, Betel Nut, Biriba, Blimbe, Breadfruit, Buffalo Gourd, Cacao (cocoa) bean, Cactus, Canistel, Canola, Carrot, Chaya, Cherimoya, Coconut, Coffee, Corn (field, pop, sweet), Custard apple, Date, Dokudami, Durian, Epazote, Feijoa, Fig, Galangal, Governor's plum, Gow kee, Guava, Hops, Ilama, Imbe, Imbu, Jaboticaba, Jackfruit, Jojoba, Kava, Kenaf, Leucaena, Longan, Lychee, Mamey apple, Mango, Mangosteen, Marmaladebox, Mioga, Noni (Indian mulberry), Okra, Olive, Oregano, Oregano (Mexican), Palm, Papaya, Papaya (mountain), Passionfruit, Pawpaw, Peanut, Pepper leaf, Peppermint, Perilla, Persimmon, Pine Nut, Pineapple, Pistachio, Plantain, Pomegranate, Pulasan, Quinoa (grain), Rambutan, Rice, Rose Apple, Sapodilla, Sapote (black, mamey, white), Soursop, Soybean, Spanish Lime, Spearmint, Star Apple, Starfruit, Stevia, Sugar apple, Sugar beet (including tops), Sugarcane, Surinam Cherry, Sweet Potato, Tamarind, Tea, Teff, Ti, Ugli Fruit, Wasabi, Water spinach, Watercress, Wax jambu, Wild Rice, Yacon.

ACCEPTED

2/13/2024

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

88343-3

GLYPHOSATE-RESISTANT CROPS – Glyphosate-resistant Alfalfa, Glyphosate-resistant Canola (Spring), Glyphosate-resistant Canola (winter), Glyphosate-resistant Corn, Glyphosate-resistant Corn 2, Glyphosate-resistant Cotton, Glyphosate-resistant Soybeans, Glyphosate-resistant Sugar Beet.

CUT STUMP (TREE CROPS): Citrus Trees - Calamondin, Chironja, Citron, Citrus hybrids, Grapefruit, Kumquat, Lemon, Lime, Mandarin (Tangerine), Orange (all), Pummelo, Tangelo (Ugli), Tangor. Fruit Trees - Apple, Apricot, Cherry (sweet, sour), Crabapple, Loquat, Mayhaw, Nectarine, Olive, Peach, Pear, Plum/Prune (all), Quince. Nut Trees - Almond, Beechnut, Brazil nut, Butternut, Cashew, Chestnut, Chinquapin, Filbert (hazelnut), Hickory Nut, Macadamia, Pecan, Pistachio, Walnut (black, English). FORESTRY USE AND CHRISTMAS TREES Pine, Poplar, Eucalyptus, Christmas trees. NON-FOOD TREE CROPS

PASTURE GRASSES, FORAGE LEGUMES AND RANGELANDS: Alfalfa, Clover, and Other Forage Legumes - Alfalfa, Clover, Kenaf, Kudzu, Lespedeza, Leucaena, Lupin, Sainfoin, Trefoil, Velvet bean, Vetch (all types).

GRASS SEED OR SOD PRODUCTION – Alfalfa (seed), Any grass (*Gramineae* family) except Corn, Sorghum, Sugarcane and those listed in the "CEREAL AND GRAIN CROPS" section of this label including Bahiagrass, Bermudagrass, Bluegrass, Bromegrass, Fescue, Guineagrass, Kikuya grass, Orchardgrass, Pangola grass, Ryegrass, Timothy, Wheatgrass.

SEED PRODUCTION WITH THE GLYPHOSATE-RESISTANT GENE – Alfalfa, Lettuce, Rice, Wheat TURF AND ORNAMENTAL SITES

FALLOW GROUND, PASTURES, SODS, RANGELANDS AND NONCROP AREAS: airports/landing fields, apartment complexes, chemical mowing, commercial sites, ditch banks, driveways, dry ditches, dry canals, fencerows, golf courses, greenhouses, habitat management, highway/roadsides, industrial sites, landscape areas, lumber yards, manufacturing sites, municipal sites, natural areas, office complexes, ornamentals, paved areas, parks, parking areas, petroleum tank farms and pumping installations, plant nurseries, public areas, railroads, shadehouses, sod or turf seed farms, storage areas, sports complexes, substations, trim and edge, turfgrass areas, utility sites, warehouse areas, wildlife management areas, aquatic and wetland sites, recreational and public areas, eucalyptus and hybrid poplar production, farmsteads, forestry site preparation and release programs, site preparation or directed sprays to the floor of ornamental nurseries and Christmas tree farms, rights of way (ROW), Conservation Reserve Program (CRP), turfgrasses and grasses for seed production.

RESIDENTIAL SITES – On and around driveways, walkways, patios, and buildings; around fences, trees, shrubs, flower beds, vegetable and herb gardens and other areas in the yard; lawn restoration/renovation and garden plot preparation.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed or seed by storage, disposal or cleaning of equipment.

PESTICIDE STORAGE: Store in original container only, in a cool, dry, locked area. Store separately from other pesticides, fertilizers, food or feed to prevent contamination. Store above 32°F (0°C) to keep from crystallizing. Crystals will settle to the bottom. If allowed to crystallize, warm to 68°F (20°C) and mix well or recirculate to redissolve before using. For Bulk Pesticide Storage: Ground water contamination may be reduced by diking and flooring of permanent liquid bulk storage sites with an impermeable material.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed must be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures.

CONTAINER HANDLING: Non-refillable containers. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows:

Non-refillable container greater than 5 gallons: Empty the remaining contents into formulation equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into formulation equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into formulation equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over formulation equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

CONDITION OF SALE AND LIMITED WARRANTY

Xingfa USA Corporation warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use herein described when used in accordance with the directions for use. The Directions For Use are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. To the extent consistent with applicable law, Xingfa USA Corporation shall not be liable for the consequential, special or indirect damages resulting from the handling or use of this product. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

Except as expressly provided herein, Xingfa USA Corporation makes no warranties, guarantees, or representations of any kind, either express or impaired, or by usage of trade, statutory or otherwise, with regard to the product sold, including but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage.

[EPA Approval Date]