U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs	EPA Reg. Number: 88494-2	Date of Issuance: JUN 192013
Antimicrobials Division (7510P) 1200 Pennsylvania Avenue NW Washington, D.C. 20460	Term of Issuance: Conditional	
NOTICE OF PESTICIDE: <u>x</u> Registration Reregistration (under FIFRA, as amended)	Name of Pesticide Product: Wedge Disinfectant Wipes	
Name and Address of Registrant (include ZIP Code): North American Infection Control Ltd. 209 Strathearn Road Toronto, Ontario M6C1S5 Canada		
Note: Changes in labeling differing in substance from that accepted in connection with this regist Registration Division prior to use of the label in commerce. In any correspondence on this produ number.		
Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or re order to protect health and the environment, the Administrator, on his motion, may at any time su accordance with the Act. The acceptance of any name in connection with the registration of a pro- the registrant a right to exclusive use of the name or to its use if it has been covered by others. The application referred to above, submitted under the Fede Rodenticide Act, as amended is acceptable under FIFRA sec. 3(c)(7	spend or cancel the regis duct under this Act is no ral Insecticide, Fu	tration of a pesticide in of to be construed as giving ungicide and
 Submit and/or cite all data required for registration/nyour product when the Agency requires all registrandata. Submit a one-year study required to satisfy the stora characteristics requirements (Guidelines 830.6317 a from the date of registration to provide these data. 	ts of similar prod ge stability and c	ucts to submit such orrosion
A stamped copy of your labeling is enclosed for your record previously accepted labeling. The next label printing of this produc subsequent changes have been approved. You must submit one (1) before you release the product for shipment with the new labeling. 152.130(c), you may distribute or sell this product under the previou	t must use this lat copy of the final In accordance wi usly approved lab te or sell this proc	beling unless printed labeling th 40 CFR eling for 18 months luct if it bears this
from the date of this letter. After 18 months, you may only distribution new revised labeling or subsequently approved labeling. "To distribution at 40 CFR 152.3.		······

Wedge Disinfectant Wipes [Refill Pack]

Note to Reviewer - Text in [] is Optional Text Which May or May Not be Capitalized Note to Reviewer - The Following is a List of Additional Brand Names for This Product:

> Disinfectant Wipes #1 Disinfecting Wipes #1 Medical Disinfectant Wipes #1 Medical Surface Disinfectant Wipes Medical Surface Disinfectant Wipes #1 Surface Disinfectant Wipes #1 Dental Disinfectant Wipes #1 Dental Disinfectant Wipes #1 Dental Disinfectant Wipes #1 Dental Disinfectant Wipes Veterinary Disinfectant Wipes #1

ACTIVE INGREDIENTS:	· · · · · · · · · · · · · · · · · · ·
Ethyl Alcohol	72.50%
Didecyl Dimethyl Ammonium Chloride	.33%
OTHER INGREDIENTS	27.17%
Total	100.00%

Keep Out of Reach of Children

See [back] [side] panel for additional precautionary statements

EPA Reg. No. 88494-2 EPA Est. No. XXXXX-XX-X

[Made] [Manufactured] for: North American Infection Control Ltd. 209 Strathearn Road Toronto, Ontario M6C1S5 Canada

NET CONTENTS: X lbs. X ozs. XX [Medium] [Large] [Extra Large] Pre-Moistened Wipes (X in. by X in.)

ACCEPTED

JUN 19 2013

Under the Foderal Insecticide, Fundicide, and

884194-2

Rodenticide, Act as succeded, for the positicide, registered under

EPA Reg. No.

[EFFECTIVE] [WORKS] [KILLS BACTERIA/FUNGI/VIRUSES*] [IN ONE MINUTE/60 SECONDS]

[ONE MINUTE] [CLEAN AND DISINFECT] [ONE STEP] [ONE PRODUCT] [ONE SOLUTION]

[NEW] [EASY][EFFECTIVE][FAST AND EFFECTIVE] [CONVENIENT] [CLEANS, DISINFECTS & DEODORIZES]

[ALL PURPOSE] [CLEANER] [DEODORIZER] [DETERGENT] [DISINFECTANT] [ANTIBACTERIAL] [DETERGENT] FORMULA CLEANS [and] DISINFECTS and DEODORIZES]

[UNSCENTED] [FRAGRANCE FREE]

[BLEACH-FREE]

[BACTERICIDAL] [TUBERCULOCIDAL] [FUNGICIDAL] [VIRUCIDAL*] [Kills Viruses* Most [Responsible for] [Associated with] the Common Cold] [Kills Antibiotic Resistant Bacteria such as MRSA and VRE] Kills Flu Virus*

Kills Pandemic 2009 H1N1 Influenza A virus* [formerly called swine flu]

- [Antibacterial] [Disinfecting] and scrubbing power all in one
- 99.99% effective in killing common [household] [kitchen] [bathroom] bacteria
- Antibacterial [detergent] formula cleans and disinfects in one step
- [Antimicrobial] [Antibacterial] Wipe
- [Clean] and [Disinfect] hard, non-porous surfaces [in any room in the house] [throughout the house]
- [Clean] and [Disinfect] any room in the house
- [Clean] and [Disinfect] patient and public areas in [hospitals] [medical offices] [dental offices] [ambulatory care facilities] [veterinary offices] [nursing homes] [long term care facilities] [ambulances] [residential sick rooms] [mortuaries]
- Cleaning made easy for all your hard, non-porous surfaces
- Cleans and cuts grease
- Cleans tough stains
- Cleans, [disinfects] and deodorizes
- Cuts through tough grime
- Easy Cleaning [Around the house]
- Easy to use
- Effective against odor-causing bacteria
- Effective daily use
- Effective in [disinfecting] your [kitchen] [bathroom] [Medical] [Dental] [Veterinary] [Institutional] surfaces
- Eliminates odors
- Fast and easy way to clean
- Fast and effective cleaning
- For all non-porous household surfaces
- For all your [heavy] [light] duty jobs
- Ideal for cleaning and [disinfecting] any hard, non-porous surface

- Kills common [household] [kitchen] [bathroom] bacteria
- Fragrance Free
- Leaves your [bathroom] [kitchen] fresh and clean
- One-step cleaning
- One-step clean and disinfect
- Quick cleaning
- [Disinfect] your hard, nonporous household surfaces: highchairs, booster seats, strollers, car seats, cribs, tabletops, countertops, appliance exteriors, sinks, and glazed tiles
- Saves time
- Use every day in every room [throughout the house] [throughout the institution] [throughout the office]
- Use in [public toilets] [Laundromats] [pet areas] [hotels] [motels] [lodging establishments] [manufacturing facilities] [factories] [offices] [office buildings] wherever [disinfecting] is important
- Use on hard, non-porous surfaces: [stainless steel] [Formica®] [glass] [glass tables] [glazed porcelain] [plastic]
- [This product or product name] cleans and/or disinfects and/or deodorizes.
- [Antibacterial] [Disinfectant] [Detergent] [formula] [Cleans and] Disinfects in [just] 1 minute.
- Leaves hard, non-porous surfaces disinfected.
- One step [cleaning] and /or [disinfecting] and/or [deodorizing].

Note to Reviewer - Not All of the Following Locations Will Be Listed On All Product Versions

[This product or product name] is intended for use in:

- Hospitals and healthcare settings, including: Ambulances, Anesthesia, CAT Labs, CCU, Central Supply, Clinics, Dental Offices, Dialysis Clinics, Doctor's Office[s], Emergency Rooms, [E.R.], Food Service and Food Prep Areas, Home Health Care, Hospices, Laboratory, Laundry Rooms, Long Term Care Facilities, Newborn Nursery, Nursing Homes, Offices, Operating rooms, Pediatrics, Physical Therapy, Physician's Office[s], Opthalmic Offices, Radiology, Recovery Room, Rehabilitation, Respiratory Therapy, Ultrasound, Transport Vehicles, Waiting Areas, X-Ray.
- Critical Care Areas: [CCU] Cardiac Care Units, [E.R.] Emergency Rooms, [ICU] Intensive Care Units, , [NICU] Neonatal Intensive Care Units, [PICU] Pediatric Intensive care Units, Surgery, Surgical Prep, and Surgical Recovery Units.
- Barber Shops, Beauty Salons, Correctional Facilities, Funeral Homes, Mortuaries.
- Airports, Athletic Facilities, [Gyms] Gymnasiums, Health Clubs, Schools, Transportation Terminals.
- Banquet Halls, Catering Facilities, Delicatessens, Grocery stores, Shopping Centers, Restaurants.
- Childcare Facilities, Daycare Centers, Nurseries.
- Households, Homes, Residences, Kitchens and/or Bathrooms.
- Institutional Kitchens and/or Bathrooms [Restrooms] [Toilet Facilities].
- Animal Holding Areas, Animal Hospitals, Animal Life Science Laboratories, Animal Transportation Vehicles, Breeding Establishments, Grooming Establishments, Kennels, Pet Shops, Tack Shops, Veterinary Clinics, Veterinary Examination Rooms, Veterinary Operating Rooms, Veterinary Waiting Rooms, Veterinary X-Ray Rooms, Zoos.

When Animal Housing/Holding Facilities are included on the label, the following directions must be added:

Veterinary Clinics, Animal Life Science Laboratories, Pet Shops

Remove all animals and feed from premises, vehicles, and enclosures. Remove all litter and manure from floors, walls, and surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Use one or more wipes to wet surfaces for 1 minute. Immerse all handling and restraining equipment as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, vehicles, and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set, or dried. Thoroughly scrub treated feed troughs, racks and other feeding and watering appliances with soap or detergent, then rinse with potable water before reuse. Note to Reviewer - The Following Specific Product Uses May or May Not Be Listed On All Product Versions

- [This product or product name] will clean and disinfect hard, non-porous, surfaces of: bed railings, cabinets, carts, chairs, counters, exam tables, gurneys, isolettes, IV poles, stethoscopes, stretchers, tables, telephones, toilet seats, toilets, bathtubs, bathroom fixtures, shower stalls, sinks, tiles, vanity tops, hospital beds, traction devices, MRI, CAT, scales, paddles, wheelchairs, ultrasound transducers and probes.
- [This product or product name] will clean and disinfect hard, non-porous surfaces of: grocery cart handles, grocery carts, shopping carts, grocery cart child seats.
- [This product or product name] will clean and disinfect hard, non-porous surfaces of: changing tables, cribs, diaper pails, trashcans, garbage cans.
- [This product or product name] will clean and disinfect hard, non-porous surfaces of: cabinets, chairs, computers, countertops, desks, desktops, doorknobs, fax machines, garbage cans, headsets, keyboards, railings, seats, sinks, tables, tabletops, telephones, trashcans, appliance exteriors, [bathroom][kitchen] faucets, bathtubs, shower [doors][stalls], stove tops, food service and food prep areas.
- [This product or product name] will clean and disinfect hard, non-porous surfaces of: gym equipment, exercise machines, non-porous wrestling/gymnastic/exercise/yoga mats, gymnastic [athletic] equipment.
- Use [this product or product name] to clean and disinfect non-porous personal protective safety equipment, protective headgear, hard hats, half mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields, silicone rubber or PVC hearing protectors and vinyl covered ear muffs. Rinse all equipment that comes in prolonged contact with skin before reuse with clean warm water [about 120°F], and allow to air dry. [Caution: Cleaning at the 120°F temperature will avoid overheating and distortion of the personal safety equipment that would necessitate replacement.]
- [This product or product name] is formulated to disinfect hard, non-porous, inanimate environmental surfaces such as floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs, and cabinets.
- [This product or product name] helps prevent cross contamination from contact with treated surfaces.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For labels that list medical premises one of the following statements must be used:

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

or

This product is not for use on critical and semi-critical medical device surfaces.

CLEANING: Use one or more wipes, as necessary, to wet surface sufficiently and to thoroughly clean the surface.

DISINFECTING: To disinfect hard, non-porous surfaces, use one or more wipes, as necessary, to thoroughly wet the surface to be treated. Treated surface must remain visibly wet for one [1] minute to achieve complete disinfection [*or* kill] of all pathogens listed on this label. For visibly soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry. For surfaces that may come in contact with food, a potable water rinse is required.

*VIRUCIDAL:

[This product or product name] is an effective virucide on hard, non-porous surfaces, in the presence of an organic load, against Poliovirus serotype 1 [PV-1] [ATCC VR-1562], Hepatitis B Virus, Hepatitis C Virus, Rhinovirus [ATCC VR-340], Norovirus, Human Coronavirus [ATCC VR-1558], Rotavirus Strain WA, Respiratory Syncytial Virus [ATCC VR-26], Human Immunodeficiency Virus [HIV-1], Herpes Simplex Virus Type 1 [ATCC VR-539], and Influenza Virus type A_2 , when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry.

KILLS HIV-1, HBV and HCV ON PRE-CLEANED ENVIRONMENTAL

SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings [Hospitals, Nursing Homes] or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] [associated with AIDS], Hepatitis B Virus [HBV], and Hepatitis C Virus [HCV]

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, and HCV FOR SURFACES OR OBJECTS SOILED WITH BLOOD OR BODY FLUIDS.

<u>PERSONAL PROTECTION</u>: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye coverings.

<u>CLEANING PROCEDURES</u>: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of [this product or product name]. CONTACT TIME: Allow surface to remain wet for 1 full minute. DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal. Note to Reviewer -These Related Optional Statements May Appear Anywhere on the Label

• Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by Influenza A virus. This product [Product Name] is a broad-spectrum hard surface disinfectant that has been shown to be effective against [Influenza A virus tested and listed on the label] and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 [formerly called swine flu].

• This product [Product Name] has demonstrated effectiveness against Influenza A virus and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 Influenza A virus.

• This product [Product Name] has demonstrated effectiveness against [Influenza A virus tested and listed on the label] and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 [formerly called swine flu].

- Kills Pandemic 2009 H1N1 Influenza A virus [formerly called swine flu].
- Kills Pandemic 2009 H1N1 Influenza A virus.

BACTERICIDAL

[This product or product name] is an effective disinfectant on hard non-porous surfaces, in the presence of an organic load, against *Escherichia coli* [E. coli] O157:H7 [ATCC 35150], *Pseudomonas aeruginosa* [ATCC 15442], *Salmonella enterica* [Salmonella] [ATCC 10708], *Staphylococcus aureus* [ATCC 6538], *Streptococcus pyogenes* [Strep] [ATCC 19615], Vancomycin resistant *Enterococcus faecium* [VRE] [ATCC 51559], Methicillin resistant *Staphylococcus aureus* [MRSA] [ATCC 33591], Klebsiella pneumonia [ATCC 4352], Listeria monocytogenes [ATCC 984], Acinetobacter baumannii [ATCC 19606], Campylobacter jejuni [ATCC 29428], and Burkholderia cepacia [ATCC 25416], when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry.

TUBERCULOCIDAL:

[This product or product name] is an effective disinfectant on hard non-porous surfaces, in the presence of an organic load, against Mycobacterium bovis [ATCC 35743], when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry.

FUNGICIDAL:

[This product or product name] is an effective fungicide against Trichophyton mentagrophytes [ATCC 9533] [causative agent of Athlete's Foot Fungus] [a cause of ringworm] [a cause of ringworm of the foot], when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard, non-porous, surfaces commonly contacted by bare feet. The surface must remain visibly wet for 1 minute. Allow surfaces to air dry.

EFFICACY TESTS HAVE DEMONSTRATED THAT [THIS PRODUCT OR PRODUCT NAME] IS AN EFFECTIVE, VIRUCIDE, BACTERICIDE, TUBERCULOCIDE AND FUNGICIDE IN THE PRESENCE OF ORGANIC SOIL.

Food Processing and Food Packaging Facilities

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

[This product or product name] will not harm most surfaces: including stainless steel, aluminum, plastics, fiberglass, vinyl, and most painted surfaces. For plastic and painted surfaces, spot test on an inconspicuous area before use. Do not use on unpainted wood. Not for use on people or pets.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals:

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center [NPIC] at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time [NPIC Web site: www.npic.orst.edu].

PHYSICAL OR CHEMICAL HAZARDS:

Flammable. Keep away from heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Always store this product and all pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Protect from extreme heat or cold.

PESTICIDE DISPOSAL: Waste resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

For nonrefillable containers

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or discard empty container in trash.

For refillable containers where refill rolls in sealed bags are used to refill containers

CONTAINER DISPOSAL: Refillable container. Refill plastic canister with this brand of pesticide product only. Do not reuse this container for any other purpose. Offer empty roll packaging, or plastic canister, for recycling if available, or discard in trash.

Note to Reviewer - The Following Additional Marketing Claims Are Optional and May Appear Anywhere On the Label

- disinfects [odor causing] [common] [household] [kitchen –and/or-bathroom] bacteria
- maximum cleaning, minimum effort
- easy to [carry] [use] [container] [dispensing system]
- for all [household] [institutional] hard, nonporous surfaces
- great for clean-up at school, daycare or community center
- disinfects [TV] [DVD] [Video Game] remote controls
- uses [x]% less plastic than other [bottles] [containers] [in the market]
- uses [x]% less packaging than similar products
- uses [x]% recycled materials in the packaging
- packaging made from [x]% renewable resources

Note to Reviewer - The Following Optional Warranty and Disclaimer Statement[s] May Appear Anywhere On the Label]

LIMITED WARRANTY AND DISCLAIMER NOTICE:

The manufacturer of this product and/or it's affiliates and distributors warrant that this product conforms to the chemical description on this label and is reasonably fit for the purposes referred to in the Directions For Use and elsewhere on this label. Buyer assumes all risks of use and handling which is a variance in any way with the directions herein. The manufacturer makes no other express or implied warranty of fitness or merchantability. In no case shall the manufacturer or the seller of this product be liable for consequential, special or indirect damages resulting from the use or handling of this product. The manufacturer, distributor, and seller, and the buyer and user of this product acknowledge and accept the foregoing Limited Warranty and Disclaimer which may be varied only by agreement in writing signed by a duly authorized representative of the manufacturer.

or

No warranty, either expressed or implied, is given to the usage contrary to the instructions given herein.

This Product [product name] Kills the Following Pathogens in One Minute				
	ATCC	Organic		
Pathogen	Number	Load	Kill Time	
Acinetobacter baumannii	19606	5%	1 minute	
Burkholderia cepacia	25416	5%	1 minute	
Campylobacter jejuni	29428	5%	1 minute	
Escherichia coli O157:H7 [E. coli]	35150	5%	1 minute	
Klebsiella pneumonia	4352	5%	1 minute	
Listeria monocytogenes	984	5%	1 minute	
Methicillin resistant Staphylococcus aureus [MRSA]	33591	5%	1 minute	
Pseudomonas aeruginosa	15442	5%	1 minute	
Salmonella enterica	10708	5%	1 minute	
Staphylococcus aureus [Staph]	6538	5%	1 minute	
Streptococcus pyogenes [Strep]	19615	5%	1 minute	
Vancomycin resistant Enterococcus faecium [VRE]	51559	5%	1 minute	
Mycobacterium bovis [Tuberculosis]	35743	5%	1 minute	
		570	Timute	
Trichophyton mentagrophytes [Athletes Foot fungus]	9533	5%	1 minute	
Coronavirus	VR-1558	5%	1 minute	
Hepatitis B	n/a	5%	1 minute	
Hepatitis C	n/a	10%	1 minute	
Herpes Simplex virus type 1	VR-539	5%	1 minute	
Human Immunodeficiency virus [HIV-1] [AIDS]	n/a	10%	1 minute	
Influenza virus type A2 [Flu]	n/a	5%	1 minute	
Norovirus	n/a	5%	1 minute	
Poliovirus	VR-1562	5%	1 minute	
Respiratory Syncytial virus [RSV]	VR-26	5%	1 minute	
Rhinovirus	VR-340	5%	1 minute	
Rotavirus, Strain WA	n/a	5%	1 minute	

Note to Reviewer - The Following Table, or Portions Thereof, May Appear On the Printed Product Label and May Appear in Associated Marketing Materials

(

11/12

¢

Use Below Instructions Depending on the Type of Dispensing System

For Nonrefillable Wipes Canister

To Dispense Wipes: Open lid, remove entire cover, remove and discard seal. From center of wipes roll pull up a corner of the wipe, twist it and thread it through the hole in the container cover. Pull through about one inch. Replace cover tightly. Pull out first wipe and tear off at a 45° angle. Remaining wipes feed automatically, ready for next use. When not in use, keep the tip of the exposed wipe inside the well in the cover, and the lid snapped closed.

For Refillable Wipes Canister

To Insert Wipes Roll: Open lid and remove entire cover. Cut or tear on line of Wipes Refill Pack to completely expose wipes roll. Place entire bagged roll of wipes inside canister.

To Dispense Wipes: From center of wipes roll pull up a corner of the wipe, twist it and thread it through the hole in the container cover. Pull through about one inch. Replace cover tightly. Pull out first wipe and tear off at a 45° angle. Remaining wipes feed automatically, ready for next use. When not in use, keep the tip of the exposed wipe inside the well in the cover, and the lid snapped closed.

For Wipes Soft Pack with Plastic Snap Lid

To Dispense Wipes: Open lid, remove and discard seal. Reach into pack and pull up first wipe. Pull straight up to dispense wipe. Remaining wipes remain ready for next use. When not in use leave a small portion of exposed wipe available in the plastic well and the lid snapped closed.

For Wipes Soft Pack with Peel and Reseal Closure

To Dispense Wipes: Peel open package closure tab. Do not completely remove closure tab from package. Reach into pack and pull up first wipe. Pull straight up to dispense wipe. Remaining wipes remain ready for next use. When not in use, press closure tab flat.