



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

January 25, 2024

Juli Mann  
Senior Managing Consultant  
Agent for North American Infection Control  
Romboll  
4245 North Fairfax Drive, Suite 700  
Arlington, VA 22203

Subject: Notification per PRN 98-10 – Adding an (\*) and Double Dagger (≠) beneath the ingredient statement and “Do Not Flush” pictogram  
Product Name: Wedge Disinfectant Wipes  
EPA Registration Number: 88494-2  
Received Date: 4/7/2023  
Action Case Number: 446174

Dear Ms. Mann:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process.

Page 2 of 2  
EPA Reg. No.  
Action Case Number

Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

If you have any questions, please contact Stacey Grigsby via 202.566.0821 or by email at [grigsby.stacey@epa.gov](mailto:grigsby.stacey@epa.gov).

Sincerely,

A handwritten signature in cursive script that reads "Stacey Grigsby".

Stacey Grigsby, Risk Manager, 34  
Regulatory Management Branch II  
Antimicrobials Division (7510M)

# Wedge Disinfectant Wipes [Refill Pack]

Text in [ ] is Optional Text Which May or May Not be Capitalized  
The Following is a List of Additional Brand Names for This Product:


## NOTIFICATION

88494-2

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

01/25/2024

**Disinfectant Wipes #1**  
**Disinfecting Wipes #1**  
**Medical Disinfectant Wipes #1**  
**Medical Surface Disinfectant Wipes**  
**Medical Surface Disinfectant Wipes #1**  
**Surface Disinfectant Wipes #1**  
**Surface Disinfecting Wipes #1**  
**Dental Disinfectant Wipes #1**  
**Dental Disinfecting Wipes #1**  
**Dental Disinfectant Wipes**  
**Veterinary Disinfecting Wipes**  
**Veterinary Disinfectant Wipes #1**

<b>ACTIVE INGREDIENTS:</b>	
Ethyl Alcohol	72.50%
Didecyl Dimethyl Ammonium Chloride	.33%
<b>OTHER INGREDIENTS</b> 	27.17%
Total	100.00%

 Other ingredients do not include the weight of the dry wipes.

**Keep Out of Reach of Children**

## CAUTION

See [back] [side] panel for additional precautionary statements

EPA Reg. No. 88494-2  
EPA Est. No. XXXXX-XX-X

[Made] [Manufactured] for:  
**North American Infection Control Ltd.**  
209 Strathearn Road  
Toronto, Ontario M6C1S5 Canada

[Distributed] [in the] [United States] [US] [by:]

XXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXXX

NET CONTENTS: X lbs. X ozs.  
XX [Medium] [Large] [Extra Large] [Pre-Moistened] [Pre-Saturated] Wipes (X in. by X in.)

[EFFECTIVE] [WORKS] [KILLS BACTERIA/FUNGI/VIRUSES\*] [IN ONE MINUTE/60 SECONDS]

[ONE MINUTE] [CLEAN AND DISINFECT] [ONE STEP] [ONE PRODUCT] [ONE SOLUTION]

[NEW] [EASY][EFFECTIVE][FAST AND EFFECTIVE] [CONVENIENT]

[CLEANS, DISINFECTS & DEODORIZES]

[ALL PURPOSE] [CLEANER] [DEODORIZER] [DETERGENT] [DISINFECTANT] [ANTIBACTERIAL] [DETERGENT] FORMULA CLEANS [and] DISINFECTS and DEODORIZES]

[UNSCENTED] [FRAGRANCE FREE]

[BLEACH-FREE]

[BACTERICIDAL] [TUBERCULOCIDAL] [FUNGICIDAL] [VIRUCIDAL\*]

[Kills Viruses\* Most [Responsible for] [Associated with] the Common Cold]

[Kills Antibiotic Resistant Bacteria MRSA and VRE]

Kills Flu Virus\*

Kills Pandemic 2009 H1N1 Influenza A virus\* [formerly called swine flu]

- [Antibacterial] [Disinfecting] and scrubbing power all in one
- 99.99% effective in killing common [household] [kitchen] [bathroom] bacteria
- Antibacterial [detergent] formula cleans and disinfects in one step
- [Antimicrobial] [Antibacterial] Wipe
- [Clean] and [Disinfect] hard, non-porous surfaces [in any room in the house] [throughout the house]
- [Clean] and [Disinfect] any room in the house
- [Clean] and [Disinfect] patient and public areas in [hospitals] [medical offices] [dental offices] [ambulatory care facilities] [veterinary offices] [nursing homes] [long term care facilities] [ambulances] [residential sick rooms] [mortuaries]
- Cleaning made easy for all your hard, non-porous surfaces
- Cleans and cuts grease
- Cleans tough stains
- Cleans, [disinfects] and deodorizes
- Cuts through tough grime
- Easy Cleaning [Around the house]
- Easy to use
- Effective against odor-causing bacteria
- Effective daily use
- Effective in [disinfecting] your [kitchen] [bathroom] [Medical] [Dental] [Veterinary] [Institutional] surfaces
- Eliminates odors
- Fast and easy way to clean
- Fast and effective cleaning
- For all non-porous household surfaces
- For all your [heavy] [light] duty jobs
- Ideal for cleaning and [disinfecting] any hard, non-porous surface
- Kills common [household] [kitchen] [bathroom] bacteria
- Fragrance Free
- Leaves your [bathroom] [kitchen] fresh and clean

- One-step cleaning
- One-step clean and disinfect
- Quick cleaning
- [Disinfect] your hard, nonporous household surfaces: highchairs, booster seats, strollers, car seats, cribs, tabletops, countertops, appliance exteriors, sinks, and glazed tiles
- Saves time
- Use every day in every room [throughout the house] [throughout the institution] [throughout the office]
- Use in [public toilets] [Laundromats] [pet areas] [hotels] [motels] [lodging establishments] [manufacturing facilities] [factories] [offices] [office buildings] wherever [disinfecting] is important
- Use on hard, non-porous surfaces: [stainless steel] [Formica®] [glass] [glass tables] [glazed porcelain] [plastic]
- [This product or product name] cleans and/or disinfects and/or deodorizes.
- [Antibacterial] [Disinfectant] [Detergent] [formula] [Cleans and] Disinfects in [just] 1 minute.
- Leaves hard, non-porous surfaces disinfected.
- One step [cleaning] and /or [disinfecting] and/or [deodorizing]
- Disinfecting wipe for hard, non-porous surfaces, [patient care equipment] [and] [point-of-care-equipment]

[This product or product name] is intended for use in:

- Hospitals and healthcare settings, including: Ambulances, Anesthesia, CAT Labs, CCU, Central Supply, Clinics, Dental Offices, Dialysis Clinics, Doctor's Office[s], Emergency Rooms, [E.R.], Food Service and Food Prep Areas, Home Health Care, Hospices, Laboratory, Laundry Rooms, Long Term Care Facilities, Newborn Nursery, Nursing Homes, Offices, Operating rooms, Pediatrics, Physical Therapy, Physician's Office[s], Ophthalmic Offices, Radiology, Recovery Room, Rehabilitation, Respiratory Therapy, Ultrasound, Transport Vehicles, Waiting Areas, X-Ray.
- Critical Care Areas: [CCU] Cardiac Care Units, [E.R.] Emergency Rooms, [ICU] Intensive Care Units, , [NICU] Neonatal Intensive Care Units, [PICU] Pediatric Intensive care Units, Surgery, Surgical Prep, and Surgical Recovery Units.
- Barber Shops, Beauty Salons, Correctional Facilities, Funeral Homes, Mortuaries.
- Airports, Athletic Facilities, [Gyms] Gymnasiums, Health Clubs, Schools, Transportation Terminals.
- Banquet Halls, Catering Facilities, Delicatessens, Grocery stores, Shopping Centers, Restaurants.
- Childcare Facilities, Daycare Centers, Nurseries.
- Households, Homes, Residences, Kitchens and/or Bathrooms.
- Institutional Kitchens and/or Bathrooms [Restrooms] [Toilet Facilities].
- Animal Holding Areas, Animal Hospitals, Animal Life Science Laboratories, Animal Transportation Vehicles, Breeding Establishments, Grooming Establishments, Kennels, Pet Shops, Tack Shops, Veterinary Clinics, Veterinary Examination Rooms, Veterinary Operating Rooms, Veterinary Waiting Rooms, Veterinary X-Ray Rooms, Zoos.

*When Animal Housing/Holding Facilities are included on the label, the following directions must be added:*

**Veterinary Clinics, Animal Life Science Laboratories, Pet Shops**

Remove all animals and feed from premises, vehicles, and enclosures. Remove all litter and manure from floors, walls, and surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Use one or more wipes to wet surfaces for 1 minute. Immerse all handling and restraining equipment as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, vehicles, and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set, or dried. Thoroughly scrub treated feed troughs, racks and other feeding and watering appliances with soap or detergent, then rinse with potable water before reuse.

[This product or product name] will clean and disinfect hard, non-porous, surfaces of: bed railings, cabinets, carts, chairs, counters, exam tables, gurneys, isolettes, IV poles, stethoscopes, stretchers, tables, telephones, toilet seats, toilets, bathtubs, bathroom fixtures, shower stalls, sinks, tiles, vanity tops, hospital beds, traction devices, MRI, CAT, scales, paddles, wheelchairs, ultrasound transducers and probes.

[This product or product name] will clean and disinfect hard, non-porous surfaces of: grocery cart handles, grocery carts, shopping carts, grocery cart child seats.

[This product or product name] will clean and disinfect hard, non-porous surfaces of: changing tables, cribs, diaper pails, trashcans, garbage cans.

[This product or product name] will clean and disinfect hard, non-porous surfaces of: cabinets, chairs, computers, countertops, desks, desktops, doorknobs, fax machines, garbage cans, headsets, keyboards, railings, seats, sinks, tables, tabletops, telephones, trashcans, appliance exteriors, [bathroom][kitchen] faucets, bathtubs, shower [doors][stalls], stove tops, food service and food prep areas.

[This product or product name] will clean and disinfect hard, non-porous surfaces of: gym equipment, exercise machines, non-porous wrestling/gymnastic/exercise/yoga mats, gymnastic [athletic] equipment.

Use [this product or product name] to clean and disinfect non-porous personal protective safety equipment, protective headgear, hard hats, half mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields, silicone rubber or PVC hearing protectors and vinyl covered ear muffs. Rinse all equipment that comes in prolonged contact with skin before reuse with clean warm water [about 120°F], and allow to air dry. [Caution: Cleaning at the 120°F temperature will avoid overheating and distortion of the personal safety equipment that would necessitate replacement.]

[This product or product name] is formulated to disinfect hard, non-porous, inanimate environmental surfaces such as floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs, and cabinets.

[This product or product name] helps prevent cross contamination from contact with treated surfaces.

[This product or product name] [can be used as a] disinfecting wipe for hard non-porous surfaces, [patient care equipment] [and] [point-of-care equipment]

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

*For labels that list medical premises one of the following statements must be used:*

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

*or*

This product is not for use on critical and semi-critical medical device surfaces.

**CLEANING:** Use one or more wipes, as necessary, to wet surface sufficiently and to thoroughly clean the surface.

**DISINFECTING:** To disinfect hard, non-porous surfaces, use one or more wipes, as necessary, to thoroughly wet the surface to be treated. Treated surface must remain visibly wet for one [1] minute to achieve complete disinfection [*or kill*] of all pathogens listed on this label. For visibly soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry. For surfaces that may come in contact with food, a potable water rinse is required.

*These Virucidal, Bactericidal, Tuberculocidal, and Fungicidal, Efficacy Claims May Appear Elsewhere on the Label*

### **\*VIRUCIDAL:**

[This product or product name] is an effective virucide on hard, non-porous surfaces, in the presence of an organic load, against Poliovirus serotype 1 [PV-1] [ATCC VR-1562], Hepatitis B Virus, Hepatitis C Virus, Rhinovirus [ATCC VR-340], Norovirus, Human Coronavirus [ATCC VR-1558], Rotavirus Strain WA, Respiratory Syncytial Virus [ATCC VR-26], Human Immunodeficiency Virus [HIV-1], Herpes Simplex Virus Type 1 [ATCC VR-539], and Influenza Virus type A<sub>2</sub> [ATCC VR-544], when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry.

*The Following Information Specifically Applicable to HIV-1, HBV, and HCV, May Appear Grouped Together Elsewhere on the Label*

**KILLS HIV-1, HBV and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings [Hospitals, Nursing Homes] or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] [associated with AIDS], Hepatitis B Virus [HBV], and Hepatitis C Virus [HCV]

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, and HCV FOR SURFACES OR OBJECTS SOILED WITH BLOOD OR BODY FLUIDS.**

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye coverings.

**CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of [this product or product name].

**CONTACT TIME:** Allow surface to remain wet for 1 full minute.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.



*These Influenza Related Optional Statements May Appear Elsewhere on the Label*

- Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by Influenza A virus. This product [Product Name] is a broad-spectrum hard surface disinfectant that has been shown to be effective against [Influenza A virus tested and listed on the label] and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 [formerly called swine flu].
- This product [Product Name] has demonstrated effectiveness against Influenza A virus and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 Influenza A virus.
- This product [Product Name] has demonstrated effectiveness against [Influenza A virus tested and listed on the label] and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 [formerly called swine flu].
- Kills Pandemic 2009 H1N1 Influenza A virus [formerly called swine flu].
- Kills Pandemic 2009 H1N1 Influenza A virus.

### **BACTERICIDAL**

[This product or product name] is an effective disinfectant on hard non-porous surfaces, in the presence of an organic load, against *Escherichia coli* [E. coli] O157:H7 [ATCC 35150], *Pseudomonas aeruginosa* [ATCC 15442], *Salmonella enterica* [Salmonella] [ATCC 10708], *Staphylococcus aureus* [ATCC 6538], *Streptococcus pyogenes* [Strep] [ATCC 19615], Vancomycin resistant *Enterococcus faecium* [VRE] [ATCC 51559], Methicillin resistant *Staphylococcus aureus* [MRSA] [ATCC 33591], *Klebsiella pneumoniae* [ATCC 4352], *Listeria monocytogenes* [ATCC 984], *Acinetobacter baumannii* [ATCC 19606], *Campylobacter jejuni* [ATCC 29428], and *Burkholderia cepacia* [ATCC 25416], when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry.

### **TUBERCULOCIDAL:**

[This product or product name] is an effective disinfectant on hard non-porous surfaces, in the presence of an organic load, against *Mycobacterium bovis* [ATCC 35743], when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry.

*The Following Statement is Optional*

### **FUNGICIDAL:**

[This product or product name] is an effective fungicide against Trichophyton mentagrophytes [ATCC 9533] [causative agent of Athlete's Foot Fungus] [a cause of ringworm] [a cause of ringworm of the foot], when used as directed on hard surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard, non-porous, surfaces commonly contacted by bare feet. The surface must remain visibly wet for 1 minute. Allow surfaces to air dry.

*The Following Optional Statement May Appear Elsewhere on the Label*

**EFFICACY TESTS HAVE DEMONSTRATED THAT [THIS PRODUCT OR PRODUCT NAME] IS AN EFFECTIVE, VIRUCIDE, BACTERICIDE, TUBERCULOCIDE AND FUNGICIDE IN THE PRESENCE OF ORGANIC SOIL.**

As An Alternative the Following Consolidated Format for Stating Pathogen Claims May Be Used

[This product or product name] is *or* are an effective virucide, bactericide, tuberculocide and fungicide on hard non-porous surfaces, in the presence of an organic load, against +Poliovirus serotype 1 [PV-1] [ATCC VR-1562], +Hepatitis B Virus, +Hepatitis C Virus, +Rhinovirus [ATCC VR-340], +Norovirus, +Human Coronavirus [ATCC VR-1558], +Rotavirus Strain WA, +Respiratory Syncytial Virus [ATCC VR-26], +Human Immunodeficiency Virus [HIV-1], +Herpes Simplex Virus Type 1 [ATCC VR-539], and +Influenza Virus type A<sub>2</sub> [ATCC VR-544], *Escherichia coli* [E. coli] O157:H7 [ATCC 35150], *Pseudomonas aeruginosa* [ATCC 15442], *Salmonella enterica* [Salmonella] [ATCC 10708], *Staphylococcus aureus* [ATCC 6538], *Streptococcus pyogenes* [Strep] [ATCC 19615], Vancomycin resistant *Enterococcus faecium* [VRE] [ATCC 51559], Methicillin resistant *Staphylococcus aureus* [MRSA] [ATCC 33591], *Klebsiella pneumoniae* [ATCC 4352], *Listeria monocytogenes* [ATCC 984], *Acinetobacter baumannii* [ATCC 19606], *Campylobacter jejuni* [ATCC 29428], and *Burkholderia cepacia* [ATCC 25416], *Mycobacterium bovis* [ATCC 35743], and Trichophyton mentagrophytes [ATCC 9533]; when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry.

The Following Listing of Pathogens, By Category, May Appear on the Front Label Panel or Elsewhere on the Label, Together or Divided, When Used in Conjunction With the Above Listing of All Pathogens Elsewhere on the Label

#### BACTERICIDAL

*Acinetobacter baumannii*  
*Burkholderia cepacia*  
*Campylobacter jejuni*  
*Escherichia coli*  
O157 [E coli]  
*Klebsiella pneumoniae*  
*Listeria monocytogenes*  
*Pseudomonas aeruginosa*  
*Salmonella enterica*  
*Staphylococcus aureus* [Staph]  
*Streptococcus pyogenes* [Strep]  
Vancomycin Resistant  
*Enterococcus faecium* [VRE]  
Methicillin resistant  
*Staphylococcus aureus* [MRSA]

#### +VIRUCIDAL

+Norovirus  
+Rhinovirus  
+Human  
Coronavirus  
+Poliovirus  
+Influenza virus  
type A<sub>2</sub> [Flu]  
+Rotavirus Strain WA  
+Respiratory Syncytial  
virus [RSV]  
+Hepatitis B Virus [HBV]  
+Hepatitis C Virus [HBC]  
+Herpes Simplex  
virus type 1  
+Human  
Immunodeficiency  
virus [HIV-1] [AIDS]

#### FUNGICIDAL

*Trichophyton mentagrophytes*  
[Athletes Foot fungus]

#### TUBERCULOCIDAL

*Mycobacterium- bovis*

## Food Processing and Food Packaging Facilities

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

[This product or product name] will not harm most surfaces: including stainless steel, aluminum, plastics, fiberglass, vinyl, and most painted surfaces. For plastic and painted surfaces, spot test on an inconspicuous area before use. Do not use on unpainted wood. Not for use on people or pets.

### **PRECAUTIONARY STATEMENTS**

Hazards to Humans and Domestic Animals:

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

### **FIRST AID**

**IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center [NPIC] at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time [NPIC Web site: [www.npic.orst.edu](http://www.npic.orst.edu)].

### **PHYSICAL OR CHEMICAL HAZARDS:**

Flammable. Keep away from heat or open flame.

### **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Always store this product and all pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Protect from extreme heat or cold.

**PESTICIDE [(wipe)] DISPOSAL:** Waste resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

*For nonrefillable containers*

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or discard empty container in trash.

*For refillable containers where refill rolls in sealed bags are used to refill containers*

**CONTAINER DISPOSAL:** Refillable container. Refill plastic canister with this brand of pesticide product only. Do not reuse this container for any other purpose. Offer empty roll packaging, or plastic canister, for recycling if available, or discard in trash.

*The Following Additional Marketing Claims  
Are Optional and May Appear Anywhere on the Label*

- disinfects [odor causing] [common] [household] [kitchen –and/or-bathroom] bacteria
- maximum cleaning, minimum effort
- easy to [carry] [use] [container] [dispensing system]
- for all [household] [institutional] hard, nonporous surfaces
- great for clean-up at school, daycare or community center
- uses [x]% less plastic than other [bottles] [containers] [in the market]
- uses [x]% less packaging than similar products
- uses [x]% recycled materials in the packaging
- packaging made from [x]% renewable resources

*The Following Optional Warranty and  
Disclaimer Statement[s] May Appear Anywhere on the Label*

**LIMITED WARRANTY AND DISCLAIMER NOTICE:**

The manufacturer of this product and/or its affiliates and distributors warrant that this product conforms to the chemical description on this label and is reasonably fit for the purposes referred to in the Directions For Use and elsewhere on this label. Buyer assumes all risks of use and handling which is a variance in any way with the directions herein. The manufacturer makes no other express or implied warranty of fitness or merchantability. In no case shall the manufacturer or the seller of this product be liable for consequential, special or indirect damages resulting from the use or handling of this product. The manufacturer, distributor, and seller, and the buyer and user of this product acknowledge and accept the foregoing Limited Warranty and Disclaimer which may be varied only by agreement in writing signed by a duly authorized representative of the manufacturer.

*or*

No warranty, either expressed or implied, is given to the usage contrary to the instructions given herein.

The Following Table, or Portions Thereof, May Appear  
On the Printed Product Label and May Appear in Associated Marketing Materials

<b>This Product [product name] Kills the Following Pathogens in One Minute</b>			
Pathogen	ATCC Number	Organic Load	Kill Time
Acinetobacter baumannii	19606	5%	1 minute
Burkholderia cepacia	25416	5%	1 minute
Campylobacter jejuni	29428	5%	1 minute
Escherichia coli O157:H7 [E. coli]	35150	5%	1 minute
Klebsiella pneumonia	4352	5%	1 minute
Listeria monocytogenes	984	5%	1 minute
Methicillin resistant Staphylococcus aureus [MRSA]	33591	5%	1 minute
Pseudomonas aeruginosa	15442	5%	1 minute
Salmonella enterica	10708	5%	1 minute
Staphylococcus aureus [Staph]	6538	5%	1 minute
Streptococcus pyogenes [Strep]	19615	5%	1 minute
Vancomycin resistant Enterococcus faecium [VRE]	51559	5%	1 minute
Mycobacterium bovis [Tuberculosis]	35743	5%	1 minute
Trichophyton mentagrophytes [Athletes Foot fungus]	9533	5%	1 minute
Coronavirus	VR-1558	5%	1 minute
Hepatitis B	n/a	5%	1 minute
Hepatitis C	n/a	10%	1 minute
Herpes Simplex virus type 1	VR-539	5%	1 minute
Human Immunodeficiency virus [HIV-1] [AIDS]	n/a	10%	1 minute
Influenza virus type A2 [Flu]	VR-544	5%	1 minute
Norovirus	n/a	5%	1 minute
Poliovirus	VR-1562	5%	1 minute
Respiratory Syncytial virus [RSV]	VR-26	5%	1 minute
Rhinovirus	VR-340	5%	1 minute
Rotavirus, Strain WA	n/a	5%	1 minute

## DISPENSING INSTRUCTIONS

### Use Below Instructions Depending on the Type of Dispensing System

#### *For Nonrefillable Wipes Canister*

To Dispense Wipes: Open lid, remove entire cover, remove and discard seal. From center of wipes roll pull up a corner of the wipe, twist it and thread it through the hole in the container cover. Pull through about one inch. Replace cover tightly. Pull out first wipe and tear off at a 45° angle. Remaining wipes feed automatically, ready for next use. When not in use, keep the tip of the exposed wipe inside the well in the cover, and the lid snapped closed.

#### *For Refillable Wipes Canister*

To Insert Wipes Roll: Open lid and remove entire cover. Cut or tear on line of Wipes Refill Pack to completely expose wipes roll. Place entire bagged roll of wipes inside canister.

To Dispense Wipes: From center of wipes roll pull up a corner of the wipe, twist it and thread it through the hole in the container cover. Pull through about one inch. Replace cover tightly. Pull out first wipe and tear off at a 45° angle. Remaining wipes feed automatically, ready for next use. When not in use, keep the tip of the exposed wipe inside the well in the cover, and the lid snapped closed.


#### *For Wipes Soft Pack with Plastic Snap Lid*

To Dispense Wipes: Open lid, remove and discard seal. Reach into pack and pull up first wipe. Pull straight up to dispense wipe. Remaining wipes remain ready for next use. When not in use leave a small portion of exposed wipe available in the plastic well and the lid snapped closed.

#### *For Wipes Soft Pack with Peel and Reseal Closure*

To Dispense Wipes: Peel open package closure tab. Do not completely remove closure tab from package. Reach into pack and pull up first wipe. Pull straight up to dispense wipe. Remaining wipes remain ready for next use. When not in use, press closure tab flat.

The Following Graphic Symbols  
Are Optional and May Appear Anywhere On the Label  
in Color or Black and White  
Brackets [ ] Denote Optional Language



[Disinfecting wipe for hard, non-porous surfaces, patient care equipment and point-of-care equipment.]



[Do Not Flush]