

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Antimicrobials Division (7510C) 1200 Pennsylvania Avenue NW Washington, D.C. 20460 EPA Reg. Number:

88714-5

Date of Issuance:

.

January 02, 2013

Term of Issuance:

Unconditional

Name of Pesticide Product:

K-BROM® G

NOTICE OF PESTICIDE:

x Registration

Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Water Science Technologies 5520 Parkwood Circle Bessemer, AL 35022

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product (OPP Decision Number: D-470446) is unconditionally registered in accordance with FIFRA sec 3(c)(7)(a) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
 - 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 88714-5".

Signature of Approving Official:

Jacqueline Campbell-McFarlane, Product Manager Team (34)
Regulatory Management Branch II

January 02, 2013

Date:

EPA Form 8570-6

Antimicrobials Division (7510P)

 If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped label with conditions is enclosed for your records.

Submit final printed label before distributing or selling product bearing revised labels.

Should you have any questions concerning this letter, please contact me by telephone at (703) 308-6416 or by e-mail at Campbell-mcfarline@epa.gov or Lorena Rivas by telephone at (703) 305-5027 or by e-mail at rivas.lorena@epa.gov. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

Jacqueline Campbell-McFarlane

Product Manager (34)

Regulatory Management Branch II Antimicrobials Division (7510P)

Enclosures: Stamped Label

{All text in brackets [xxx] is optional and may or may not be intended on a final label.} {All text in braces {xxx} is administrative and will not appear on a final label.}

K-BROM® G

BROMO-CHLORO-DIMETHYLHYDANTOIN

A MICROBIOCIDAL BACTERICIDE, FUNGICIDE, ALGAECIDE AND SLIMICIDE, FOR TREATING INDUSTRIAL RECIRCULATING COOLING WATER AND ONCE-THROUGH COOLING WATER SYSTEMS, AIR CONDITIONER CONDENSATE, PULP AND PAPER MILL WATER SYSTEMS for bacterial slime (only).

| ACTIVE INGREDIENT: | Bromochloro-5,5-dimethylhydantoin | 98% |
|--------------------|-----------------------------------|------|
| | | |
| TOTAL | | 100% |

JAN - 2 2013 Under the Federal insections Fungicide, and Rodunicade Act as amounted, for the pesticide, registered under LEPA Rog. No. 88 7/4 - 5

DANGERCORROSIVE AND STRONG OXIDIZER

| , | FIRST AID |
|--|--|
| If in eyes | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing |
| | eye. |
| | Call a poison control center or doctor for treatment advice. |
| If on skin | Take off contaminated clothing. |
| or clothing | |
| | Call a poison control center or doctor for treatment advice. |
| If inhaled | Move person to fresh air. |
| | • If person is not breathing, call 911 or an ambulance, then give artificial respiration, |
| | preferably by mouth-to-mouth, if possible. |
| | Call a poison control center or doctor for further treatment advice. |
| If swallowed | Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. |
| | Do not induce vomiting unless told to do so by the poison control center or doctor. |
| | • Do not give anything by mouth to an unconscious person. |
| | Have the product container or label with you when calling a |
| poison control center or doctor, or going for treatment. | |
| NOTE TO PHYSICIAN | |
| | Probable mucosal damage may contraindicate the use of gastric lavage. |

See [side] [back] panels for additional precautionary statements [and First Aid].

ceece

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

CORROSIVE. Causes irreversible eye damage and skin burns. Eye contact may cause loss of vision. Irritating to nose and throat. May be fatal if inhaled. Harmful if absorbed through skin or swallowed

Do not breathe dust or spray mist. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear goggles with side-shields, face shield, or safety glasses; protective clothing and chemical-resistant gloves. Wear a dust mist mask or pesticide respirator approved by the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before re-use.

Use with adequate ventilation. Do not smoke, drink, or eat when handling. Keep container tightly closed when not in use. Do not ship with foods, feeds, drugs, or clothing.

{for containers having capacity of equal to or less than 50 lbs.}

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms.

{for containers having capacity of greater than 50 lbs.}

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL AND PHYSICAL HAZARDS

Strong oxidizer, mix with water only. Reaction with combustible organic materials, bases, moisture or with oxidizers may generate heat, hazardous gases and, possibly, fire or explosion. Do not add to dispensers or other equipment that is not dry and clean of any chemical remnants. Does not burn, but will decompose, from about 320°F (160°C), releasing toxic gases. Avoid comminution and dusting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

INDUSTRIAL RECIRCULATING COOLING WATER SYSTEMS

Used effectively at treatments to achieve exposures to one part per million (ppm) of factive residual bromine to control algal, bacterial and fungal slimes in industrial cooling towers; influent water systems, e.g. flow-through filters, and lagoons, etc.; heat-exchange water systems; infoustrial water scrubbing systems; brewery and canning pasteurizers and industrial air-washing systems equipped with a mist eliminator.

Addition of this product must be made via a metering pump or chemical feed dispenser with control release mechanism that accompanies this product's container.

Treatment Rates

Initial treatment: When noticeably fouled, add 2-6 lbs of this product per 10,000 gallons of water contained in the system. Repeat initial treatment until one ppm of 'active' residual bromine is established for at least 4 hours.

Subsequent treatment: When microbial control is evident, add 1-3 lbs. of this product per 10,000 gallons of water contained in the system. Repeat as needed to maintain one ppm of 'active' residual bromine for at least 4 hours.

ONCE-THROUGH INDUSTRIAL COOLING WATER SYSTEMS

Used for the control of algal, bacterial and fungal slimes, by adding to the system inlet, or before any other contaminated area in the system, in once-through and closed-cycle fresh and sea water cooling systems; cooling ponds; canals; and lagoons.

Addition of this product must be made via a metering pump or chemical feed dispenser with control release mechanism that accompanies this product's container.

Treatment Rates

Initial treatment: When noticeably fouled, add 2-6 lbs. of this product per 10,000 gallons of water contained in the system. Repeat initial treatment until one ppm of 'active' residual bromine is established for at least 4 hours.

Subsequent treatment: When microbial control is evident, add 1-3 lbs. of this product per 10,000 gallons of water contained in the system. Repeat as needed to maintain one ppm of 'active' residual bromine for at least 4 hours.

AIR CONDITIONER CONDENSATE

Place 0.85 ounces [24 grams] in condensate line dispenser. Check once every six months or as required. The presence of granules will vary depending upon atmospheric conditions and indoor air temperature requirements.

PULP AND PAPER MILL WATER SYSTEMS

This product is intended for use as a slimicide for the process water used in the manufacture of paper and paperboard products that <u>do not</u> contact food. Treat water at critical areas in the system process where mixing of the product with influent will be uniform. The frequency and duration of the treatment will depend upon the severity of the problem. Badly fouled process systems must be cleaned before initial treatment.

{Note: Either one or both of the following treatment methods may be included on the label.} Treatment by system volume

When a system is noticeably fouled: add 0.098 to 0.98 pounds (or 12 to 120 ppm) of this product to 1,000 gallons of water in the system. When biological control is evident: add 0.098 to 0.74 pounds (or 12 to 90 ppm) of this product to 1,000 gallons of water in the system.

Treatment by residual method

Add sufficient product to maintain a measured residual up to 5 ppm as bromine. Cincé biological control is evident, the use of this product normally can be reduced to something less than 1 ppm as bromine.

{Optional Statement}

[An alternative method of calculating the appropriate level of this product is to estimate the paper of mill's daily production, then add, over a 24-hour period, up to 588 grams (1.27 pounds) of this product per dry ton of paper produced over a 24-hour period. Test for bromine to verify the level of 5 point's not being exceeded.]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a dark, cool [below 86°F (30°C)], dry, well-ventilated area, in well-closed original containers, away from energy sources, combustible organic materials, oxidizers, strong bases and moisture.

{For Water soluble bag}

[Do not allow water soluble bags to become wet during storage. Do not handle water soluble bags with wet hands or wet gloves. Do not remove from container except for immediate use. Do not remove product from water soluble bag.]

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER HANDLING:**

{For Bulk bag}

[Non-refillable container. Do not reuse or refill this container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then offer for recycling if available or reconditioning if appropriate or, dispose of empty bag in a sanitary landfill or by incineration.]

{For plastic non-refillable container less than or equal to 50 lbs}

[Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or mix tank. Fill the container ¼ full with water and close tightly. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration.] {For Water soluble bag}

[Non-refillable container: Do not reuse or refill this container. When all water soluble bags are used, the outer container should be clean and may be disposed of in a sanitary landfill or by incineration. If outer container contacts formulated product in any way, it must be triple rinsed with clean water. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and close tightly. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration.]

SPILLS

When handling or dealing with spills, use impact-resistant goggles with side-shields, or face shields body-covering clothes, including impervious chemical-resistant gloves and boots; use a dust respirator if dusting occurs. Sweep up dry spills and dispose of as described for pesticide disposals of drum contents are contaminated or decomposing, do not reseal container; isolate ansated drum in the open or in a well-ventilated area; flood with large volumes of water if necessary.

WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with label directions under normal conditions of use, but to the extent consistent with applicable law neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such use.

MANUFACTURED FOR:

WATER SCIENCE TECHNOLOGIES 5520 PARKWOOD CIRCLE BESSEMER, AL 35022

EPA Reg. No. 88714-L EPA Est. No.

NET CONTENTS:_____ GALS.(LBS.) [BATCH/Lot. No.____]