



88867-1

06/06/2013

1/5

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Chemical Safety and Pollution Prevention Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration</p> <p>(under FIFRA, as amended)</p>	<p>EPA Reg. Number: 88867-1</p>	<p>Date of Issuance: JUN 06 2013</p>
	<p>Term of Issuance: Conditional</p>	
	<p>Name of Pesticide Product: Protector 0.5G</p>	
<p>Name and Address of Registrant (include ZIP Code): Willapa-Grays Harbor Oyster Growers Association P.O. Box 3, Ocean Park, WA 98640</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA section 3(c)(7)(a). You must:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/registration review of your product when the Agency requires all registrants of similar products to submit such data. 2. Submit or cite any data which have previously been required for imidacloprid. 3. Make the following label change before you release the product for shipment: <ul style="list-style-type: none"> • Revise the EPA Registration Number to read, "EPA Reg. No 88867-1." 		
<p>Signature of Approving Official:  John Hebert, Product Manager 07 Insecticide-Rodenticide Branch, Registration Division (7505P)</p>	<p>Date: JUN 06 2013</p>	

Page 2
EPA Reg. No. 88867-1

4. Note that monitoring data reporting is required under the National Pollutant Discharge Elimination System (NPDES) permit. We request that you submit this information to the Registration Division, Office of Pesticide Programs, as well.

5. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the CSF currently on file for this product is the basic CSF, dated 2/21/12.

If you have any questions, please contact Dr. Jennifer Urbanski at 703-347-0156 or urbanski.jennifer@epa.gov.

John Hebert
Product Manager 07
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosure

ACCEPTED

JUN 06 2013

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under:

GROUP 4A INSECTICIDE

EPA. Reg. No: 88867-1

PROTECTOR 0.5G

FOR USE ONLY IN WILLAPA BAY/ GRAYS HARBOR, WASHINGTON,
TO CONTROL BURROWING SHRIMP IN COMMERCIAL SHELLFISH
BEDS

ACTIVE INGREDIENT:

Imidacloprid: 1-[(6-Chloro-3-pyridiny) methyl]-N-nitro-2-imidazolidinimine.....	0.5%
OTHER INGREDIENTS:.....	99.5%
TOTAL:.....	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION-CAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

EPA Reg. No.

EPA Establishment No.

FIRST AID**If in eyes:**

- Hold eye open and rise slowly and gently with water for 15-20 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice

Have the product container or label with you when calling poison control center or doctor or going for treatment. You may also 1-800-222-1222 for emergency medical treatment information.

NOTE TO PHYSICIAN

No specific antidote is available. Treat the patient symptomatically

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

PERSONAL PROTECTIVE EQUIPMENT (PPE)**Applicators and other handlers must wear:**

- Long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinylchloride (PVC) or viton
- Shoes and socks
- Protective eyewear
- Dust mask

Follow manufacturer's instructions for cleaning/maintaining PPE. If instructions for washables do not exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENTS

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS**Users Must:**

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment wash waters. This product is toxic to wildlife and highly toxic to aquatic invertebrates.

DIRECTIONS FOR USE

It is a violation of the Federal law to use this product in a manner inconsistent with its labeling. A copy of this label must be in the possession of the user at the time the product is applied.

READ THIS LABEL: Read the entire label and follow all use directions and precautions.

For use only to control burrowing shrimp in intertidal commercial shellfish beds [of Washington State's Willapa Bay and Grays Harbor]

MIXING INSTRUCTIONS:

Do NOT formulate this product into other end-use products.

APPLICATION INSTRUCTIONS:

To control burrowing shrimp in intertidal commercial shellfish beds [of Washington State's Willapa Bay and Grays Harbor], apply at a maximum rate of 0.5 lb a.i. imidacloprid/acre per year.

Apply this product uniformly over the area being treated using drop-type or rotary-type spreaders. Do not use spreaders that would apply the material in narrow, concentrated bands. All spreader equipment must be calibrated at the time of application to achieve desired application rate.

Use one of the following properly calibrated application equipment:

- Conventional granular pesticide applicators ("belly grinders").
- Helicopters equipped with boom $\frac{3}{4}$ as long as rotor diameter.
- Ground based vehicles equipped with spinners or drop spreaders.

RESTRICTIONS:

- Do not harvest shellfish within 30 days after treatment.
- All ground must be properly staked and flagged to protect adjacent shellfish and water areas. For aerial applications, the corners of each plot must be marked so the plot is visible from an altitude of at least 500ft.
- A single application of imidacloprid at up to 0.5 ai per acre per year is allowed.
- No adjuvants or surfactants are allowed with the use of this product.
- Aerial applications must be on beds exposed at low tide. Applications from a floating platform or boat may be applied to beds under water using a calibrated granular applicator.
- All applications must occur between April 15 and December 15.
- A 100-foot buffer zone must be maintained between the treatment area and the nearest shellfish to be harvested within 30 days when treatment is by aerial spray; a 25 foot buffer zone is required if treatment is by hand spray if nearest shellfish bed is to be harvested within 30 days.
- Do not apply aurally during Federal holiday weekends. During aerial applications, all public access areas within one-quarter (1/4) mile and all public boat launches within quarter (1/4) mile radius of any bed scheduled for treatment shall be posted. Public access areas shall be posted at 500 foot intervals at those access areas more than 500 feet wide. Signs shall be a minimum of 8 1/2 x 11 inches in size, and be made of a durable weather-resistant, white material. The sign will say "Imidacloprid will be applied for burrowing shrimp control on [date] on commercial shell fish beds. Do not Fish, Crab or Clam within one-quarter mile of the treated area." The location of the treated area will be included on the sign.

The sign will include lettering shall be in bold black type with the word "WARNING" or "CAUTION" at least one-fourth (1/4) of an inch high. Signs shall be posted so they are secure from the normal effects of weather and water currents, but cause no damage to private property. Signs shall be posted at least 2 days prior to treatment and shall remain for at least 30 days after treatment.

This product is registered by the Willapa-Grays Harbor Oyster Growers Association, P.O. Box 3, Ocean Park, WA 98640

DRIFT MANAGEMENT:

The interaction of many equipment and weather related factors determine the potential for product drift. Average wind speed at the time of application is not to exceed 10 mph to minimize drift to adjacent shellfish and water areas when applied by air. Drift potential increases at wind speeds of less than 3 mph (due to inversion potential) or more than 10 mph. However, many factors including height of granular spreader above the tideflat and equipment specifications determine drift potential at any given wind speed. Do NOT apply when winds are greater than 10 mph or during temperature inversions. Make applications at the lowest possible height (helicopter, ground or barge) that is safe to operate and reduces exposure of the granules to wind. When applications are made crosswind, the swath will be displaced downwind. Therefore, on the up and downwind edges of the treatment area, the applicator must compensate for this displacement by adjusting the path of the application equipment upwind. Swath adjustment distance should increase with increasing drift potential.

Mixing and Loading Requirements

The use of a properly designed and maintained containment pad for mixing and loading of any pesticide into application equipment is recommended. If containment pad is not used, maintain a minimum distance of 25 feet between mixing and loading areas and potential surface to groundwater conduits such as field sumps, uncased well heads, sinkholes, or field drains.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved wasted disposal facility.

Pesticide Storage: Store in a cool, dry place an in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If material is spilled for any reason or cause, carefully contain any spilled material to prevent non-target contamination. Do not walk through spilled material and dispose of as directed for pesticides above. Refer to Precautionary Statements on label for hazards associated with handle of this material. In spill or leak incidents, keep unauthorized people away. For chemical spill, leak, fire, or exposure, you may contact CHEMTREC at 800-424-9300.

Container Disposal: Non-Refillable: Do not reuse or refill this container. Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill, by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.