

 <b>U S ENVIRONMENTAL PROTECTION AGENCY</b> Office of Pesticide Programs Antimicrobials Division (7510C) 1200 Pennsylvania Avenue NW Washington, D C 20460  <b>NOTICE OF PESTICIDE</b> <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration  (under FIFRA as amended)	EPA Reg Number <b>88896-3</b>	Date of Issuance <b>July 26, 2012</b>
	Term of Issuance <b>Unconditional</b>	
	Name of Pesticide Product <b>BLUE EXCESS CHLORINATING TABLETS</b>	
Name and Address of Registrant (include ZIP Code) <b>Arizona's Best Pool Service P O Box 20254 Mesa, AZ 85277-0254</b>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant the above named pesticide is hereby registered under the Federal Insecticide Fungicide and Rodenticide Act</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment the Administrator on his motion may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product (OPP Decision Number D-464228) is unconditionally registered in accordance with FIFRA sec 3(c)(7)(a) provided that you</p> <ol style="list-style-type: none"><li>1 Submit and/or cite all data required for registration of your product under FIFRA sec 3(c)(5) when the Agency requires all registrants of similar products to submit such data, and submit acceptable responses required for re-registration of your product under FIFRA section 4</li><li>2 Make the labeling changes listed below before you release the product for shipment<ol style="list-style-type: none"><li>a Revise the EPA Registration Number to read, "EPA Reg No 88896-3 "</li></ol></li></ol>		
Signature of Approving Official  Monisha Harris Product Manager Team 32 Regulatory Management Branch II Antimicrobials Division (7510P)	Date  <b>July 26, 2012</b>	

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec 6(e) Your release for shipment of the product constitutes acceptance of these conditions

A stamped label with comments is enclosed for your records Submit one (1) copy of your final printed labeling prior to release of this product for shipment Should you have any questions concerning this letter, please contact me by telephone at (703) 308-0410 during the hours of 8 00 am to 4 00 pm EST

Sincerely,



Monisha Harris  
Product Manager 32  
Regulatory Management Branch II  
Antimicrobials Division (7510P)

*Enclosures (Stamped Label)*

{All text in brackets [xxx] is optional and may or may not be included on a final label }

{All text in braces {xxx} is administrative and will not appear on a final label }

# BLUE EXCESS CHLORINATING TABLETS

## ACTIVE INGREDIENT

Trichloro-s-triazinetriene

99.0%

## OTHER INGREDIENTS

1.0%

TOTAL

100.0%

AVAILABLE CHLORINE 90%

EPA REG NO 88896-3

EPA EST NO xxxxx-xx-xxx

[NET WEIGHT 7oz, 8oz, 2.5lbs, 10lbs, 20lbs, 25lbs, 35lbs, 40lbs, 50lbs, 55lbs, 100lbs, 110lbs]


**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15 – 20 minutes</li> <li>Remove contact lenses if present after the first 5 minutes, then continue rinsing eye</li> <li>Call a poison control center or doctor for treatment advice</li> </ul>
IF SWALLOWED	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice</li> <li>Have person sip a glass of water if able to swallow</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor</li> <li>Do not give anything by mouth to an unconscious person</li> </ul>
IF INHALED	<ul style="list-style-type: none"> <li>Move person to fresh air</li> <li>If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible</li> <li>Call a poison control center or doctor for further treatment advice</li> </ul>
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> <li>Take off contaminated clothing</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes</li> <li>Call a poison control center or doctor for treatment advice</li> </ul>
<b>HOT LINE NUMBER</b> Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 1-800-255-3924 for emergency treatment information.	
<b>NOTE TO PHYSICIAN</b> Probable mucosal damage may contraindicate for the use of gastric lavage	

Manufactured by  
 Arizona's Best Pool Service  
 P O Box 20254  
 Mesa, AZ 85277-0254

Batch Code \_\_\_\_\_



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
DANGER**

Corrosive Causes irreversible eye damage and skin burns May be fatal if inhaled Harmful if swallowed or absorbed through skin Do not get in eyes on skin or clothing Do not breathe dust, vapor or spray mist Irritating to nose and throat Wear goggles, face shield or safety glasses and chemical resistant gloves Wash thoroughly with soap and water after handling, and before eating, drinking chewing gum using tobacco, or using the toilet Remove contaminated clothing and wash before reuse

**ENVIRONMENTAL HAZARDS STATEMENT**

This pesticide is toxic to fish and aquatic organisms Do not discharge effluent containing this product directly into lakes, streams, ponds, estuaries oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority For guidance contact your State Water Board or Regional office of the EPA

**PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT**

Strong oxidizing agent Contact with water slowly liberates irritating and hazardous chlorine containing gases Decomposes at temperatures above 437°F (225°C) with liberation of harmful gases When ignited, will turn with the evolution of chlorine and equally toxic gases

Never add water to product Always add product to large quantities of water Use clean, dry utensils Do not add this product to any dispensing device containing remnants of any other product Such use may cause a violent reaction leading to fire or explosion Contamination with moisture organic material, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and explosion

**IN CASE OF FIRE OR SMOKE** Call the fire department Do not attempt to extinguish the fire without a self contained breathing apparatus (SCBA) Do not let the fire burn Flood with copious amounts of water Do not use ABC or other dry chemical extinguishers since there is the potential for violent reaction

**IN CASE OF CONTAMINATION OR DECOMPOSITION** Do not reseal container Neutralize material to a non-oxidizing state for safe disposal

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal

**STORAGE** Keep material dry and in a dry area Store in original container, where temperatures do not exceed 125°F (52°C) for 24 hours Retie polyethylene liner after each use and keep container tightly closed

**PESTICIDE DISPOSAL** Pesticide Wastes are acutely hazardous Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

**CONTAINER HANDLING** Non-Refillable Container Do not reuse or refill this container

*{Optional marketing statements that may be used with **small tablets**}*

[Stabilized chlorinating tablets for feeder or floater application]

[Concentrated]

[1 Chlorinating Tablets]

[Slow Dissolving]

[Long lasting]

[1" size]

[1" Tablets]

[Sanitizer]

[For feeder or floater application]

[Approximate weight of each tablet x ounces] {x equals weight of tablet}

[Swimming Pool Care Commercial Service Use] {for use on larger size containers sold to swimming pool service providers}

*{Optional marketing statements that may be used with **large tablets**}*

[Stabilized wrapped tablets]

[Stabilized chlorinating tablets for feeder or floater application]

[3" Chlorinating Tablets]

[Jumbo tablets]

[Giant tablets]

[3" size]

[Sanitizer]

[Approximate weight of each tablet x ounces] {x equals weight of tablet}

[Swimming Pool Care Commercial Service Use] {for use on larger size containers sold to swimming pool service providers}

*{Directions to be used for **small tablets**}*

## **SWIMMING POOL SANITIZER**

When used as directed, this product is an effective stabilized chlorinating product for sanitizing water in swimming pools. This slow dissolving product releases sufficient chlorine to reduce the growth of algae and micro-organisms in your swimming pool.

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

### **BEFORE APPLYING PRODUCT**

First, ensure all swimming pool equipment is working properly, then clean or backwash filter following manufacturer's directions. Next, adjust pH to between 7.2 and 7.6. Then add stabilizer to establish a minimum stabilizer level of 30-40 ppm to reduce the degradative effects of sunlight upon the chlorine residual. Next, superchlorinate the swimming pool water to 1 to 4 ppm chlorine residual. When using other products as outlined in directions for this product, always follow directions on those products.

### **WHEN USED IN AUTOMATIC CHLORINATORS AND FLOATERS**

This product can be used in feeding devices such as automatic chlorinators and floaters as a maintenance treatment to provide a source of chlorine residual. Fill unit with this product and adjust the feeding device to assure a constant treatment level of 1-4 ppm available chlorine in the swimming pool water. Generally 1 to 2 ounces of this product per 10,000 gallons will be needed daily. Use a test kit or test strips to monitor chlorine levels and adjust the chlorine feed device as needed. Check and refill chlorinator as needed. Do not let this product come in direct contact with vinyl liners or other bleachable surfaces as damage may occur.

#### **WHEN USED IN SKIMMERS**

**SPECIAL NOTE** This product may be used in plastic skimmers only if skimmer and the piping between skimmer and pump are plastic. Do not add other chemicals through the skimmer when using this product in skimmer as an explosion or fire may result. Do not turn pump off for more than 8 hours in vinyl swimming pools when this product is in skimmer.

First add two ounces of this product per 10,000 gallons of water. Next on the following day, test the chlorine residual using test strips or a test kit. If the residual is less than 1 ppm add additional product and/or increase the number of hours the pump operates each day. Adjust the amount of product added and the hours of pump operation to maintain a chlorine residual of 1 to 4 ppm. Replenish the product as necessary to maintain chlorine residual of 1 to 4 ppm.

**Reentry into treated swimming pools is prohibited above levels of 4 ppm chlorine residual due to risk of body injury**

*{Directions to be used for large tablets}*

#### **SWIMMING POOL SANITIZER**

When used as directed, this product is an effective stabilized chlorinating product for sanitizing water in swimming pools. This slow dissolving product releases sufficient chlorine to reduce the growth of algae and micro-organisms in your swimming pool.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

#### **BEFORE APPLYING PRODUCT**

First, ensure all swimming pool equipment is working properly, then clean or backwash filter following manufacturer's directions. Next, adjust pH to between 7.2 and 7.6. Then add stabilizer to establish a minimum stabilizer level of 30-40 ppm to reduce the degradative effects of sunlight upon the chlorine residual. Next, superchlorinate the swimming pool water to 1 to 4 ppm chlorine residual. When using other products as outlined in directions for this product, always follow directions on those products.

#### **WHEN USED IN AUTOMATIC CHLORINATORS AND FLOATERS**

This product can be used in feeding devices such as automatic chlorinators and floaters as a maintenance treatment to provide a source of chlorine residual. Fill unit with this product and adjust the feeding device to assure a constant treatment level of 1-4 ppm available chlorine in the swimming pool water. Generally 1 to 2 ounces of this product per 10,000 gallons will be needed daily. Use a test kit or test strips to monitor chlorine levels and adjust the chlorine feed device as needed. Check and refill chlorinator as needed. Do not let this product come in direct contact with vinyl liners or other bleachable surfaces as damage may occur.

#### **WHEN USED IN SKIMMERS**

**SPECIAL NOTE** This product may be used in plastic skimmers only if skimmer and the piping between skimmer and pump are plastic. Do not add other chemicals through the skimmer when using this product in skimmer as an explosion or fire may result. Do not turn pump off for more than 8 hours in vinyl swimming pools when this product is in skimmer.

First, add two ounces of this product per 10 000 gallons of water. Next, on the following day test the chlorine residual using test strips or a test kit. If the residual is less than 1 ppm add additional product and/or increase the number of hours the pump operates each day. Adjust the amount of product added and the hours of pump operation to maintain a chlorine residual of 1 to 4 ppm. Replenish the product as necessary to maintain chlorine residual of 1 to 4 ppm.

**Reentry into treated swimming pools is prohibited above levels of 4 ppm chlorine residual due to risk of body injury**