

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

July 8, 2022

Jaqueline Sumski maxill inc. c/o Delta Analytical Corp. 12510 Prosperity Drive, Suite 160 Silver Spring, MD 20904

Subject: PRIA Label and CSF Amendment Adding addition of unregistered source of

ethanol and isopropyl alcohol, addition of Rotavirus, and reducing contact times

Product Name: Panther Disinfectant Towelette

EPA Registration Number: 88897-1 Received Date: January 13, 2022 Action Case Number: 00338092

#### Dear Jaqueline Sumski:

The amended label and CSF referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. Pursuant to 40 CFR 156.10(a)(6), you must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Please note that the record for this product currently contains the following CSF:

Basic CSF dated July 6, 2022

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the

Page 2 of 2 EPA Reg. No. 88897-1 Action Case No. 00338092

website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Assurance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Zebora Johnson by phone at (202) 560-0730 or via email at <a href="johnson.zebora@epa.gov">johnson.zebora@epa.gov</a>.

Sincerely,

Jacqueline Hardy for Steven Snyderman

Product Manager, Team 33

Regulatory Management Branch II

Antimicrobial Division, OPP

**Environmental Protection Agency** 

Enclosure: Accepted Label

## [maxill]

### Panther Disinfectant Towelette

[Alternate Brand Names: mycolio, mycolio DISINFECTANT WIPES]

, , , , , , , , , , , , , , , , , , , ,
{For only the refill pouch label :} [Refill Pouch] {Select as applicable to marketed product & appropriate, terms may be separated by bullets, commas, "and" or "&" :} {Any asterisk/symbol can be used, as long as it is not repeated/duplicated:}
[Virucidal <sup>†</sup> ] [Virucide <sup>†</sup> ] [Bactericidal <sup>††</sup> ] [Bactericide <sup>††</sup> ] [Tuberculocidal <sup>†††</sup> ] [Tuberculocide <sup>†††</sup> ] [Fungicidal <sup>†††</sup> ]] [Fungicide <sup>††††</sup> ] [Germicidal] [Germicide]
{Select as appropriate, terms may be separated by line spacing, bullets, commas, "and" or "&":} [Cleans] [Disinfects] [Deodorizes] [Broad Spectrum Disinfectant] [Cleaner] [Disinfectant] [Disinfectant] and Sanitizer] [Deodorizer] [Multi-purpose Cleaner] [Great for use on Dental Chairs *] [Great for use in Hospitals, Dental Offices and other Medical Settings *] [JUMBO Size [Wipes] [Towelettes]]  * on hard, non-porous surfaces only
ACTIVE INGREDIENTS:
n-Alkyl (50% C14, 40% C12, 10% C16)
dimethyl benzyl ammonium chloride
Didecyl dimethyl ammonium chloride 0.51%
Ethanol 6.84%
Isopropanol
INERT INGREDIENTS:
TOTAL: 100.00%
KEEP OUT OF REACH OF CHILDREN
CAUTION
READ THE LABEL BEFORE USING
{If Precautionary Statements and First Aid are not located here, the following phrase will be used;}
[See side [back] panel for additional Precautionary Statements.]
EPA Reg. No. 88897-1 EPA Est. No: 88897-CAN-001
{Producer/Registrant/Person for whom Produced, one of :}  [Packed for] [Packaged for] [Manufactured for [by]] [Distributed by] [Sold by]
maxill 80 Elm Street St. Thomas, Ontario N5R 6C8, Canada 1 800 268-8633
NET CONTENTS: lbs oz. A C C E
[Pre-moistened] [JUMBO Size] [Towelettes] [Wipes] [," x"]

Note: [Bracketed text] is optional/alternate text and it might not appear on the marketing label. {Bracketed Text} is for administrative information only and will not appear on the marketing label.

[Reorder No.] [Item No.]

### PTED

7/08/2022

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

88897-1

#### PRECAUTIONARY STATEMENTS: HAZARD TO HUMAN AND DOMESTIC ANIMALS.

**CAUTION:** Harmful if inhaled. Do not breathe vapor. Causes moderate eye irritation. Avoid contact with eyes, or clothing. Wear protective eye wear (eye glasses and eye goggles) and gloves. Remove and wash contaminated clothing before use. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### **FIRST AID:**

If inhaled:

- Move person to fresh air
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible

#### If in eyes:

- Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For non-emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 (NPIC Web site: www.npic.orst.edu)

PHYSICAL OR CHEMICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool place. Tightly close lid between uses to retain moisture.

Towelette Disposal: Do not reuse towelette [wipe]. Dispose of towelette [wipe] in trash after use. Do not flush [in toilet].

{Container Disposal, One of the following :}

{For canisters that are not intended to be refilled by consumer :}

[CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. Offer empty container for recycling. If recycling is not available, discard container in trash.]

{For canisters intended to be refilled by the consumer :}

[CONTAINER HANDLING: Do not reuse or refill except as described in the directions for use. Refill only with this product [product name]. Offer unusable [broken] [cracked] container [canister] for recycling. If recycling is not available, discard container [canister] in trash.]

{For pouches containing a refill roll that is handled by consumer :}

[CONTAINER HANDLING [[PACKAGE] [POUCH] DISPOSAL]: Discard empty packaging in trash.]

#### {MARKETING INFORMATION}

 $\{ Select \ as \ appropriate, \ terms \ may \ be \ separated \ by \ bullets, \ commas, \ "and" \ or \ "\&" : \}$ 

[Cleans] [Disinfects] [Deodorizes]

[Broad Spectrum][Cleaner] [Disinfectant] [Hospital Use] [Deodorizer] [Multi-purpose Cleaner]

[Panther Disinfectant Towelette] [[Marketing Name] Towelettes [Disinfectant Towelettes] [Hard Surface Disinfectant Towelettes] [Disinfectant Wipes] [Hard Surface Disinfectant Wipes] [Wipes]] is a [are] disposable, non-woven, single-use towelette[s]. [It is] [They] are intended for use on pre-cleaned, hard non-porous inanimate surfaces in areas where the disinfection of surfaces is required.

When used as directed [these towelettes] [these wipes] clean[,] [and] disinfect [,and sanitize] hard, non-porous, non-food contact surfaces found in

{One or more of the following sites may be listed, as appropriate. The last area will be preceded with the word "and" :}

ambulances funeral homes operating rooms

athletic clubs GI laboratories offices

automobile interiorsgymsophthalmic centersautopsy roomshair salonsparamedic unitsbarber shopshealth clubspathology facilitiesbathroomshospitalspatient care areas

beauty salons healthcare facilities pheresis equipment and centers

blood centers hotels podiatry offices buses human transport vehicles police vehicles

cadaver work [processing] areas infant care units prisoner holding areas [lockups]

cardiac care labs institutional facilities prisons

cardiac catheterization labs intensive care units radiology centers cardiology units isolation rooms [units] research laboratories child care facilities laboratories respiratory care units

clean rooms large animal care facilities schools

clinical areas lasik centers skin care facilities

daycare centers locker rooms spas

dental facilities long-term care facilities surgical centers and rooms

dialysis unitsmedical facilitiestanning salonsdrug preparation facilitiesmedical officestattoo parlorsEMS unitsmorguestrailersemergency roomsnail care facilitiestrain cars

endoscopic rooms nail salons transport equipment esthetician facilities neonatal units workout rooms

extended care facilities newborn nurseries areas/facilities concerned with the food processing facilities nursing homes hazards of cross-contamination (non-food contact surfaces) from infectious microorganisms

# When used as directed [these towelettes] [these wipes] may be used on the following hard, non-porous, non-food contact surfaces

{One or more of the following areas for use may be listed, as appropriate. The last item will be preceded with the word "and" :}

athletic/training facility surfaces

baby/infant care surfaces

bassinets bathing units bed rails beds

cabinets changing tables commodes

computer keyboards [surfaces]

counters curing lights

diving equipment and air packs

doorknobs

equipment surfaces

eye glasses

eye protection devices finished surfaces firefighter turnout gear foot spa surfaces funeral home surfaces

goggles helmets

hospitality and hotel surfaces

incubators

infant care equipment

(bassinets, bed railings, cribs, infant incubator-surfaces, tables, warmers (exterior surface))

keyboards

laminated surfaces light lens covers

loupes mats

manicure/pedicure tables/chairs

mannequins monitor knobs monitors

optical wear (excluding contact

lenses)

painted surfaces pet care surfaces play-care equipment

play mats pumps rails

reptile care surfaces

shampoo bowls

ship [river, ocean, sea vessel]

surfaces

showers [floors/walls]

sink faucets sinks

small animal care surfaces

stalls stair chairs tables tanks

tanning bed surfaces

telephones,/toilets (rims, seats

and exterior surfaces)

toys

transport van surfaces

transportation equipment surfaces

turn-out gear

walls

wet/dry suits work stations wresting mats When used as directed [these towelettes] [these wipes] may be used on the following hard, non-porous, non-critical parts of the following items/surfaces

{One or more of the following areas for use may be listed, as appropriate. The last item will be preceded with the word "and" :}

ambulance equipment and [patient	medication infusion surfaces	patient stretchers
care] surfaces	microkeratome surfaces	patient transport surfaces
anesthesia equipment surfaces	microscopes	pharmacy surfaces
backboards	morgue tables	physical therapy equipment (such
blood pressure devices	MRI equipment surfaces	as bars, chairs, empty whirlpool
breathing masks	neonatal/nursery surfaces	tanks, etc.)
CPR training devices	non-critical devices	pulmonary function equipment
CT equipment/ surfaces	nursing station surfaces	radiology equipment surfaces
dental chairs	OB [obstetrical equipment]	respirators
dental equipment surfaces/devices	surfaces	respiratory care equipment
dialysis machine surfaces	occupational therapy devices	surfaces
EMS equipment/work surfaces	office fixtures	respiratory therapy equipment
ER surfaces	OR lights	skin care equipment/surfaces
examination tables	OR surfaces	spirometers
gonio lenses	OR tables	stretchers
hard cervical collars/braces	ophthalmic equipment	surgical equipment surfaces
instrument stands	surfaces/devices	surgical microscopes
Isolettes®	oxygen hoods	tattooing equipment
kidney machines	oxygen tents	surfaces/devices
laboratory equipment/surfaces	patient bed surfaces	ventilators
mayo stands	patient care devices	wheel chairs
medical equipment	patient care equipment surfaces	X-ray equipment/surfaces
surfaces/devices	patient examination tables	

When used as directed [these towelettes] [these wipes] may be used on the following hard, non-porous non-food contact materials

{One or more of the following areas for use may be listed, as appropriate. The last area will be preceded with the word "and" :}

clear plastic	baked painted surfaces
stainless steel	laminated surfaces and other
brass	similar surfaces
chrome	powder painted coated surfaces
copper	Formica <sup>®</sup>
acrylic	glazed tile
	stainless steel brass chrome copper

[If you are uncertain as to the material composition of your item, confirm with the manufacturer before proceeding.]

#### {If applicable:}

[For plastic and painted surfaces, spot test on an inconspicuous area before use.] {Microorganisms must be used with their respective contact times}

Note: [Bracketed text] is optional/alternate text and it might not appear on the marketing label. {Bracketed Text} is for administrative information only and will not appear on the marketing label.

#### Organisms Controlled/Contact Times

When used as directed on pre-cleaned hard, non-porous non-food contact surfaces, [[Panther Disinfectant Towelette] [Marketing Name] Towelettes [Disinfectant Towelettes] [Hard Surface Disinfectant Towelettes] [Disinfectant Wipes] [Hard Surface Disinfectant Wipes] [Wipes]] is an effective disinfectant against the following organisms.

#### †Virucidal (1-minute contact time)

Human Immunodeficiency virus 1 (HIV-1)\* [ZeptoMetrix] SARS-CoV-2 [(Virus that causes COVID-19)] [Strain: USA-WA1/2020]

Duck Hepatitis B virus (Surrogate for Human Hepatitis B Virus)\* [Strain Grimaud]

Bovine Viral Diarrhea virus (Surrogate for Human

Hepatitis C Virus)\* [ATCC VR-1422]

Rotavirus [ATCC VR-2018]

Human Coronavirus [ATCC VR-740]

Avian Influenza A (H3N2) Reassortant virus [ATCC VR-2072]

Herpes simplex virus type 1 [ATCC VR-733] Herpes simplex virus type 2 [ATCC VR-734]

#### <sup>†</sup>Virucidal (3-minutes contact time)

Poliovirus Type 1 [ATCC VR-1562]

#### \*\*\*\*\*Fungicidal (2-minutes contact time)

Trichophyton interdigitale [ATCC 9533]

#### \*\*Bactericidal (2-minutes contact time)

Salmonella enterica [ATCC 10708]

Vancomycin Resistant *Enterococcus faecalis* (VRE) [ATCC 51299] Methicillin Resistant *Staphylococcus aureus* (MRSA) [ATCC 33592]

#### \*\*Bactericidal (3-minutes contact time)

Pseudomonas aeruginosa [ATCC 15442] Staphylococcus aureus [ATCC 6538]

#### \*\*\*Tuberculocidal (3-minutes contact time)

*Mycobacterium bovis* BCG (Tuberculosis) [Organon Teknika Corp.]

#### 30-seconds, Non-Food Contact Sanitizer

When used as directed on pre-cleaned hard, non-porous non-food contact surfaces, [[Panther Disinfectant Towelettes] [Marketing Name] Towelettes [Disinfectant Towelettes] [Hard Surface Disinfectant Towelettes] [Disinfectant Wipes] [Hard Surface Disinfectant Wipes] [Wipes] is an effective sanitizer in 30 seconds against:

Staphylococcus aureus [ATCC 6538]

Klebsiella pneumoniae [ATCC 4352]

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for personal cleansing. This product is not a baby wipe. Do not use on contact lenses. [Do not flush [in the toilet].]

{The following paragraph will be included when the marketing label references health care use :}

This product is not to be used as a terminal sterilant/ high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean critical or semi-critical medical devices prior to sterilization/high-level disinfection.

{For product marketed in a dispensing canister that may be refilled only by the consumer :}

To start the feed through the lid:

- 1. Unscrew entire lid from the canister and remove the protective seal from the canister.
- 2. Pull up a corner of the first [towelette] [wipe] from the center of the roll and push 1 inch through the hole in the lid. DO NOT PUSH FINGER THROUGH THE HOLE.
- 3. Replace lid tightly on the canister.
- 4. Lift the flip-top and pull out the [towelettes] [wipes] one at a time.

{If the distributor includes a calendar sticker with the product}

- 5. [Document the date opened on the sticker that is provided.]
- 5. {or} 6. Ensure lid remains closed between uses to prevent moisture loss.

This container may be refilled by the consumer with [Panther Disinfectant Towelettes] [Marketing Name] Towelettes [Disinfectant Towelettes] [Hard Surface Disinfectant Towelettes] [Disinfectant Wipes] [Hard Surface Disinfectant Wipes] [Wipes] Refill Pouch. Refer to further instructions on the label of the refill pouch.

{For product marketed in a non-refillable refill pouch :}

#### Placing the contents of the Refill Pouch into a dispenser:

- 1. Open empty canister lid.
- 2. Open Refill Pouch [by cutting the top of the pouch] and remove saturated [towelettes] [wipes].
- 3. Place saturated towelettes in empty canister including excess liquid in the bottom of the pouch.
- 4. Replace canister lid.

{If the distributor includes a calendar sticker with the product}

5. [Write the new lot number / expiry date from the pouch on the sticker provided.

Note: [Bracketed text] is optional/alternate text and it might not appear on the marketing label. {Bracketed Text} is for administrative information only and will not appear on the marketing label.

6. Place the sticker on top of the old lot number / expiry date on the canister. Remove previous stickers if present.]

#### **CLEANING, SANITIZING & DISINFECTING**

Pre-clean all surfaces prior to disinfecting or sanitizing.

**To Sanitize:** Using this product, wipe the surface using enough wipes for surface to remain visibly wet for 30 seconds. Then wipe the surface dry.

**To Disinfect:** Using this product, wipe the surface using enough wipes for surface to remain visibly wet for the entire contact time required for the intended purpose (see ORGANISMS CONTROLLED / CONTACT TIMES†). For broad spectrum disinfection, allow the surface to remain visibly wet for 3 minutes. Then wipe the surface dry.

\*This product effectively kills [Human Immunodeficiency virus 1 (HIV-1),] [Hepatitis B Virus (HBV),] [[and] Hepatitis C Virus (HCV)] on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects can be associated with the potential for transmission of [HIV-1], [HBV,] [[and] [HCV].

# Special Instructions for Cleaning and Decontamination Against [HIV-1,] [HBV,] [[and] HCV] of Surfaces or Objects Soiled With Blood or Body Fluids:

Personal Protection: When using this disinfecting towelette, wear appropriate barrier protection such as disposable protective gloves, protective gown, face mask and eye covering.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfecting towelette. A [Panther Disinfectant Towelette] [[Marketing Name] [towelette] [wipe]] can be used for this purpose.

Contact Time: Allow surface to remain wet for 1 minute to kill HIV-1. Use a 2 minute contact time for HBV and HCV.

Disposal of Infectious Materials: Cleaning materials used that may contain blood or other body fluids should be autoclaved and disposed of in accordance with Federal, State and local regulations for infectious materials disposal.

{As Applicable, per **GUIDANCE TO REGISTRANTS: PROCESS FOR MAKING CLAIMS AGAINST EMERGING VIRAL PATHOGENS NOT ON EPA-REGISTERED DISINFECTANT LABELS.** The statements will NOT appear on marketed (final print) product labels and will only be made through the communications outlets listed in the **Guidance.**}

This product qualifies for emerging viral pathogen claims per the EPA's 'Guidance to Registrants: Process for Making Claims Against Emerging Viral Pathogens not on EPA-Registered Disinfectant Labels' when used in accordance with the appropriate use directions indicated below.

This product meets the criteria to make claims against certain emerging viral pathogens from the following viral category[ies]:

- -Enveloped Viruses
- -Large Non-Enveloped Viruses

For an emerging viral pathogen that is a/an	following the directions for use for the following organisms on the label:
Enveloped virus	Poliovirus Type 1 [ATCC VR-1562]
Large, non-enveloped virus	Poliovirus Type 1 [ATCC VR-1562]

[Product Name] has demonstrated effectiveness against viruses similar to [name of emerging virus] on hard, non-porous surfaces. Therefore, [Product Name] can be used against [name of emerging virus] when used in accordance with the directions for use against [name of supporting virus(es)] on hard, non-porous surfaces. Refer to the [CDC or OIE] website at [pathogen-specific website address] for additional information.

{AND/OR}

[Name of illness/outbreak] is caused by [name of emerging virus]. [Product Name] kills similar viruses and therefore can be used against [name of emerging virus] when used in accordance with the directions for use against [name of supporting virus(es)] on hard, non-porous surfaces. Refer to the [CDC or OIE] website at [website address] for additional information.

[[Batch] [Lot] No]	
[SDS No]	
[Questions? Call, [am – pm [Eastern] [	Central] [Mountain] [Pacific] Time
Weekdays] [24 hours/ 7 days a week]]	
[For Emergencies, call]	
[www]	
Made in Canada	

[Optional Sticker Calendar]

{The following sticker may be provided with each canister and refill pouch :}





#### {Optional Graphic}

{The following may be used as a sticker or graphic with each canister and refill pouch :} {Reader's Note: The cleaning protocol refers to the cleaning instructions recommended by the dental chair manufacturers. These cleaning instructions are provided with the chair instructions, and call for cleaning the chair after disinfection to remove disinfectant residue/build-up. Maxill's website will include information on the care for dental chairs, as well as instruct users to refer to manufacturer instructions. The graphic is meant to highlight the fact that clients should take note of their chair manufacturer's cleaning instructions when using a disinfectant such as this product.}



## **Cleaning Care for Dental Chairs**

IN ADDITION TO DISINFECTING, A CLEANING PROTOCOL IS REQUIRED BY THE CHAIR MANUFACTURER

Call 1-855-462-9455 for more information www.maxill.com/us/chaircare