

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

10/4/18

NOTICE OF	F PESTICIDE:
-----------	--------------

X Registration
Reregistration
(under FIFRA, as amended)

Conditional

Term of Issuance:

Name of Pesticide Product: DURISAN

Name and Address of Registrant (include ZIP Code):

Jennifer Brandon Agent for Sanit Technologies, LLC 90 Dayton Avenue Passaic, NJ 07055

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:	Date:
E. Mideloff	10/4/18
Eric Miederhoff, Product Manager 31	
Regulatory Management Branch I	
Antimicrobials Division (7510P)	
Office of Pesticide Programs	

- 2. You are required to comply with the data requirements described in the DCIs identified below:
 - a. DDAC GDCI-069149-30869
 - b. DDAC GDCI-069149-0681

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Reevaluation Team Leader (Team 36): http://www2.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-antimicrobial-division

- 3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 88919-1."
- 4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

• Basic CSF dated 04/30/2018

If you have any questions, you may contact Joe Daniels at (703) 347-8669 or via email at daniels.joseph@epa.gov.

Enclosure

ACCEPTED

10/04/2018

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 88919-1

Durisan

ACTIVE INGREDIENT:	
1-Decanaminium, N-decyl-N,N-dimethyl-, chloride	1.6%
OTHER INGREDIENTS:	<u>98.4%</u>
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN WARNING

See side [back] panel for additional precautionary statements.

Manufactured by [or for]:
Sanit Technologies, LLC
90 Dayton Ave
Passaic, NJ 07055
[Emergency Telephone Number: 844-DURISAN]

EPA Reg. No. 88919-R EPA Est. No.

{Alternate Format for Est. No.} EPA Est. No. 88919-FL-1^(A), 88919-NJ-1^(B) [Letter designation in lot code printed above or below label on bottle identifies actual establishment]

[Statements in brackets [] are optional or instructional]

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes skin irritation and moderate eye irritation. Harmful if inhaled. Avoid breathing spray mist. Do not get on skin or clothes. Avoid contact with eyes. Wear protective gloves (rubber or chemical resistant) and long sleeve shirt, long pants, and shoes when using. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For general information on product use, etc., call the National Pesticides Information Center at 1-800-858-7378. You may also contact the poison control center at [1-800-222-1222] for emergency medical treatment information.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth is possible.

[For Residential Use, non refillable]

STORAGE AND DISPOSAL

Storage: Store in original container in areas inaccessible to children.

Container handling: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or place in trash.

[For Commercial/Institutional uses only]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original container in areas inaccessible to children.

Pesticide Disposal: To avoid waste, use all material in this container by application according to label directions. If wastes cannot be avoided, wastes must be disposed of on site or at an approved waste disposal facility.

Container Handling: [Choose one or more:]

[Nonrefillable container, less than or equal to 5 gallons:]

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ½ full with water and recap. Shake vigorously and dispose of rinsate. Offer container for recycling if available or place in trash.

[Nonrefillable container, greater than 5 gallons:]

Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Offer container for recycling if available or place in trash.

[Refillable container, less than or equal to 5 gallons:]

Refillable container. Refill this container with this product only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, triple rinse as follows: Fill container ¼ full with water and recap. Shake vigorously and dispose of rinsate. Offer container for recycling if available or place in trash.

[Refillable container, greater than 5 gallons:]

Refillable container. Refill this container with this product only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Offer container for recycling if available or place in trash.

[Statements in brackets [] are optional or instructional]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRE-CLEANING: Remove gross filth; then apply product, scrub and rinse.

TO DISINFECT [AND DEODORIZE] hard nonporous surfaces: Prior to disinfection, follow precleaning instructions [steps] listed above. To disinfect, mix 9 oz. of product per each 8 oz. (1 cup) water. Apply solution with a cloth, sponge, mop, brush, or coarse spray to thoroughly wet the surface. Allow treated surface to remain visibly wet for ten minutes [or 10 minutes]. Let air dry [or wipe with a dry cloth or sponge]. A potable water rinse is required for food contact surfaces.

[Use Sites]

Hospitals and Healthcare Settings, Medical Clinics: Ambulances, Ambulatory Surgical Centers (ASC), CAT Labs, Cardiac Care Unit (CCU), Dental Offices, Dialysis Clinics, Doctor Offices, Emergency Rooms [E.R.], Surgical Centers, Surgery and Surgical Care Unit (SICU), Eye Surgical Centers, Skilled Nursing Facility, Pediatrics, Radiology, Long Term Care Centers, Hospices, Intensive Care Unit [or] [ICU], Rehabilitation, Transport Vehicles, Home Healthcare, Laboratory, Laundry Rooms, Emergency Vehicles, Donation Centers, Patient Care Areas, Recovery Rooms, Nursing Homes, Operating Rooms (OR), Healthcare Facilities, Newborn Nursery, Physical Therapy, X-ray Rooms

Use on hard nonporous surfaces: counters, floors, walls, bed railings, [filing] cabinets, gym equipment, blood pressure meters, carts, tables, dental chairs, dental trays, dental counter tops, exam tables, operating room tables, gurneys, IV poles, IV pumps, laboratory equipment, operating room lights and tables, physical therapy equipment, patient lift equipment, vinyl curtains, bed frames, delivery equipment, spine back boards, ambulance equipment, cardiac gym equipment, chairs, stethoscopes, stretchers, telephones, patient monitors, patient monitoring equipment, schools, classrooms, desks, work station[s]

Use on hard nonporous surfaces of bathroom[s] or public restrooms[:] Outside surfaces of toilets, toilet seats and handles, bathroom sinks, bathroom fixtures, [bathroom] floors, handrails, external surface of urinals

Use on hard nonporous surfaces of kitchens*, garbage cans, seats, [kitchen] floors, glazed tile, doorknobs.

*A potable water rinse is required for food contact surfaces.

Use on hard nonporous surfaces made of plastic, vinyl, Formica, glazed tile, sealed stone, stainless steel and glass.

[The following statement is required for hospital disinfectants only:]

This product is not to be used as a terminal high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

[Statements in brackets [] are optional or instructional]

[List of Approved Organisms]

[ATCC numbers are required on the master label, but are not required to be listed on the production label]

Staphylococcus aureus [ATCC 6538] Pseudomonas aeruginosa [ATCC 15442]

[Optional Claims: Choose from the following claims as appropriate, location optional:]

Alcohol Free [this is included as useful info for users needing an alcohol-free product] An effective way to deodorize and disinfect hard, nonporous, [environmental] surfaces [including:] [insert surfaces from above list]

Antibacterial [disinfecting]

Bleach Free [this is included as useful info for users needing a bleach-free product]

Can help reduce cross contamination on treated surfaces

Compatible for use on hard non-porous surfaces commonly found in healthcare settings [including:] [insert use sites from above list]

Deodorizes [Deodorizer]

Disinfectant

Disinfects [insert use sites from above list]

Disinfects hard nonporous surfaces

Hospital Disinfectant

Kills Staphylococcus aureus and Pseudomonas aeruginosa

Kills bacteria**

[location optional:] **Staphylococcus aureus, Pseudomonas aeruginosa

Made in the USA

Patent Pending

Removes [eliminates] odors

[Warranty Statement]

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Sanit Technologies, LLC makes no warranties, express or implied, or merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label.

[For more information concerning this product, please consult the SDS, available from the manufacturer]

[Optional Graphics]



SANIT TECHNOLOGIES LLC